

From: **AN ELECTRONIC CHECKLIST OF THE NEW WORLD CHAFERS**  
**(COLEOPTERA: SCARABAEIDAE: MELOLONTHINAE)**  
**Version 2**  
**Updated: March 2007**  
By **ARTHUR V. EVANS** and **ANDREW B. T. SMITH**

**Tribe MELOLONTHINI Leach in Samouelle, 1819**

Keys to genera: Howden, 1968: 546; Hardy, 1974: 4; Ratcliffe, 1991: 171

**Genus AMBLONOXIA Reitter**

*Amblonoxia* Reitter, 1902: 276. Type species *Microphylla quedenfeldtii* Kraatz, by monotypy.

Synonym: *Parathyce* Hardy, 1974: 12. Type species *Plectrodes carpenteri* LeConte, by original designation.

Keys to species: Hardy, 1974: 12

***Amblonoxia bidentata* (Fall)**

*Thyce bidentata* Fall, 1932: 201

*Parathyce bidentata* (Fall); Hardy, 1974: 15

Distribution: United States

***Amblonoxia carpenteri* (LeConte)**

*Plectrodes carpenteri* LeConte, 1876: 516

*Thyce carpenteri* (LeConte); Casey, 1889: 170

*Parathyce carpenteri* (LeConte); Hardy, 1974: 17

Distribution: United States

Synonym: *Thyce crinicollis* Casey, 1914: 310

Synonym: *Thyce pistoria* Casey, 1895: 607

***Amblonoxia fieldi* (Fall)**

*Thyce fieldi* Fall, 1908: 160

*Parathyce fieldi* (Fall); Hardy, 1974: 13

Distribution: México, United States

Synonym: *Thyce angusticollis* Casey, 1914: 320

Synonym: *Thyce simplices* Casey, 1914: 319

***Amblonoxia harfordi* (Casey)**

*Thyce harfordi* Casey 1889: 173

*Parathyce harfordi* (Casey): Hardy, 1974: 21

Distribution: United States

Synonym: *Thyce harfordi nanella* Casey, 1914: 318

Synonym: *Thyce longipalpis* Casey, 1914: 316

Synonym: *Thyce squamosa* Casey, 1891: 20

***Amblonoxia palpalis* (Horn)**

*Plectrodes palpalis* Horn, 1880: 146

*Thyce palpalis* (Horn); Casey, 1889: 170

*Parathyce palpalis* (Horn); Hardy, 1974: 19

*Amblonoxia palpalis* (Horn); Zidek, 2006: 26

Distribution: United States

Synonym: *Thyce angustula* Casey, 1914: 315

Synonym: *Thyce aurata* Van Dyke, 1943: 105

Synonym: *Thyce blaisdelli* Casey, 1891: 19

Synonym: *Thyce blaisdelli nitidula* Casey, 1914: 313

Synonym: *Thyce cinerea* Van Dyke, 1943: 106

Synonym: *Thyce clypeata* Van Dyke, 1943: 107

Synonym: *Thyce fossiger* Casey, 1889: 172

Synonym: *Thyce fossiger aperta* Casey, 1914: 314

Synonym: *Thyce fossiger brevitarsus* Casey, 1914: 314

Synonym: *Thyce fossiger ochreata* Casey, 1914: 314

Synonym: *Thyce pulvorea* Casey, 1889: 171

Synonym: *Microphylla quedenfeldtii* Kraatz, 1894: 290

Synonym: *Thyce rotundicauda* Casey, 1914: 311

Synonym: *Thyce vestita* Casey, 1914: 312

***Amblonoxia riversi* (Casey)**

*Thyce riversi* Casey, 1895: 608

*Parathyce riversi* (Casey); Hardy, 1974: 16

Distribution: United States

**Genus *AMPHIMALLON* Latreille**

*Amphimallon* Latreille, 1825: 371. Type species *Scarabaeus solstitialis* Linnaeus, by monotypy.

Synonym: *Amphimallum* Agassiz, 1846: 18 (unjustified emendation).

***Amphimallon majale* (Razoumowsky)**

*Melolontha majalis* Razoumowsky, 1789: 249

*Amphimallon majalis* (Razoumowsky); Reitter, 1902: 248

Distribution: Canada, United States (western Europe)

**Genus *CATRACHIA* Coca-Abia and Robbins**

*Catrachia* Coca-Abia and Robbins, 2006: 521. Type species *Catrachia mariana* Coca-Abia and Robbins, by original designation.

***Catrachia mariana* Coca-Abia and Robbins**

*Catrachia mariana* Coca-Abia and Robbins, 2006: 524

Distribution: Honduras

***Catrachia nica* Coca-Abia and Robbins**

*Catrachia nica* Coca-Abia and Robbins, 2006: 525

Distribution: Nicaragua

**Genus *DINACOMA* Casey**

*Dinacoma* Casey, 1889: 174. Type species *Thyce marginata* Casey, by monotypy.

Keys to species: Blaisdell, 1930: 177; Hardy, 1974: 25

***Dinacoma caseyi* Blaisdell**

*Dinacoma caseyi* Blaisdell, 1930: 174

Distribution: United States

***Dinacoma marginata* (Casey)**

*Thyce marginata* Casey, 1887: 39

*Dinacoma marginata* (Casey); Casey, 1889: 174

Distribution: United States

**Genus *FOSSOCARUS* Howden**

*Fossocarus* Howden, 1961: 807. Type species *Fossocarus creoleorum* Howden, by original designation.

***Fossocarus creoleorum* Howden**

*Fossocarus creoleorum* Howden, 1961: 808

Distribution: United States

**Genus *GRONOCARUS* Schaeffer**

*Gronocarus* Schaeffer, 1927: 213. Type species *Gronocarus autumnalis* Schaeffer, by monotypy.

***Gronocarus autumnalis* Schaeffer**

*Gronocarus autumnalis* Schaeffer, 1927: 213

Distribution: United States

Synonym: *Gronocarus multispinosus* Howden, 1961: 810

***Gronocarus inornatus* Skelley**

*Gronocarus inornatus* Skelley, 2005: 141

Distribution: United States

**Genus *HOWDENOCARUS* Hardy**

*Howdenocarus* Hardy, 1978b: 47. Type species *Howdenocarus mexicanus* Hardy, by original designation.

***Howdenocarus mexicanus* Hardy**

*Howdenocarus mexicanus* Hardy, 1978b: 47

Distribution: México

**Genus *HYPOTHYCE* Howden**

*Hypothyce* Howden, 1968: 542. Type species *Hypothyce mixta* Howden, by original designation.

Keys to species: Hardy, 1974: 8.

***Hypothyce burnei* Skelley**

*Hypothyce burnei* Skelley, 2005: 153

Distribution: United States

***Hypothyce mixta* Howden**

*Hypothyce mixta* Howden, 1968: 543

Distribution: United States

***Hypothyce osburni* (Cartwright)**

*Thyne osburni* Cartwright, 1967: 238

*Hypothyce osburni* (Cartwright); Hardy, 1974: 9

Distribution: United States

**Genus *HYPOTRICHIA* LeConte**

*Hypotrichia* LeConte, 1862: 137. Type species *Hypotrichia spissipes* LeConte, by monotypy.

***Hypotrichia spissipes* LeConte**

*Hypotrichia spissipes* LeConte, 1861: 137

Distribution: United States

**Genus *MIOLACHNOSTERNA* Wickham**

*Miolachnostenra* Wickham, 1914: 458. Type species *Miolachnostenra tristoides* Wickham, by monotypy.

***Miolachnostenra tristoides* Wickham**

*Miolachnostenra tristoides* Wickham, 1914: 458

Distribution: United States

Remark: fossil species

**Genus *MODIALIS* Fairmaire and Germain**

*Modialis* Fairmaire and Germain, 1860: 267. Type species *Modialis prasinella* Fairmaire and Germain, by monotypy.

Synonym: *Acanthosternum* Philippi, 1861: 739. Type species *Acanthosternum splendens* Philippi, by monotypy.

***Modialis prasinella* Fairmaire and Germain**

*Modialis prasinella* Fairmaire and Germain, 1860: 267

Distribution: Chile

Synonym: *Acanthosternum splendens* Philippi, 1861: 739

**Genus *PHYLLOPHAGA* Harris**

*Phyllophaga* Harris, 1827: 7. Type species *Melolontha hirticula* Knoch, by subsequent designation (Glasgow, 1916: 370).

Synonym: *Abcrana* Saylor, 1942a: 159. Type species *Phyllophaga crinitissima* Moore, by monotypy.

Synonym: *Clemora* Saylor, 1942a: 159. Type species *Phytalus smithi* Arrow, by original designation.

Synonym: *Endrosa* LeConte, 1856: 234. Type species *Melolontha quercus* Knoch, by subsequent designation (Saylor, 1942a: 162).

Synonym: *Eugastra* LeConte, 1856: 233. Type species *Tostegoptera cibrosa* LeConte, by subsequent designation (Bloeker, 1937: 84; see Saylor, 1942a: 162)

Synonym: *Gynnus* LeConte, 1856: 262. Type species *Gynnus debilis* LeConte, by monotypy.

Synonym: *Lachnostenia* Hope, 1837: 100. Type species *Melolontha fervida* Fabricius, by original designation

Synonym: *Trichesthes* Erichson, 1847b: 658. Type species *Melolontha pilosicollis* Knoch, a junior synonym of *Melolontha tristis* Fabricius, by monotypy.

Subgenus: *Chirodines* Bates, 1888: 169 (as genus). Type species *Chirodines zunilensis* Bates, by monotypy.

Subgenus: *Chlaenobia* Blanchard, 1850: 116 (as genus). Type species *Chlaenobia ciliatipes* Blanchard, by monotypy.

Subgenus: *Cnemarachis* Saylor, 1942a: 159 (as genus). Type species *Lachnostenia vandinei* Smyth, by original designation.

Subgenus: *Listrochelus* Blanchard, 1851: 141 (as genus). Type species *Listrochelus castlenau* Blanchard, by monotypy.

Subgenus: *Phytalus* Blanchard, 1851: 130 (as genus). Type species *Melolontha pubereus* Mannerheim, by subsequent designation (Saylor, 1942a: 162).

Subgenus: *Tostegoptera* Blanchard, 1851: 149 (as genus). Type species *Melolontha lanceolata* Say, by monotypy.

Subgenus: *Triodonyx* Saylor, 1942a: 158 (as genus). Type species *Triodonyx gigantissima* Saylor, by original designation.

Keys to species: Horn, 1885: 119 (United States); Forbes, 1894: 139 (Illinois); Blatchley, 1910 (Indiana); Langston, 1927b: 8 (Mississippi); Luginbill, 1928: 55 (South Carolina); Chapin, 1932b: 179 (Cuba); 1935a: 2 (subgenus *Chlaenobia*); Travis, 1934: 315 (Iowa); Saylor, 1939b: 90 (*sociatus* species group); 1939c: 160 (subgenus *Phytalus*); 1940c: 63 (subgenus *Listrochelus*); Böving, 1942: 21 (larvae); Fattig, 1944: (Georgia); Reinhard, 1946: 70 (apterous species); 1950: 31 (Texas); Sanderson, 1951: 254 (Hispaniola); 1958: 159 (Arizona subgenera and species groups); Luginbill and Painter, 1953: 4 (United States); Rosander and Werner, 1970: 1136 (Arizona larvae); Frey, 1975a: 202 (South American *Phyllophaga*); Lago et al., 1979: 42 (North Dakota); King, 1983: 45 (Costa Rica); Morón 1986: 189 (Mexican subgenera and species groups); Woodruff and Beck, 1989: 78 (Florida); Ratcliffe, 1991: 186 (Nebraska); Morón and Deloya 1991: 216 (Durango); Warner and Morón, 1992: 323 (subgenus *Triodonyx*); Morón, 1991: 406 (subgenus *Chirodines*); 1993: 76 (Veracruz); 1994: 39 (Hidalgo); Morón, Aragón, Tapia-Rojas, Rojas-Garcia, 2000: 96 (Puebla); Aragón, Morón, Tapia-Rojas, Rojas-Garcia 2001: 155 (Puebla); Harpootlian, 2001: 75 (South Carolina).

Annotated lists: Morón, Hernandez-Rodriguez, and Ramiriez Campos, 1996: 37 (Nayarit); Cano and Morón, 1998: 9 (Guatemala); Morón, Vallejo and Restrepo-Giraldo 1998: 31 (Colombia); Solís and Morón, 1998: 21 (Costa Rica)

Bibliography: Pike et al., 1976: 2.

***Phyllophaga abcea* Saylor**

*Phyllophaga (Listrochelus) abcea* Saylor, 1940d: 112

*Phyllophaga (Phyllophaga) abcea* Saylor; Cano and Morón, 1998: 14

Distribution: Guatemala

***Phyllophaga abdominalis* (Moser)**

*Lachnostenra abdominalis* Moser, 1921c: 254

*Phyllophaga abdominalis* (Moser); Blackwelder, 1944: 223

*Phyllophaga (Phyllophaga) abdominalis* (Moser); Morón, 1986: 205

Distribution: México

***Phyllophaga abundanti* Chalumeau and Gruner**

*Phyllophaga (Cnemarachis) abundanti* Chalumeau and Gruner, 1976: 89

Distribution: Martinique

***Phyllophaga acacoyahuana* Morón and Blas**

*Phyllophaga (Phyllophaga) acacoyahuana* Morón and Blas, 2006: 40

Distribution: México

***Phyllophaga acapulca* Saylor**

*Phyllophaga (Phyllophaga) acapulca* Saylor, 1943d: 135

Distribution: México

***Phyllophaga aceitillar* Woodruff**

*Phyllophaga aceitillar* Woodruff, 2005: 31

Distribution: Dominican Republic

***Phyllophaga acinosa* (Arrow)**

*Lachnostenra acinosa* Arrow, 1920: 192

*Phyllophaga acinosa* (Arrow); Blackwelder, 1944: 224

Distribution: Trinidad

***Phyllophaga acunai* Chapin**

*Phyllophaga acuñai* Chapin, 1937: 3

*Cnemarachis acuñai* (Chapin); Blackwelder, 1944: 223

*Phyllophaga acunai* (Chapin); Evans, 2003: 67

Distribution: Cuba

***Phyllophaga adjuntas* Saylor**

*Phyllophaga (Phyllophaga) adjuntas* Saylor, 1940e: 312

*Cnemarachis adjuntas* (Saylor); Blackwelder, 1944: 223

*Phyllophaga adjuntas* (Saylor); Evans, 2003: 67

Distribution: Puerto Rico

***Phyllophaga aemula* (Horn)**

*Lachnostenra aemula* Horn, 1887b: 271

*Phyllophaga aemula* (Horn); Glasgow, 1916: 373

Distribution: United States

***Phyllophaga aenea* (Moser)**

*Lachnostenra aenea* Moser, 1921c: 252

*Phyllophaga aenea* (Moser); Blackwelder, 1944: 224

*Phyllophaga (Phyllophaga) aenea* (Moser); Cano and Morón, 1998: 13

Distribution: Guatemala

***Phyllophaga aeneotincta* Chapin**

*Phyllophaga aeneotincta* Chapin, 1932: 201

*Cnemarachis aeneotincta* (Chapin); Blackwelder, 1944: 223

*Phyllophaga aeneotincta* (Chapin); Evans, 2003: 68

Distribution: Cuba

***Phyllophaga aequalis* (LeConte)**

*Tostegoptera aequalis* LeConte, 1853b: 440

*Lachnostenra aequalis* (LeConte); LeConte, 1856: 238

*Phyllophaga aequalis* (LeConte); Glasgow, 1916: 372

Distribution: United States

Synonym: *Lachnostenra exorata* Horn, 1887b: 278

*Phyllophaga exorata* (Horn); Evans, 2003: 68

***Phyllophaga aequata* (Bates)**

*Chlaenobia aequata* Bates, 1888: 168

*Phyllophaga aequata* (Bates); Blackwelder, 1944: 224

*Phyllophaga (Chlaenobia) aequata* (Bates); Morón, 1986: 209

Distribution: Costa Rica, México, Nicaragua

***Phyllophaga aequatorialis* (Moser)**

*Lachnostenra aequatorialis* Moser, 1921c: 257

*Phyllophaga aequatorialis* (Moser); Blackwelder, 1944: 224

Distribution: Ecuador

***Phyllophaga aeruginosa* (Burmeister)**

*Ancylonycha aeruginosa* Burmeister, 1855: 338

*Phyllophaga aeruginosa* (Burmeister); Chapin, 1932b: 204

*Cnemarachis aeruginosa* (Burmeister); Blackwelder, 1944: 223

*Phyllophaga (Cnemarachis) aeruginosa* (Burmeister); Woodruff, 1961: 12

Distribution: Cuba

***Phyllophaga affabilis* (Horn)**

*Lachnostenra affabilis* Horn, 1887b: 283  
*Phyllophaga affabilis* (Horn); Glasgow, 1916: 373  
Distribution: United States

***Phyllophaga afflictta* (Blanchard)**

*Ancylonycha afflictta* Blanchard, 1851: 134  
*Phyllophaga afflictta* (Blanchard); Blackwelder, 1944: 224  
*Phyllophaga (Phyllophaga) afflictta* (Blanchard); Frey, 1975a: 213  
Distribution: Brazil

***Phyllophaga aguadita* Saylor**

*Phyllophaga (Phyllophaga) aguadita* Saylor, 1942b: 156  
Distribution: Colombia

***Phyllophaga ahlbrandti* Garcia-Vidal**

*Phyllophaga ahlbrandti* Garcia-Vidal, 1988: 104  
Distribution: Cuba

***Phyllophaga alayoi* Garcia-Vidal**

*Phyllophaga (Cnemarachis) alayoi* Garcia-Vidal, 1978: 3  
Distribution: Cuba

***Phyllophaga albina* (Burmeister)**

*Ancylonycha albina* Burmeister, 1855: 328  
*Lachnostenra albina* (Burmeister); LeConte, 1856: 258  
*Phyllophaga albina* (Burmeister); Glasgow, 1916: 372  
Distribution: United States

***Phyllophaga alcoa* Woodruff**

*Phyllophaga alcoa* Woodruff, 2005: 33  
Distribution: Dominican Republic

***Phyllophaga aliada* Sanderson**

*Phyllophaga aliada* Sanderson, 1951: 279  
Distribution: Dominican Republic, Haiti

***Phyllophaga aliciae* Morón and Rivera-Cervantes**

*Phyllophaga (Phytalus) aliciae* Morón and Rivera-Cervantes, 2005: 10  
Distribution: México

***Phyllophaga almada* Saylor**

*Phyllophaga (Listrochelus) almada* Saylor, 1941a: 25  
Distribution: México.

***Phyllophaga alquizarra* Chapin**

*Phyllophaga alquizarra* Chapin, 1932b: 204

*Cnemarachis alquizaro* (Chapin): Blackwelder, 1944: 223  
Distribution: Cuba

***Phyllophaga alvareztoroi* Morón and Blas**  
*Phyllophaga (Phyllophaga) alvareztoroi* Morón and Blas, 2006: 36  
Distribution: México

***Phyllophaga amazonica* (Moser)**  
*Lachnostenra amazonica* Moser, 1918a: 57  
*Phyllophaga amazonica* (Moser); Blackwelder, 1944: 224  
*Phyllophaga (Phyllophaga) amazonica* (Moser); Frey, 1975a: 219  
Distribution: Brazil

***Phyllophaga ambigenus* (Bates)**  
*Phytalus ambigenus* Bates, 1888: 176  
*Phyllophaga ambigenus* (Bates); Blackwelder, 1944: 224  
*Phyllophaga (Phytalus) ambigenus* (Bates); Morón, 1986: 200  
Distribution: México

***Phyllophaga amplicornis* Reinhard**  
*Phyllophaga tristis amplicornis* Reinhard, 1939: 59  
*Phyllophaga amplicornis* Reinhard; Riley and Wolfe, 2003: 21  
Distribution: United States

***Phyllophaga analis* (Burmeister)**  
*Ancylonycha analis* Burmeister, 1855: 340  
*Phyllophaga analis* (Burmeister); Chapin, 1932b: 197  
*Cnemarachis analis* (Burmeister); Blackwelder, 1944: 223  
Distribution: Cuba

Synonym: *Ancylonycha bifoveolata* Jacquelin du Val, 1856: 133  
*Phyllophaga bifoveolata* (Jacquelin du Val); Evans, 2003: 67

Synonym: *Ancylonycha subsericans* Jacquelin du Val, 1856: 132  
*Phyllophaga subsericans* (Jacquelin du Val); Evans, 2003: 67

***Phyllophaga androw* Woodruff**  
*Phyllophaga androw* Woodruff, 2005: 39  
Distribution: Dominican Republic

***Phyllophaga angulicollis* (Bates)**  
*Lachnostenra angulicollis* Bates, 1888: 203  
*Phyllophaga angulicollis* (Bates); Blackwelder, 1944: 224  
*Phyllophaga (Phyllophaga) angulicollis* (Bates); Morón, 1986: 204  
Distribution: México

***Phyllophaga angusta* (Blanchard)**

*Ancylonycha angusta* Blanchard, 1851: 138

*Phyllophaga angusta* (Blanchard); Chapin, 1932b: 205

*Cnemarachis angusta* (Blanchard); Blackwelder, 1944: 223

Distribution: Cuba

***Phyllophaga anodentata* (Bates)**

*Lachnostenra anodentata* Bates, 1888: 208

*Phyllophaga (Phyllophaga) anodentata* (Bates); Morón, 1986: 250

Distribution: México

***Phyllophagaanolaminata* (Moser)**

*Lachnostenraanolaminata* Moser, 1921c: 254

*Phyllophagaanolaminata* (Moser); Blackwelder, 1944: 224

*Phyllophaga (Phyllophaga)anolaminata* (Moser); Cano and Morón, 1998: 15

Distribution: Guatemala, Honduras, México

***Phyllophaga anomalooides* (Bates)**

*Lachnostenra anomalooides* Bates, 1888: 192

*Phyllophaga anomalooides* (Bates); Blackwelder, 1944: 224

*Phyllophaga (Phyllophaga) anomalooides* (Bates); Morón, 1986: 202

Distribution: México

***Phyllophaga antennalis* (Moser)**

*Lachnostenra antennalis* Moser, 1921c: 255

*Phyllophaga antennalis* (Moser); Blackwelder, 1944: 224

*Phyllophaga (Phyllophaga) antennalis* (Moser); Morón, 1986: 205

Distribution: México

***Phyllophaga antennata* (Smith)**

*Lachnostenra antennata* Smith, 1889a: 99

*Phyllophaga antennata* (Smith); Glasgow, 1916: 374

Distribution: United States

***Phyllophaga antiguae* (Arrow)**

*Lachnostenra antiguae* Arrow, 1920: 191

*Phyllophaga antigua* [sic] (Arrow); Blackwelder, 1944: 223 [error]

*Phyllophaga antiguae* (Arrow); Chalumeau, 1980: 87

Distribution: Antigua

***Phyllophaga anxia* (LeConte)**

*Lachnostenra anxia* LeConte, 1850: 226

*Phyllophaga anxia* (LeConte); Glasgow, 1916: 371

Distribution: Canada, United States

Synonym: *Lachnostenra alpina* Linell, 1896: 726

*Phyllophaga alpina* (Linell); Evans, 2003: 71

Synonym: *Ancylonycha brevicollis* Blanchard, 1851: 132  
*Phyllophaga brevicollis* (Blanchard); Evans, 2003: 71

Synonym: *Lachnostenra cephalica* LeConte, 1856: 245  
*Phyllophaga cephalica* (LeConte); Evans, 2003: 71

Synonym: *Lachnostenra dubia* Smith, 1888: 183  
*Phyllophaga dubia* (Smith); Evans, 2003: 71

Synonym: *Ancylonycha guadulpensis* Blanchard, 1851: 132  
*Phyllophaga guadulpiensis* [sic] (Blanchard); Paulian, 1947: 53

Synonym: *Lachnostenra insperata* Smith, 1889a: 93  
*Phyllophaga insperata* (Smith); Evans, 2003: 72

Synonym: *Ancylonycha puncticollis* Blanchard, 1851: 133  
*Phyllophaga puncticollis* (Blanchard); Evans, 2003: 72

Synonym: *Ancylonycha uninotata* Walker, 1866: 323  
*Phyllophaga uninotata* (Walker); Evans, 2003: 72

***Phyllophaga apicalis* (Blanchard)**

*Phytalus apicalis* Blanchard, 1851: 131  
*Clemora apicalis* (Blanchard); Saylor, 1942a: 160  
*Phyllophaga apicalis* (Blanchard); Chalumeau, 1985: 31  
Distribution: Puerto Rico, US Virgin Islands

Synonym: *Phyllophaga insularis* Smyth, 1917: 163

***Phyllophaga apicata* Reinhard**

*Phyllophaga tristis apicata* Reinhard, 1939: 58  
*Phyllophaga apicata* Reinhard; Riley and Wolfe, 2003: 9  
Distribution: United States

***Phyllophaga apolinari* Saylor**

*Phyllophaga apolinari* Saylor, 1940d: 110  
Distribution: Colombia

***Phyllophaga apolinaria* Saylor**

*Phyllophaga apolinaria* Saylor, 1942b: 154  
Distribution: Colombia

***Phyllophaga approxima* Woodruff and Sanderson**

*Phyllophaga approxima* Woodruff and Sanderson, 2005: 42

Distribution: Dominican Republic

***Phyllophaga arcta* (Horn)**

*Lachnostenra arcta* Horn, 1887b: 271

*Phyllophaga arcta* (Horn); Glasgow, 1916: 373

Distribution: United States

Synonym: *Phyllophaga opacita* Reinhard, 1939: 56

***Phyllophaga ardara* Saylor**

*Phyllophaga* (*Phyllophaga*) *ardara* Saylor, 1943e: 268

Distribution: México

***Phyllophaga arenicola* Howden**

*Phyllophaga* (*Listrochelus*) *arenicola* Howden, 1960: 457

Distribution: México, United States

***Phyllophaga arizona* Saylor**

*Phyllophaga* (*Listrochelus*) *arizona* Saylor, 1940c: 112

Distribution: United States

***Phyllophaga arkansana* (Schaeffer)**

*Lachnostenra arkansana* Schaeffer, 1906: 257

*Phyllophaga arkansana* (Schaeffer); Glasgow, 1916: 374

Distribution: United States

Synonym: *Lachnostenra lenta* Fall, 1908: 162

*Phyllophaga lenta* (Fall); Evans, 2003: 73

***Phyllophaga arribans* Saylor**

*Phyllophaga* (*Phyllophaga*) *arribans* Saylor, 1943e: 262

Distribution: México

***Phyllophaga arrowi* (Saylor)**

*Lachnostenra* (*Phytalus*) *arrowi* Saylor, 1935f: 206

*Phyllophaga arrowi* (Saylor); Blackwelder, 1944: 224

*Phyllophaga* (*Phytalus*) *arrowi* (Saylor); Frey, 1975c: 225

Distribution: Brazil

***Phyllophaga assmani* Saylor**

*Phyllophaga assmani* Saylor, 1936d: 294

*Phyllophaga* (*Phyllophaga*) *assmani* Saylor; Solís and Morón, 1998: 26

Distribution: Costa Rica

***Phyllophaga atra* (Moser)**

*Lachnostenra atra* Moser, 1918b: 166

*Phyllophaga atra* (Moser); Blackwelder, 1944: 224  
*Phyllophaga (Phyllophaga) atra* (Moser); Morón, 1986, 204  
Distribution: México

***Phyllophaga atrata* (Moser)**

*Lachnostenra atrata* Moser, 1918a: 34  
*Phyllophaga atrata* (Moser); Blackwelder, 1944: 224  
*Phyllophaga (Phyllophaga) atrata* (Moser); Morón, 1986, 205  
Distribution: México

***Phyllophaga atratoides* Morón**

*Phyllophaga (Phyllophaga) atratoides* Morón, 2003a: 247  
Distribution: México

***Phyllophaga audanti* Wolcott**

*Phyllophaga audanti* Wolcott, 1928: 27  
Distribution: Dominican Republic, Haiti

***Phyllophaga aurea* Luginbill and Painter**

*Phyllophaga aurea* Luginbill and Painter, 1941: 716  
Distribution: United States

***Phyllophaga austera* (Erichson)**

*Ancyclonycha austera* Erichson, 1847a: 101  
*Lachnostenra (Ancyclonycha) austera* (Erichson); Kirsch, 1874a: 342  
*Lachnostenra austera* (Erichson); Harold, 1869a: 1166  
*Phyllophaga austera* (Erichson); Blackwelder, 1944: 224  
*Phyllophaga (Phyllophaga) austera* (Erichson); Frey, 1975a: 208  
Distribution: Peru

***Phyllophaga babicora* Morón**

*Phyllophaga (Listrochelus) babicora* Morón, 2004: 86  
Distribution: México

***Phyllophaga babis* Saylor**

*Phyllophaga (Phyllophaga) babis* Saylor, 1943e: 269  
Distribution: México

***Phyllophaga bahiana* Saylor**

*Lachnostenra (Phytalus) bahiana* Saylor, 1935f: 207  
*Phyllophaga (Phytalus) bahiana* (Saylor); Frey, 1975a: 276  
Distribution: Brazil

Synonym: *Phyllophaga (Phytalus) glabratus* Frey, 1964c: 694  
*Phyllophaga glabrata* Frey (new emendation to match gender of generic name)

***Phyllophaga balia* (Say)**

*Melolontha balia* Say, 1825: 194

*Lachnostenra balia* (Say); LeConte, 1856: 255

*Phyllophaga balia* (Say); Glasgow, 1916: 371

Distribution: Canada, United States

Synonym: *Ancylonycha comata* Burmeister, 1855: 337

*Phyllophaga comata* (Burmeister); Evans, 2003: 74

***Phyllophaga baneta* Saylor**

*Phyllophaga* (*Phyllophaga*) *baneta* Saylor, 1943d: 133

Distribution: Guatemala, Honduras

***Phyllophaga baoruco* Woodruff**

*Phyllophaga baoruco* Woodruff, 2005: 45

Distribution: Dominican Republic

***Phyllophaga baracoana* Chapin**

*Phyllophaga baracoana* Chapin, 1932b: 188

*Cnemarachis baracoana* (Chapin); Blackwelder, 1944: 223

Distribution: Cuba

***Phyllophaga baraguensis* Chapin**

*Phyllophaga baraguensis* Chapin, 1932b: 185

*Cnemarachis baraguensis* (Chapin); Blackwelder, 1944: 223

Distribution: Cuba

***Phyllophaga barda* (Horn)**

*Lachnostenra barda* Horn, 1887b: 248

*Phyllophaga barda* (Horn); Glasgow, 1916: 373

Distribution: United States

***Phyllophaga baroni* (Bates)**

*Lachnostenra baroni* Bates, 1889: 401

*Phyllophaga baroni* (Bates); Blackwelder, 1944: 224

*Phyllophaga* (*Phyllophaga*) *baroni* (Bates); Morón, 1986: 194

Distribution: México

***Phyllophaga barrerana* Aragón and Morón**

*Phyllophaga* (*Listrochelus*) *barrerana* Aragón and Morón, 2003: 563

Distribution: México

***Phyllophaga barrosa* Sanderson**

*Phyllophaga barrosa* Sanderson, 1951: 280

Distribution: Haiti

***Phyllophaga batillifer* (Bates)**

*Phytalus batillifer* Bates, 1888: 180

*Phyllophaga batillifer* (Bates); Blackwelder, 1944: 224

*Phyllophaga (Phytalus) batillifer* (Bates); Morón, 1986: 200

Distribution: México

***Phyllophaga beameri* Sanderson**

*Phyllophaga (Phyllophaga) beameri* Sanderson, 1958: 171

*Phyllophaga (Phytalus) beameri* Sanderson; Morón, 1986: 200

Distribution: México

***Phyllophaga beckeri* (Moser)**

*Lachnostenra beckeri* Moser, 1921c: 248

*Phyllophaga beckeri* (Moser); Blackwelder, 1944: 224

*Phyllophaga (Phyllophaga) beckeri* (Moser); Sanderson, 1958: 166

Distribution: México, United States

Synonym: *Phyllophaga inopia* Sanderson, 1942: 51

***Phyllophaga bellamyi* Warner and Morón**

*Phyllophaga (Triodonyx) bellamyi* Warner and Morón, 1992: 331

Distribution: United States

***Phyllophaga benexonana* Morón**

*Phyllophaga (Phytalus) benexonana* Morón, 2000a: 59

Distribution: México

***Phyllophaga bicavifrons* Chapin**

*Phyllophaga bicavifrons* Chapin, 1932b: 187

*Phyllophaga (Cnemarachis) bicavifrons* Chapin; Blackwelder, 1944: 223

Distribution: Cuba

***Phyllophaga bicolor* (Moser)**

*Lachnostenra bicolor* Moser, 1921c: 258

*Phyllophaga bicolor* (Moser); Blackwelder, 1944: 224

*Phyllophaga (Phyllophaga) bicolor* (Moser); Frey, 1975a: 212

Distribution: Ecuador

***Phyllophaga bilobatata* Saylor**

*Phyllophaga (Phytalus) bilobatata* Saylor, 1939c: 165 (for Horn, 1885: 120)

*Phyllophaga (Phyllophaga) bilobatata* Saylor; Sanderson, 1958: 166

Distribution: México, United States

Synonym: *Phytalus cephalicus* Horn, 1885: 120 (not LeConte, 1856: 245)

***Phyllophaga bilyi* Chalumeau**

*Phyllophaga bilyi* Chalumeau, 1990: 338

Distribution: Cuba

***Phyllophaga bimaculata* Garcia-Vidal**

*Phyllophaga (Cnemarachis) bimaculata* Garcia-Vidal, 1984: 313

Distribution: Cuba

***Phyllophaga bimammifrons* Saylor**

*Phyllophaga (Phyllophaga) bimammifrons* Saylor, 1940e: 305

*Cnemarachis bimammifrons* (Saylor); Blackwelder, 1944: 223

Distribution: Cuba

***Phyllophaga bipartita* (Horn)**

*Lachnostenra bipartita* Horn, 1887b: 242

*Phyllophaga bipartita* (Horn); Glasgow, 1916: 373

Distribution: United States

***Phyllophaga blackweldereri* Saylor**

*Phyllophaga blackweldereri* Saylor, 1940e: 309

*Cnemarachis blackweldereri* (Saylor); Blackwelder, 1944: 223

Distribution: St. Lucia

***Phyllophaga blanchardi* (Arrow)**

*Lachnostenra blanchardi* Arrow, 1933b: 149 (for Blanchard, 1851: 133)

*Phyllophaga (Phyllophaga) blanchardi* (Arrow); Sanderson, 1958: 166

Distribution: México

Synonym: *Ancylonycha cribicollis* Blanchard, 1851: 133 (not Redtenbacher, 1842)

***Phyllophaga blanda* Sanderson**

*Phyllophaga (Phyllophaga) blanda* Sanderson, 1958: 169

Distribution: México, United States

***Phyllophaga bolacoides* (Bates)**

*Phytalus bolacoides* Bates, 1888: 182

*Phyllophaga bolacoides* (Bates); Blackwelder, 1944: 224

*Phyllophaga (Phytalus) bolacoides* (Bates); Morón, 1986: 213

Distribution: México

***Phyllophaga boliviensis* (Blanchard)**

*Phytalus boliviensis* Blanchard, 1851: 131

*Phyllophaga boliviensis* (Blanchard); Blackwelder, 1944: 224

*Phyllophaga (Phytalus) boliviensis* (Blanchard); Frey, 1975a: 225

Distribution: Bolivia, Paraguay

Synonym: *Phyllophaga schultzei* Saylor, 1935h: 496

***Phyllophaga bonfils* Woodruff and Sanderson**

*Phyllophaga bonfils* Woodruff and Sanderson, 2005: 52

Distribution: Haiti

***Phyllophaga boruca* Morón**

*Phyllophaga (Phyllophaga) boruca* Morón, 2003a: 223

Distribution: Costa Rica

***Phyllophaga bottimeri* Reinhard**

*Phyllophaga (Listrochelus) bottimeri* Reinhard, 1950: 29

Distribution: United States

***Phyllophaga bowditchi* Saylor**

*Phyllophaga (Phyllophaga) bowditchi* Saylor, 1938e: 189

Distribution: Belize

***Phyllophaga brama* Saylor**

*Phyllophaga (Phyllophaga) brama* Saylor, 1943e: 267

Distribution: México

***Phyllophaga brevicornis* Garcia-Vidal**

*Phyllophaga brevicornis* Garcia-Vidal, 1988: 101

Distribution: Cuba

***Phyllophaga brevidens* (Bates)**

*Lachnostenra brevidens* Bates, 1888: 210

*Phyllophaga brevidens* (Bates); Blackwelder, 1944: 224

*Phyllophaga (Phyllophaga) brevidens* (Bates); Morón, 1986: 204

Distribution: México

***Phyllophaga brevipilosa* (Moser)**

*Lachnostenra brevipilosa* Moser, 1918a: 46

*Phyllophaga brevipilosa* (Moser); Blackwelder, 1944: 224

*Phyllophaga (Phyllophaga) brevipilosa* (Moser); Frey, 1975a: 206

Distribution: Venezuela

***Phyllophaga brevisetosa* (Moser)**

*Lachnostenra brevisetosa* Moser, 1918a: 38

*Phyllophaga brevisetosa* (Moser); Blackwelder, 1944: 224

*Phyllophaga (Phyllophaga) brevisetosa* (Moser); Frey, 1975a: 211

Distribution: Colombia

***Phyllophaga brownella* Saylor**

*Phyllophaga (Phyllophaga) brownella* Saylor, 1942b: 160

Distribution: Panama

***Phyllophaga bruneri* Chapin**

*Phyllophaga bruneri* Chapin, 1932b: 203

*Cnemarachis bruneri* (Chapin); Blackwelder, 1944: 223

*Phyllophaga (Cnemarachis) bruneri* Chapin; Woodruff, 1961: 12

Distribution: Cuba, United States

***Phyllophaga bucephala* (Bates)**

*Phytalus bucephalus* Bates, 1888: 182

*Phyllophaga bucephala* (Bates); Blackwelder, 1944: 224

*Phyllophaga (Phytalus) bucephala* (Bates); Morón, 1986: 200

Distribution: Guatemala, México

***Phyllophaga bueta* Saylor**

*Phyllophaga (Listrochelus) bueta* Saylor, 1940d: 115

Distribution: México

***Phyllophaga caanchaki* Morón**

*Phyllophaga caanchaki* Morón, 1998: 43

*Phyllophaga (Phyllophaga) caanchaki* Morón; Cano and Morón, 1998: 16

Distribution: Guatemala, México

***Phyllophaga cahitana* Morón**

*Phyllophaga (Phyllophaga) cahitana* Morón, 2001a: 169

Distribution: México

***Phyllophaga calceata* (LeConte)**

*Lachnostenra calceata* LeConte, 1856: 250

*Phyllophaga calceata* (LeConte); Glasgow, 1916: 372

Distribution: United States

***Phyllophaga calculiventris* Saylor**

*Phyllophaga calculiventris* Saylor, 1935g: 34

*Phyllophaga (Phyllophaga) calculiventris* Saylor; Solís and Morón, 1998: 25

Distribution: Costa Rica, México, Panama

***Phyllophaga calderasa* (Saylor)**

*Lachnostenra (Phytalus) calderasa* Saylor, 1937c: 31

*Phyllophaga (Phytalus) calderasa* Saylor; Cano and Morón, 1998: 10

Distribution: Guatemala, México

***Phyllophaga callosiventris* (Moser)**

*Lachnostenra callosiventris* Moser, 1921c: 249

*Phyllophaga callosiventris* (Moser); Blackwelder, 1944: 224

*Phyllophaga (Phyllophaga) callosiventris* (Moser); Morón, 1986: 203

Distribution: México

***Phyllophaga cambeforti* Cartwright and Chalumeau**

*Phyllophaga cambeforti* Cartwright and Chalumeau, 1977: 92

*Phyllophaga (Cnemarachis) cambeforti* Cartwright and Chalumeau, 1978: 21

Distribution: Dominica

***Phyllophaga campana* Morón and Riley**

*Phyllophaga campana* Morón and Riley, 2005: 394

Distribution: Panama

***Phyllophaga candelaria* Morón**

*Phyllophaga (Phyllophaga) candelaria* Morón, 2001b: 778

Distribution: México

***Phyllophaga caneyensis* Garcia-Vidal**

*Phyllophaga caneyensis* Garcia-Vidal, 1984: 315

Distribution: Cuba

***Phyllophaga canipolea* Saylor**

*Phyllophaga (Phyllophaga) canipolea* Saylor, 1948a: 349

Distribution: México

***Phyllophaga canoa* Sanderson**

*Phyllophaga (Cnemarachis) canoa* Sanderson, 1951: 279

Distribution: Dominican Republic

***Phyllophaga canoana* Morón**

*Phyllophaga (Phyllophaga) canoana* Morón, 2003a: 289

Distribution: Guatemala

***Phyllophaga capillata* (Blanchard)**

*Ancylonycha capillata* Blanchard, 1851: 135

*Phyllophaga capillata* (Blanchard); Blackwelder, 1944: 224

*Phyllophaga (Phyllophaga) capillata* (Blanchard); Frey, 1975a: 206

Distribution: Bolivia, Brazil

***Phyllophaga caraga* Saylor**

*Phyllophaga (Phyllophaga) caraga* Saylor, 1943d: 134

Distribution: Costa Rica, Nicaragua, Panama

***Phyllophaga cardini* Chapin**

*Phyllophaga cardini* Chapin, 1932b: 197

*Cnemarachis cardini* (Chapin); Blackwelder, 1944: 223

Distribution: Cuba

***Phyllophaga carminator* (Horn)**

*Listrochelus carminator* Horn, 1894: 398

*Phyllophaga (Listrochelus) carminator* (Horn); Saylor, 1940c: 75

Distribution: México

***Phyllophaga carnegie* Woodruff**

*Phyllophaga carnegie* Woodruff, 2005: 57

Distribution: Dominican Republic

***Phyllophaga cartaba* Sanderson**

*Phyllophaga (Cnemarachis) cartaba* Sanderson, 1951: 274

Distribution: Dominican Republic

***Phyllophaga cartiginea* Morón**

*Phyllophaga (Phyllophaga) cartiginea* Morón, 2001b: 795

Distribution: Costa Rica

***Phyllophaga castaniella* (Bates)**

*Lachnostenra castaniella* Bates, 1888: 186

*Phyllophaga (Phyllophaga) castaniella* (Bates); Blackwelder, 1994: 224

*Phyllophaga (Phyllophaga) castaniella* (Bates); Morón, 1986: 194

Distribution: México

***Phyllophaga castineirasi* Garcia-Vidal**

*Phyllophaga (Cnemarachis) castineirasi* Garcia-Vidal, 1978: 5

Distribution: Cuba

***Phyllophaga catemacoana* Morón**

*Phyllophaga (Phyllophaga) catemacoana* Morón, 2003a: 293

Distribution: México

***Phyllophaga cavata cavata* (Bates)**

*Listrochelus cavatus* Bates, 1888: 170

*Phyllophaga (Listrochelus) cavata* (Bates); Saylor, 1940c: 103

Distribution: México, United States

Synonym: *Listrochelus cavatus durangoensis* Bates, 1888: 170

*Phyllophaga cavata durangoensis* (Bates); Evans, 2003: 81

***Phyllophaga cavata michoacana* Saylor**

*Phyllophaga (Listrochelus) cavatus michoacana* Saylor, 1943a: 24

Distribution: México

***Phyllophaga caviceps* (Moser)**

*Lachnostenra caviceps* Moser, 1918a: 53

*Phyllophaga caviceps* (Moser); Blackwelder, 1944: 224

*Phyllophaga (Phyllophaga) caviceps* (Moser); Frey, 1975a: 213

Distribution: Colombia

***Phyllophaga cayennensis* (Moser)**

*Lachnostenra cayennensis* Moser, 1918a: 54

*Phyllophaga cayennensis* (Moser); Blackwelder, 1944: 224

Distribution: French Guiana

***Phyllophaga caymanensis* Sanderson**

*Phyllophaga caymanensis* Sanderson, 1939b: 274

*Cnemarachis caymanensis* (Sanderson); Blackwelder, 1944: 224

Distribution: Grand Cayman

***Phyllophaga cazierana* Saylor**

*Phyllophaga cazierana* Saylor, 1938f: 346 (for Saylor, 1936b: 63)

*Phyllophaga (Phyllophaga) cazierana* Saylor; Morón, 1986: 225

Distribution: México

Synonym: *Phyllophaga cazieri* Saylor, 1936b: 63 (not Bloeker, 1936: 57)

***Phyllophaga centralis* (Nonfried)**

*Lachnostenra centralis* Nonfried, 1894: 119

*Phyllophaga centralis* (Nonfried); Blackwelder, 1944: 224

Distribution: Honduras

***Phyllophaga certanca* Saylor**

*Phyllophaga (Phyllophaga) certanca* Saylor, 1943a: 25

Distribution: México

***Phyllophaga chada* Saylor**

*Phyllophaga (Phyllophaga) chada* Saylor, 1948b: 355

Distribution: Brazil

***Phyllophaga chalumeaui* Garcia-Vidal**

*Phyllophaga (Cnemarachis) chalumeaui* Garcia-Vidal, 1984: 317

Distribution: Cuba

***Phyllophaga chamacayoca* Morón**

*Phyllophaga (Phyllophaga) chamacayoca* Morón, 1992a: 126

Distribution: México

***Phyllophaga chamula* Morón**

*Phyllophaga (Phyllophaga) chamula* Morón, 1999: 384

Distribution: México

***Phyllophaga changuena* Morón**

*Phyllophaga (Phyllophaga) changuena* Morón, 2003a: 290

Distribution: Costa Rica, Nicaragua, Panama

***Phyllophaga chapini* Saylor**

*Phyllophaga (Listrochelus) chapini* Saylor, 1940c: 84

Distribution: United States

***Phyllophaga chiapas* Saylor**

*Phyllophaga (Phyllophaga) chiapas* Saylor, 1943e: 276

Distribution: México

***Phyllophaga chiapensis* (Chapin)**

*Chlaenobia aequata chiapensis* Chapin, 1935a: 18

*Phyllophaga aequata chiapensis* (Chapin); Blackwelder, 1944: 224

*Phyllophaga (Chlaenobia) chiapensis* (Chapin); Morón, 2003b: 5

Distribution: Costa Rica, El Salvador, Guatemala, Honduras, México

***Phyllophaga chiblacana* Morón**

*Phyllophaga (Phyllophaga) chiblacana* Morón, 2003a: 295

Distribution: Guatemala

***Phyllophaga chimoxtila* Morón**

*Phyllophaga (Phyllophaga) chimoxtila* Morón, 2003a: 257

Distribution: México

***Phyllophaga chinanteca* Morón and Nogueira**

*Phyllophaga (Phyllophaga) chinanteca* Morón and Nogueira, 1997: 258

Distribution: México

***Phyllophaga chippewa* Saylor**

*Phyllophaga chippewa* Saylor, 1939d: 455

Distribution: United States

***Phyllophaga chiriquina* (Bates)**

*Lachnostenra chiriquina* Bates, 1888: 196

*Phyllophaga (Phyllophaga) chiriquina* (Bates); Saylor, 1943d: 137

Distribution: Colombia, Costa Rica, México, Nicaragua, Panama

***Phyllophaga chlaenobiana* Saylor**

*Phyllophaga (Phytalus) chlaenobiana* Saylor, 1936b: 62

Distribution: México

***Phyllophaga cholana* Morón**

*Phyllophaga (Phyllophaga) cholana* Morón, 2003a: 287

Distribution: México

***Phyllophaga chorotega* Morón**

*Phyllophaga (Phyllophaga) chorotega* Morón, 2001b: 785  
Distribution: Costa Rica

***Phyllophaga chortiana* Morón**  
*Phyllophaga (Phyllophaga) chortiana* Morón, 2003a: 253  
Distribution: Guatemala

***Phyllophaga ciliatipes* (Blanchard)**  
*Chlaenobia ciliatipes* Blanchard, 1850: 116  
*Phyllophaga ciliatipes* (Blanchard); Blackwelder, 1944: 224  
*Phyllophaga (Chlaenobia) ciliatipes* (Blanchard); Morón, 1986: 206  
Distribution: Guatemala, México

Synonym: *Chlaenobia aegrota* Bates, 1888: 167  
*Phyllophaga aegrota* (Bates); Blackwelder, 1944: 224  
*Phyllophaga (Chlaenobia) aegrota* (Bates); Morón, 1986; 206

***Phyllophaga cinnamomea* (Blanchard)**  
*Ancylonycha cinnamomea* Blanchard, 1851: 134  
*Lachnostenra cinnamomea* (Blanchard); Bates, 1888: 197  
*Phyllophaga (Phytalus) cinnamomea* (Blanchard); Saylor, 1943d: 138  
Distribution: Guatemala, México

***Phyllophaga ciudadensis* (Bates)**  
*Phytalus ciudadensis* Bates, 1888: 183  
*Phyllophaga ciudadensis* (Bates); Blackwelder, 1944: 224  
*Phyllophaga (Phytalus) ciudadensis* (Bates); Morón, 1986: 200  
Distribution: México

***Phyllophaga clemens* (Horn)**  
*Lachnostenra clemens* Horn, 1887b: 227  
*Phyllophaga clemens* (Horn), Glasgow, 1916: 373  
Distribution: United States

Synonym: *Phyllophaga howei* Sanderson, 1937a: 17

***Phyllophaga clypeata* (Horn)**  
*Lachnostenra clypeata* Horn, 1887a: 145 (for LeConte, 1856: 258)  
*Phyllophaga clypeata* (Horn); Glasgow, 1916: 373  
Distribution: United States

Synonym: *Lachnostenra integra* LeConte, 1856: 258 (not Say, 1835: 180)  
*Phyllophaga integra* (LeConte); Evans, 2003: 83

***Phyllophaga cneda* Saylor**  
*Phyllophaga (Phyllophaga) cneda* Saylor, 1940e: 310

Distribution: Montserrat, St. Kitts-Nevis

***Phyllophaga coahuayana* Morón**

*Phyllophaga* (*Phytalus*) *coahuayana* Morón, 2006: 91

Distribution: México

***Phyllophaga cochisa* Saylor**

*Phyllophaga* (*Listrochelus*) *cochisa* Saylor, 1940d: 105

Distribution: México, United States

***Phyllophaga colima* Saylor**

*Phyllophaga* (*Phyllophaga*) *colima* Saylor, 1943e: 273

Distribution: México

***Phyllophaga colimana* (Moser)**

*Lachnostenra colimana* Moser, 1921c: 256

*Phyllophaga colimana* (Moser); Blackwelder, 1944: 224

Distribution: México

***Phyllophaga collaris* (Moser)**

*Lachnostenra collaris* Moser, 1921c: 247

*Phyllophaga collaris* (Moser); Blackwelder, 1944: 224

*Phyllophaga* (*Phyllophaga*) *collaris* (Moser); Morón, 1986: 202

Distribution: México

Synonym: *Phyllophaga* (*Phyllophaga*) *gestis* Saylor, 1943e: 267

***Phyllophaga columbiana* (Blanchard)**

*Ancylonycha columbiana* Blanchard, 1851: 134

*Phyllophaga columbiana* (Blanchard); Blackwelder, 1944: 224

Distribution: Colombia

***Phyllophaga comaltepecana* Morón**

*Phyllophaga* (*Phyllophaga*) *comaltepecana* Morón, 2003a: 277

Distribution: México

***Phyllophaga cometes* (Bates)**

*Phytalus cometes* Bates, 1888: 177

*Phyllophaga cometes* (Bates); Blackwelder, 1944: 224

*Phyllophaga* (*Phytalus*) *cometes* (Bates); Morón, 1986: 200

Distribution: Costa Rica, Guatemala, México, Nicaragua, Panama

***Phyllophaga complexipennis* Garcia-Vidal**

*Phyllophaga complexipennis* Garcia-Vidal, 1984: 317

Distribution: Cuba

***Phyllophaga compostela* Robinson**

*Phyllophaga compostela* Robinson, 1948: 34

Distribution: México

***Phyllophaga conformis* (Blanchard)**

*Ancylonycha conformis* Blanchard, 1851: 135

*Phyllophaga conformis* (Blanchard); Blackwelder, 1944: 224

*Phyllophaga (Phyllophaga) conformis* (Blanchard); Frey, 1975a: 207

Distribution: Argentina

***Phyllophaga congrua* (LeConte)**

*Lachnostenra congrua* LeConte, 1856: 243

*Phyllophaga congrua* (LeConte); Glasgow, 1916: 372

Distribution: United States

***Phyllophaga conicariana* Morón**

*Phyllophaga (Phytalus) conicariana* Morón, 2006: 58

Distribution: México

***Phyllophaga contaminata* Fall**

*Phyllophaga contaminata* Fall, 1932: 197

*Phyllophaga (Phyllophaga) contaminata* Fall; Saylor, 1948a: 349

Distribution: México

Synonym: *Phyllophaga extranea* Fall, 1932: 198

***Phyllophaga coronadis* Saylor**

*Phyllophaga (Phyllophaga) coronadis* Saylor, 1941e: 538

Distribution: Costa Rica

***Phyllophaga corrosa* (LeConte)**

*Lachnostenra corrosa* LeConte, 1856: 249

*Phyllophaga corrosa* (LeConte); Glasgow, 1916: 372

Distribution: United States

Synonym: *Lachnostenra affinis* LeConte, 1856: 252

*Phyllophaga affinis* (LeConte); Evans, 2003: 85

***Phyllophaga costaricensis* (Moser)**

*Lachnostenra costaricensis* Moser, 1918a: 25

*Phyllophaga costaricensis* (Moser); Blackwelder, 1944: 224

*Phyllophaga (Phyllophaga) costaricensis* (Moser); Solís and Morón, 1998: 23

Distribution: Costa Rica

***Phyllophaga costura* Sanderson**

*Phyllophaga costura* Sanderson, 1951: 264

Distribution: Dominican Republic

***Phyllophaga crassa* (Burmeister)**

*Phytalus crassus* Burmeister, 1855: 347

*Phyllophaga crassa* (Burmeister); Evans, 2003: 85

Distribution: Brazil

***Phyllophaga crassissima* (Blanchard)**

*Ancylonycha crassissima* Blanchard, 1851: 133

*Lachnostenra crassissima* (Blanchard); Horn, 1887b: 238

*Lachnostenra crassissima* [sic] (Blanchard); Smith, 1888: 499

*Phyllophaga crassissima* (Blanchard); Glasgow, 1916: 372

Distribution: United States

Synonym: *Lachnostenra generosa* Horn, 1887b: 222

Synonym: *Lachnostenra obesa* LeConte, 1856: 251

Synonym: *Lachnostenra robusta* LeConte, 1856: 257

***Phyllophaga crena* Saylor**

*Phyllophaga (Phyllophaga) crena* Saylor, 1941e: 538

Distribution: Costa Rica

***Phyllophaga crenaticollis* (Blanchard)**

*Ancylonycha crenaticollis* Blanchard, 1851: 137

*Ancylonycha crenatocollis* [sic] Blanchard; Chevrolat, 1865: 23 [error]

*Phyllophaga crenaticollis* (Blanchard); Chapin, 1932b: 183

*Cnemarachis crenaticollis* (Blanchard); Saylor, 1942a: plate 17

Distribution: Cuba

***Phyllophaga crenonycha* Saylor**

*Phyllophaga (Phyllophaga) crenonycha* Saylor, 1943c: 25

Distribution: México

***Phyllophaga crenulata* (Froelich)**

*Melolontha crenulata* Froelich, 1792: 94

*Ancylonycha crenulata* (Froelich); Blanchard, 1851: 133

*Lachnostenra crenulata* (Froelich); LeConte, 1856: 258

*Phyllophaga crenulata* (Froelich); Glasgow, 1916: 370

Distribution: Canada, United States

Synonym: *Melolontha georgicana* Gyllenhal, 1817: 77

*Phyllophaga georgicana* (Gyllenhal); Harris, 1841: 29

***Phyllophaga cribrosa* (LeConte)**

*Tostegoptera cribrosa* LeConte, 1853a: 231  
*Eugastra cribrosa* (LeConte); LeConte, 1856: 234  
*Lachnostenra cribrosa* (LeConte); Horn, 1887b: 217  
*Phyllophaga cribrosa* (LeConte); Glasgow, 1916: 372  
*Phyllophaga (Phyllophaga) cribrosa* (LeConte); Sanderson, 1958: 164  
*Phyllophaga (Eugastra) cribrosa* (LeConte); Saylor, 1942a: 162  
Distribution: México, United States

Synonym: *Tostegoptera ventricosa* LeConte, 1853b: 440  
*Eugastra ventricosa* (LeConte); LeConte, 1856: 234  
*Phyllophaga cribrosa ventricosa* (LeConte); Bloeker, 1937: 85

***Phyllophaga crinalis* (Bates)**

*Lachnostenra crinalis* Bates, 1888: 199  
*Phyllophaga crinalis* (Bates); Blackwelder, 1944: 224  
*Phyllophaga (Phyllophaga) crinalis* (Bates); Morón, 1986: 203  
Distribution: México

***Phyllophaga crinipennis* (Bates)**

*Lachnostenra crinipennis* Bates, 1889: 402  
*Phyllophaga crinipennis* (Bates); Blackwelder, 1944: 224  
*Phyllophaga (Phyllophaga) crinipennis* (Bates); Morón, 1986: 40  
Distribution: México

***Phyllophaga crinita* (Burmeister)**

*Trichestes crinita* Burmeister, 1855: 359  
*Phyllophaga crinita* (Burmeister); Glasgow, 1916: 372  
*Phyllophaga (Phyllophaga) crinita* (Bates); Morón, 1986: 204  
Distribution: México, United States

Synonym: *Lachnostenra glabripennis* LeConte, 1856: 260

Synonym: *Listrochelus longiclavus* Fall, 1922: 173

***Phyllophaga crinitissima* More**

*Phyllophaga crinitissima* More, 1924: 105  
*Cnemarachis (Abrcrana) crinitissima* (More); Saylor, 1942a: 159  
*Cnemarachis crinitissima* (More); Blackwelder, 1944: 223  
*Abcrana crinitissima* (More); Sanderson, 1950: 92  
Distribution: Puerto Rico

***Phyllophaga cristagalli* (Arrow)**

*Listrochelus crista-galli* Arrow, 1933b: 146  
*Phyllophaga (Listrochelus) cristagalli* (Arrow); Morón, 1986: 201  
Distribution: México

***Phyllophaga cruces* Morón and Riley**

*Phyllophaga (Phyllophaga) cruces* Morón and Riley, 2005: 397

Distribution: Costa Rica

***Phyllophaga cubana* Chapin**

*Phyllophaga cubana* Chapin, 1932b: 194

*Cnemarachis cubana* (Chapin); Blackwelder, 1944: 223

Distribution: Cuba

***Phyllophaga cuicateca* Morón and Aragón**

*Phyllophaga (Listrochelus) cuicateca* Morón and Aragón, 1997: 40

Distribution: México

***Phyllophaga culminata* (Bates)**

*Listrochelus culminatus* Bates, 1888: 172

*Phyllophaga culminata* (Bates); Blackwelder, 1944: 224

*Phyllophaga (Listrochelus) culminata* (Bates), Morón, 1986: 202

Distribution: México

***Phyllophaga cupuliformis* Langston**

*Phyllophaga micans cupuliformis* Langston, 1924: 450

*Phyllophaga cupuliformis* Langston; Woodruff, 1973: 28

Distribution: United States

***Phyllophaga curialis* Reinhard**

*Phyllophaga curialis* Reinhard, 1939: 54

Distribution: United States

***Phyllophaga cushmani* Saylor**

*Phyllophaga (Listrochelus) cushmani* Saylor, 1940d: 109

Distribution: México, United States

***Phyllophaga cuyabana* (Moser)**

*Lachnostenra cuyabana* Moser, 1918a: 52

*Phyllophaga cuyabana* (Moser); Blackwelder, 1944: 224

*Phyllophaga (Phyllophaga) cuyabana* (Moser); Frey, 1975a: 207

Distribution: Brazil

***Phyllophaga cylindrica* (Burmeister)**

*Trichestes cylindrica* Burmeister, 1855: 361

*Lachnostenra cylindrica* (Burmeister); Bates, 1888: 214

*Cnemarachis cylindrica* (Burmeister); Blackwelder, 1944: 223

*Phyllophaga cylindrica* (Burmeister); Evans, 2003: 88

Distribution: Cuba, United States

Synonym: *Phyllophaga emusa* Saylor, 1937d: 321 (unjustified emendation for Burmeister, 1855: 361)

***Phyllophaga darlingtoni* Sanderson**

*Phyllophaga darlingtoni* Sanderson, 1939: 14

*Cnemarachis darlingtoni* Sanderson; Blackwelder, 1944: 223

Distribution: Jamaica

***Phyllophaga dasypoda* (Bates)**

*Lachnostenra dasypoda* Bates, 1888: 193

*Phyllophaga dasypoda* (Bates); Blackwelder, 1944: 224

*Phyllophaga (Phyllophaga) dasypoda* (Bates); Morón, 1986: 202

Distribution: Costa Rica, El Salvador, Guatemala, México

***Phyllophaga davidsoni* Woodruff**

*Phyllophaga davidsoni* Woodruff, 2005: 60

Distribution: Dominican Republic

***Phyllophaga davisi* Langston**

*Phyllophaga davisi* Langston, 1927a: 221

Distribution: United States

***Phyllophaga debilis* (LeConte)**

*Gynnus debilis* LeConte, 1856: 262

*Lachnostenra debilis* (LeConte); Horn, 1887a: 145

*Phyllophaga debilis* (LeConte); Glasgow, 1916: 373

Distribution: United States

Synonym: *Phyllophaga austricola* Fall, 1929b: 216

***Phyllophaga delata* (Horn)**

*Lachnostenra delata* Horn, 1887b: 267

*Phyllophaga delata* (Horn); Glasgow, 1916: 373.

Distribution: United States

***Phyllophaga delplanquei* Chalumeau and Gruner**

*Phyllophaga (Cnemarachis) delplanquei* Chalumeau and Gruner, 1976: 88

Distribution: Martinique

***Phyllophaga densata* (Moser)**

*Lachnostenra densata* Moser, 1918a: 36

*Phyllophaga densata* (Moser); Blackwelder, 1944: 224

*Phyllophaga (Phyllophaga) densata* (Moser); Cano and Morón, 1998: 15

Distribution: Costa Rica, Guatemala

***Phyllophaga densepunctata* (Moser)**

*Lachnosterna densepunctata* Moser, 1918a: 50  
*Phyllophaga densepunctata* (Moser); Blackwelder, 1944: 224  
*Phyllophaga (Phyllophaga) densepunctata* (Moser); Morón, Vallejo and Restrepo-Giraldo, 2001:32  
Distribution: Colombia

***Phyllophaga densicollis* (LeConte)**

*Lachnosterna densicollis* LeConte, 1863b: 77  
*Phyllophaga (Listrochelus) densicollis* (LeConte); Saylor, 1940d: 74  
Distribution: México

***Phyllophaga dentex* (Bates)**

*Lachnosterna dentex* Bates, 1888: 192  
*Phyllophaga (Lachnosterna) dentex* (Bates); Saylor, 1935i: 66  
*Phyllophaga (Phyllophaga) dentex* (Bates); Sanderson, 1958: 164  
Distribution: México, United States

***Phyllophaga denticulata* (Blanchard)**

*Ancylonycha denticulata* Blanchard, 1851: 137  
*Lachnosterna denticulata* (Blanchard); Dalla Torre, 1912c: 187  
*Cnemarachis denticulata* (Blanchard); Blackwelder, 1944: 223  
*Phyllophaga denticulata* (Blanchard); Evans, 2003: 90  
Distribution: Martinique

Synonym: *Phyllophaga (Lachnosterna) citri* Smyth, 1917: 65

Synonym: *Lachnosterna insulicola* Moser, 1918a: 61  
*Cnemarachis insulicola* (Moser); Blackwelder, 1944: 223

***Phyllophaga dieteriana* Deloya and Morón**

*Phyllophaga (Phytalus) dieteriana* Deloya and Morón, 1999: 110  
Distribution: México

***Phyllophaga diffinis* (Blanchard)**

*Ancyclonycha diffinis* Blanchard, 1851: 138  
*Lachnosterna diffinis* (Blanchard); Blatchley, 1910: 968  
*Phyllophaga diffinis* (Blanchard); Glasgow, 1916: 372  
Distribution: United States

Synonym: *Trichestes comans* Burmeister, 1855: 358  
*Lachnosterna comans* (Burmeister); Horn, 1887b: 261

Synonym: *Lachnosterna rufiola* LeConte, 1856: 256

Synonym: *Lachnosterna sororia* LeConte, 1856: 246

***Phyllophaga diminuta* Evans**

*Phyllophaga (Phytalus) diminuta* Evans, 2003: 91 (for Saylor, 1943a: 22)  
Distribution: México

Synonym: *Phyllophaga (Phytalus) minutissima* Saylor, 1943a: 22 (not Wolcott, 1928: 28)

***Phyllophaga disca* Saylor**

*Phyllophaga (Phyllophaga) disca* Saylor, 1943e: 274  
Distribution: México

***Phyllophaga discalis* (Chapin)**

*Phyllophaga discalis* Chapin, 1935c: 70  
*Cnemarachis discalis* (Chapin): Blackwelder, 1944: 223  
Distribution: Puerto Rico

***Phyllophaga dispar* (Burmeister)**

*Trichestes dispar* Burmeister, 1855: 361  
*Lachnosterna dispar* (Burmeister); LeConte, 1856: 240  
*Phyllophaga dispar* (Burmeister); Glasgow, 1916: 372  
Distribution: United States

Synonym: *Lachnosterna boops* Horn, 1887b: 284

***Phyllophaga disparilis* (Horn)**

*Listrochelus disparilis* Horn, 1878: 141  
*Phyllophaga* (*Listrochelus*) *disparilis*, Saylor, 1940d: 81  
Distribution: México, United States

***Phyllophaga disrupta* Cockerell**

*Phyllophaga disrupta* Cockerell, 1927: 587  
Distribution: United States  
Remark: fossil species

***Phyllophaga dissimilis* (Chevrolat)**

*Ancylonycha dissimilis* Chevrolat, 1865: 26  
*Phyllophaga dissimilis* (Chevrolat); Chapin, 1932b: 201  
*Cnemarachis dissimilis* (Chevrolat); Saylor, 1942a: plate 17  
Distribution: Cuba

***Phyllophaga divertens* (Bates)**

*Lachnosterna divertens* Bates, 1888: 206  
*Phyllophaga (Phyllophaga) divertens* (Bates); Butler and Werner, 1961: 18  
Distribution: México, United States

Synonym: *Lachnosterna setipennis* Bates 1888: 206

*Phyllophaga setipennis* (Bates): Blackwelder, 1944: 226

***Phyllophaga dominicensis* Cartwright and Chalumeau**

*Phyllophaga dominicensis* Cartwright and Chalumeau, 1977: 102

*Phyllophaga (Cnemarachis) dominicensis* Cartwright and Chalumeau, 1978: 19

Distribution: Dominica

***Phyllophaga drakii* (Kirby)**

*Rhizotrogus drakii* Kirby, 1837: 133

*Phyllophaga drakii* (Kirby); Glasgow, 1916: 371

Distribution: Canada, United States

Synonym: *Lachnosterna consimilis* LeConte, 1850: 226

Synonym: *Lachnosterna grandis* Smith, 1888: 181

***Phyllophaga dsaimana* Morón**

*Phyllophaga (Phyllophaga) dsaimana* Morón, 2003a: 281

Distribution: México

***Phyllophaga dubitata* Garcia-Vidal**

*Phyllophaga (Cnemarachis) dubitatus* Garcia-Vidal, 1978: 8

Distribution: Cuba

***Phyllophaga duenas* Saylor**

*Phyllophaga (Phyllophaga) duenas* Saylor, 1941d: 385

Distribution: Guatemala

***Phyllophaga dugesiana* Morón, Rivera, and López**

*Phyllophaga (Phytalus) dugesiana* Morón, Rivera, and López, 2002: 494

Distribution: México

***Phyllophaga dulcis* (Bates)**

*Lachnosterna dulcis* Bates, 1888: 189

*Phyllophaga dulcis* (Bates); Blackwelder, 1944: 224

*Phyllophaga (Phyllophaga) dulcis* (Bates); Morón, 1986: 203

Distribution: México

***Phyllophaga duncani* (Barrett)**

*Listrochelus duncani* Barrett, 1933: 129

*Phyllophaga (Listrochelus) duncani* (Barrett); Saylor, 1940d: 111

Distribution: United States

***Phyllophaga durango* Saylor**

*Phyllophaga (Listrochelus) durango* Saylor, 1940e: 114

Distribution: México

***Phyllophaga durangoana* (Moser)**

*Lachnostenra durangoanus* Moser, 1921c: 261

*Phyllophaga durangoana* (Moser): Blackwelder, 1944: 224

Distribution: México

***Phyllophaga durangosa* Saylor**

*Phyllophaga* (*Phyllophaga*) *durangosa* Saylor, 1943e: 275

Distribution: México

***Phyllophaga ecostata* (Horn)**

*Lachnostenra ecostata* Horn, 1887b: 284

*Triodonyx ecostata* (Horn); Saylor, 1942a: 158

*Phyllophaga ecostata* (Horn); Glasgow, 1916: 373

Distribution: United States

***Phyllophaga ecuadoreae* (Blackwelder)**

*Lachnostenra ecuadoreae* Blackwelder, 1944: 224 (for Moser, 1921c: 258)

*Phyllophaga ecuadoreae* (Blackwelder); Evans, 2003: 93

Distribution: Ecuador

Synonym: *Lachnostenra densicollis* Moser, 1921c: 258 (not LeConte, 1863b: 77)

*Phyllophaga* (*Phyllophaga*) *densicollis* (Moser); Frey, 1975a: 203

***Phyllophaga eladio* Woodruff**

*Phyllophaga eladio* Woodruff, 2005: 65

Distribution: Dominican Republic

***Phyllophaga elegans* (Nonfried)**

*Lachnostenra elegans* Nonfried, 1891: 264

*Phyllophaga elegans* (Nonfried): Blackwelder, 1944: 224

Distribution: Honduras

***Phyllophaga elenans* Saylor**

*Phyllophaga* (*Phyllophaga*) *elenans* Saylor, 1938e: 190

Distribution: Costa Rica, El Salvador, Guatemala, Honduras

***Phyllophaga eligia* Sanderson**

*Phyllophaga* (*Listrochelus*) *eligia* Sanderson, 1958: 161

Distribution: México, United States

***Phyllophaga elizoria* Saylor**

*Phyllophaga elizoria* Saylor, 1937d: 321 (for Schaeffer, 1906: 257)

Distribution: United States

Synonym: *Lachnostenra pygidialis* Schaeffer, 1906: 257 (not Brenske, 1892)

*Phyllophaga pygidialis* (Schaeffer); Glasgow, 1916: 374

***Phyllophaga elongata* (Linell)**

*Lachnostenra elongata* Linell, 1896: 725

*Phyllophaga elongata* (Linell); Glasgow, 1916: 374

Distribution: United States

Synonym: *Phyllophaga murrea* Sanderson, 1950: 90

***Phyllophaga emburyi* Saylor**

*Phyllophaga emburyi* Saylor, 1938f: 344

*Phyllophaga (Phytalus) emburyi* Saylor; Morón, 1986: 218

Distribution: México

***Phyllophaga eniba* Saylor**

*Phyllophaga (Phyllophaga) eniba* Saylor, 1943e: 277

Distribution: México

***Phyllophaga enkerliniana* Deloya and Morón**

*Phyllophaga (Phyllophaga) enkerliniana* Deloya and Morón, 1999: 114

Distribution: México

***Phyllophaga ephilida ephilida* (Say)**

*Melolontha ephilida* Say, 1825: 196

*Trichestes ephilidia* [sic] (Say); Burmeister, 1855: 359 [error]

*Lachnostenra ephilida* (Say); LeConte, 1856: 241

*Phyllophaga ephilida* (Say); Glasgow, 1916: 371

*Phyllophaga (Phyllophaga) ephilida* (Say); Morón, 1986: 204

Distribution: Canada, México, United States

Synonym: *Lachnostenra burmeisteri* LeConte, 1856: 242

Synonym: *Ancylonycha laticeps* Blanchard, 1851: 136

*Lachnostenra laticeps* (Blanchard); Bates, 1888: 213

*Phyllophaga laticeps* (Blanchard); Blackwelder, 1944: 225

***Phyllophaga ephilida virilis* Reinhard**

*Phyllophaga ephilida virilis* Reinhard, 1939: 51

Distribution: United States

***Phyllophaga epigaea* (Wickham)**

*Lachnostenra epigaea* Wickham, 1903: 71

*Phyllophaga epigoea* (Wickham); Glasgow, 1916: 374 [error]

*Phyllophaga epigaea* (Wickham); Sanderson, 1939: 11

*Phyllophaga (Phyllophaga) epigaea* (Wickham); Sanderson, 1958: 164

*Phyllophaga (Eugastra) epigaea* [sic](Wickham); Morón, 1986: 206 [error]

Distribution: United States

***Phyllophaga epulara* Sanderson**

*Phyllophaga (Phyllophaga) epulara* Sanderson, 1958: 169  
*Phyllophaga (Phytalus) epulara* Sanderson; Morón, 1986: 200  
Distribution: México

***Phyllophaga erota* Saylor**

*Phyllophaga (Phyllophaga) erota* Saylor, 1942a: 157  
*Phyllophaga (Phyllophaga) erosa* [sic] Saylor; Frey, 1975a: 218 [error]  
Distribution: Ecuador

***Phyllophaga errans* (LeConte)**

*Lachnostenra errans* LeConte, 1860: 283  
*Phyllophaga errans* (LeConte); Glasgow, 1916: 373  
Distribution: United States

***Phyllophaga espina* Sanderson**

*Phyllophaga espina* Sanderson, 1951: 264  
Distribution: Dominican Republic

***Phyllophaga esquinada* Sanderson**

*Phyllophaga esquinada* Sanderson, 1951: 268  
Distribution: Haiti

***Phyllophaga estacea* Saylor**

*Phyllophaga (Listrochelus) estacea* Saylor, 1943c: 31 (for Moser, 1921c: 261)  
Distribution: México

Synonym: *Phyllophaga ponerosus* Blackwelder, 1944: 226 (for Moser, 1921c: 261)  
*Phyllophaga ponerosa* Blackwelder (new emendation to match gender of generic name)

Synonym: *Lachnostenra testaceipennis* Moser, 1921c: 261 (not Blanchard, 1851: 134)

***Phyllophaga etabatesiana* Morón**

*Phyllophaga (Chlaenobia) etabatesiana* Morón, 1992b: 28  
Distribution: México

***Phyllophaga euryaspis* (Bates)**

*Lachnostenra euryaspis* Bates, 1888: 204  
*Phyllophaga (Phyllophaga) euryaspis* (Bates); Morón, 1986: 205  
Distribution: México

***Phyllophaga exorata* (Horn)**

*Lachnostenra exorata* Horn, 1887b: 278  
*Phyllophaga exorata* (Horn); Glasgow, 1916: 373  
Distribution: United States

***Phyllophaga expansa* Chapin**

*Phyllophaga expansa* Chapin, 1932b: 182

*Cnemarachis expansa* (Chapin): Blackwelder, 1944: 223

Distribution: Cuba

***Phyllophaga explanicollis* Chapin**

*Phyllophaga explanicollis* Chapin, 1935b: 69

*Cnemarachis explanicollis* (Chapin): Blackwelder, 1944: 223

Distribution: Cuba

***Phyllophaga extincta* (Wickham)**

*Lachnostenra extincta* Wickham, 1916: 9

*Phyllophaga extincta* (Wickham); Wickham, 1920: 358

Distribution: United States

***Phyllophaga falsa* (LeConte)**

*Listrochelus falsus* LeConte, 1856: 264

*Phyllophaga (Listrochelus) falsa* (LeConte); Saylor, 1940d: 97

Distribution: United States

Synonym: *Listrochelus langeri* Chapin, 1934b: 93

***Phyllophaga falta* Sanderson**

*Phyllophaga falta* Sanderson, 1950: 92

Distribution: United States

***Phyllophaga farcta* (LeConte)**

*Lachnostenra farcta* LeConte, 1856: 238

*Phyllophaga farcta* (LeConte); Glasgow, 1916: 372

*Phyllophaga (?Eugastra) farcta* (LeConte); Morón, 1986: 206

Distribution: United States

***Phyllophaga favosa* Saylor**

*Phyllophaga (Phyllophaga) favosa* Saylor, 1941e: 539

Distribution: Costa Rica

***Phyllophaga ferrugata* (Moser)**

*Lachnostenra ferrugata* Moser, 1918a: 42

*Phyllophaga ferrugata* (Moser); Blackwelder, 1944: 224

*Phyllophaga (Phyllophaga) ferrugata* (Moser); Frey, 1975a: 211

Distribution: Bolivia

***Phyllophaga ferruginea* (Moser)**

*Lachnostenra ferruginea* Moser, 1918a: 41

*Phyllophaga ferruginea* (Moser); Blackwelder, 1944: 224

*Phyllophaga (Phyllophaga) ferruginea* (Moser); Frey, 1975a: 203  
Distribution: Venezuela

***Phyllophaga ferupilis* Saylor**

*Phyllophaga (Phyllophaga) ferupilis* Saylor, 1941d: 386  
Distribution: Guatemala

***Phyllophaga fervida* (Fabricius)**

*Melolontha fervida* Fabricius, 1775: 32  
*Ancylonycha fervida* (Fabricius); Blanchard, 1851: 133  
*Phyllophaga fervida* (Fabricius); Glasgow, 1916: 370  
*Cnemarachis fervida* (Fabricius); Blackwelder, 1944: 223  
Distribution: Canada, Hispaniola, Jamaica, United States

Synonym: *Lachnosterna arcuata* Smith, 1889: 183

Synonym: *Melolontha quercina* Knoch, 1801: 74  
*Lachnosterna quercina* (Knoch); Hope, 1837: 100  
*Ancyclonycha quercina* (Knoch); Burmeister, 1855: 319

***Phyllophaga fesina* Saylor**

*Phyllophaga (Phyllophaga) fesina* Saylor, 1948b: 356  
Distribution: Argentina

***Phyllophaga fimbriata* Chapin**

*Phyllophaga fimbriata* Chapin, 1932b: 182  
*Cnemarachis fimbriata* (Chapin); Blackwelder, 1944: 223  
Distribution: Cuba

***Phyllophaga fimbripes* (LeConte)**

*Listrochelus fimbripes* LeConte, 1856: 264  
*Phyllophaga (Listrochelus) fimbripes* (LeConte); Saylor, 1940d: 95  
Distribution: United States

***Phyllophaga fissilabris* (Bates)**

*Phytalus fissilabris* Bates, 1888: 184  
*Phyllophaga fissilabris* (Bates); Blackwelder, 1944: 224  
*Phyllophaga (Phytalus) fissilabris* (Bates); Morón, 1986: 200  
Distribution: México

***Phyllophaga flavipennis* (Horn)**

*Listrochelus flavipennis* Horn, 1885: 123  
*Phyllophaga (Listrochelus) flavipennis* (Horn); Saylor, 1940d: 84  
Distribution: United States

***Phyllophaga flavipilosa* (Moser)**

*Lachnostenra flavigilosa* Moser, 1921c: 252  
*Phyllophaga flavigilosa* (Moser); Blackwelder, 1944: 224  
Distribution: México

***Phyllophaga flavigilis* (Bates)**  
*Diplotaxis flavigilis* Bates, 1888: 165  
*Phyllophaga flavigilis* (Bates); Vaurie, 1958: 280  
Distribution: México

***Phyllophaga floridana* Robinson**  
*Phyllophaga floridana* Robinson, 1938: 110  
Distribution: United States

***Phyllophaga foralita* Saylor**  
*Phyllophaga (Listrochelus) foralita* Saylor, 1938e: 187  
Distribution: México

***Phyllophaga forbesi* Glasgow**  
*Phyllophaga forbesi* Glasgow, 1916: 378  
Distribution: United States

***Phyllophaga forcipata* (Burmeister)**  
*Phytalus forcipatus* Burmeister, 1855: 346  
*Phyllophaga forcipata* (Burmeister); Blackwelder, 1944: 224  
*Phyllophaga (Phytalus) forcipata* (Burmeister); Frey, 1975a: 222  
Distribution: Argentina, Brazil

Synonym: *Phytalus simplex* Burmeister, 1855: 347  
*Phyllophaga simplex* (Burmeister); Blackwelder, 1944: 226

***Phyllophaga forsteri* (Burmeister)**  
*Ancylonycha forsteri* Burmeister, 1855: 325  
*Phyllophaga forsteri* (Burmeister); Glasgow, 1916: 372  
Distribution: United States

Synonym: *Lachnostenra lugubris* LeConte, 1856: 248  
*Phyllophaga lugubris* (LeConte); Evans, 2003: 99

Synonym: *Lachnostenra lutescens* LeConte, 1856: 249  
*Phyllophaga lutescens* (LeConte); Evansk 2003: 99

Synonym: *Lachnostenra nova* Smith, 1889a: 95  
*Phyllophaga nova* (Smith); Evans, 2003: 99

Synonym: *Lachnostenra politula* Horn, 1887b: 248  
*Phyllophaga politula* (Horn); Evans, 2003: 99

Synonym: *Lachnostenra semicibrata* LeConte, 1856: 247  
*Phyllophaga semicibrata* (LeConte); Evans, 2003: 99

***Phyllophaga fossoria* Sanderson**

*Phyllophaga fossoria* Sanderson, 1951: 258

Distribution: Dominican Republic

***Phyllophaga foveicollis* (Bates)**

*Lachnostenra foveicollis* Bates, 1888: 190

*Phyllophaga foveicollis* (Bates); Blackwelder, 1944: 224

*Phyllophaga (Phyllophaga) foveicollis* (Bates); Morón, 1986: 259

Distribution: México

***Phyllophaga foxii* Davis**

*Phyllophaga foxii* Davis, 1920: 334

Distribution: United States

***Phyllophaga fragilipennis* (Blanchard)**

*Ancylonycha fragilipennis* Blanchard, 1851: 135

*Phyllophaga fragilipennis* (Blanchard); Blackwelder, 1944: 224

*Phyllophaga (Phyllophaga) fragilipennis* (Blanchard); Frey, 1975a: 206

Distribution: Colombia

***Phyllophaga franciscana* Garcia-Vidal**

*Phyllophaga franciscana* Garcia-Vidal, 1984: 319

Distribution: Cuba

***Phyllophaga fraterna fraterna* Harris**

*Phyllophaga fraterna* Harris, 1841: 29

*Ancyclonycha fraterna* (Harris); Burmeister, 1855: 322

*Lachnostenra fraterna* (Harris); LeConte, 1856: 249

*Phyllophaga fraterna* (Harris); Glasgow, 1916: 371

Distribution: Canada, United States

Synonym: *Ancylonycha cognata* Burmeister, 1855: 323

*Lachnostenra cognata* (Burmeister); LeConte, 1856: 248

***Phyllophaga fraterna mississippiensis* Davis**

*Phyllophaga fraterna mississippiensis* Davis, 1920: 330

Distribution: United States

***Phyllophaga fraternaria* Cano and Morón**

*Phyllophaga (Chlaenobia) fraternaria* Cano and Morón, 2002: 353

Distribution: Guatemala

***Phyllophaga freeborni* (Saylor)**

*Lachnostenra freeborni* Saylor, 1937c: 32

*Phyllophaga (Phyllophaga) freeborni* (Saylor); Morón, 1986: 205

Distribution: México

***Phyllophaga fucata* (Horn)**

*Lachnostenra fucata* Horn, 1887b: 278

*Phyllophaga fucata* (Horn); Glasgow, 1916: 373

*Phyllophaga (Phyllophaga) fucata* (Horn); Sanderson, 1958: 172

Distribution: México, United States

Synonym: *Phyllophaga linsleyi* Saylor, 1936a: 4

***Phyllophaga fulvipennis* (Blanchard)**

*Ancylonycha fulvipennis* Blanchard, 1851: 135

*Phyllophaga fulvipennis* (Blanchard); Blackwelder, 1944: 224

*Phyllophaga (Phyllophaga) fulvipennis* (Blanchard); Frey, 1975a: 206

Distribution: Brazil

***Phyllophaga fulviventris* (Moser)**

*Lachnostenra fulviventris* Moser, 1918a: 27

*Phyllophaga fulviventris* (Moser); Blackwelder, 1944: 224

*Phyllophaga (Phyllophaga) fulviventris* (Moser); Morón, 1986: 202

Distribution: México

***Phyllophaga fusca* (Froelich)**

*Melolontha fusca* Froelich, 1792: 99 (see note below)

*Ancylonycha fusca* (Froelich); Blanchard, 1851: 133

*Lachnostenra fusca* (Froelich); Horn, 1887b: 245

*Phyllophaga fusca* (Froelich); Glasgow, 1916: 371

*Phyllophaga (Phyllophaga) fusca* (Froelich); Riley and Wolfe, 2003: 22

Distribution: Canada, United States

Synonym: *Melolontha fervens* Gyllenhal, 1817: 74

*Ancylonycha fervens* (Gyllenhal); Blanchard, 1851: 133

Remark: the senior homonym *Melolontha fusca* Gmelin, 1790: 1569 is a junior synonym of *Sericoides testacea* (Fabricius) 1775: 35.

***Phyllophaga fuscipennis* (Moser)**

*Lachnostenra fuscipennis* Moser, 1918a: 64

*Phyllophaga (Cnemarachis) fuscipennis* (Moser); Chalumeau, 1983: 113

Distribution: Guadeloupe

Synonym: *Phyllophaga vitraci* Paulian, 1947: 54

***Phyllophaga futilis* (LeConte)**

*Lachnostenra futilis* LeConte, 1850: 226

*Phyllophaga futilis* (LeConte); Glasgow, 1916: 371

Distribution: Canada, United States

Synonym: *Lachnostenra decidua* LeConte, 1856: 246

*Phyllophaga decidua* (LeConte); Evans, 2003: 102

Synonym: *Ancylonycha gibbosa* Burmeister, 1855: 324

*Lachnostenra gibbosa* (Burmeister); Horn, 1887b: 230

Synonym: *Lachnostenra serricornis* LeConte, 1856: 247

***Phyllophaga gaigei* Sanderson**

*Phyllophaga gaigei* Sanderson, 1948: 4

Distribution: United States

***Phyllophaga galeanae* Saylor**

*Phyllophaga galeanae* Saylor, 1943c: 28

*Phyllophaga (Phyllophaga) galeanae* Saylor; Morón, 1986: 205

Distribution: México

***Phyllophaga garrota* Sanderson**

*Phyllophaga (Cnemarachis) garrota* Sanderson, 1951: 262

Distribution: Dominican Republic

***Phyllophaga gaumeri* (Bates)**

*Lachnostenra gaumeri* Bates, 1889: 404

*Phyllophaga gaumeri* (Bates); Blackwelder, 1944: 224

*Phyllophaga (Phyllophaga) gaumeri* (Bates); Morón, 1986: 205

Distribution: México

***Phyllophaga gentryi* Saylor**

*Phyllophaga terminalis* gentryi Saylor, 1936b: 64

*Phyllophaga gentryi* Saylor; Blackwelder, 1944: 224

Distribution: México

***Phyllophaga georgiana* (Horn)**

*Phytalus georgianus* Horn, 1885: 122

*Phyllophaga (Phytalus) georgiana* (Horn); Saylor, 1939c: 163

*Phyllophaga (Phyllophaga) georgiana* (Horn); Sanderson, 1958: 166

Distribution: United States

***Phyllophaga ghentata* (Saylor)**

*Lachnostenra ghentata* Saylor, 1937c: 33

*Phyllophaga ghentata* (Saylor); Blackwelder, 1944: 224

*Phyllophaga (Phyllophaga) ghentata* (Saylor); Morón, 1986: 205  
Distribution: México

***Phyllophaga gigantea* (Bates)**

*Lachnostenra gigantea* Bates, 1888: 198  
*Phyllophaga gigantea* (Bates); Blackwelder, 1944: 224  
*Phyllophaga (Phyllophaga) gigantea* (Bates); Solís and Morón, 1998: 23  
Distribution: Costa Rica, Guatemala, México, Nicaragua, Panama

***Phyllophaga gigantissima* Saylor**

*Phyllophaga gigantissima* Saylor, 1935g: 33  
*Triodonyx gigantissima* Saylor; Saylor, 1942a: 158  
*Phyllophaga (Triodonyx) gigantissima* Saylor; Morón, 1986: 259  
Distribution: México

***Phyllophaga ginigra* Saylor**

*Phyllophaga (Phyllophaga) ginigra* Saylor, 1940d: 112  
Distribution: México

***Phyllophaga glaberrima* (Blanchard)**

*Ancylonycha glaberrima* Blanchard, 1850: 136  
*Lachnostenra glaberrima* (Blanchard); LeConte, 1856: 242  
*Phyllophaga glaberrima* (Blanchard); Glasgow, 1916: 372  
Distribution: United States

Synonym: *Lachnostenra parva* Linell, 1896: 726 (not Brenske, 1892)  
*Phyllophaga parva* (Linell); Glasgow, 1916: 374

Synonym: *Phyllophaga pagilis* Saylor, 1937d: 321 (for Linell, 1896: 726)

***Phyllophaga glabricula* (LeConte)**

*Lachnostenra glabricula* LeConte, 1856: 260  
*Phyllophaga glabricula* (LeConte); Glasgow, 1916: 373  
Distribution: México, United States

***Phyllophaga godmani* (Bates)**

*Lachnostenra godmani* Bates, 1889: 403  
*Phyllophaga godmani* (Bates); Blackwelder, 1944: 224  
*Phyllophaga (Phyllophaga) godmani* (Bates); Morón and Nogueira, 1997: 260  
Distribution: México

***Phyllophaga godwini* Morón and Riley**

*Phyllophaga (Phytalus) godwini* Morón and Riley, 2005: 392  
Distribution: México

***Phyllophaga gracilis angulata* Glasgow**

*Phyllophaga gracilis angulata* Glasgow, 1925: 294

Distribution: United States

***Phyllophaga gracilis gracilis* (Burmeister)**

*Trichestes gracilis* Burmeister, 1855: 361

*Phyllophaga gracilis* (Burmeister); Glasgow, 1916: 372

Distribution: Canada, United States

Synonym: *Lachnostenra inana* LeConte, 1856: 242

Synonym: *Endrosa volvula* LeConte, 1856: 235

United States

***Phyllophaga gracillima* (Dalla Torre)**

*Lachnostenra gracillima* Dalla Torre, 1912c: 191 (for Nonfried, 1891: 265)

*Phyllophaga gracillima* (Dalla Torre); Blackwelder, 1944: 224

Distribution: Honduras

Synonym: *Lachnostenra gracilis* Nonfried, 1891: 265 (not Burmeister, 1855: 361)

***Phyllophaga grancha* Saylor**

*Phyllophaga (Phyllophaga) grancha* Saylor, 1948b: 354

Distribution: Argentina

***Phyllophaga granti* Saylor**

*Phyllophaga (Listrochelus) granti* Saylor, 1940d: 85

Distribution: México, United States

***Phyllophaga gravidula* (Moser)**

*Lachnostenra gravidula* Moser, 1921c: 247

*Phyllophaga gravidula* (Moser); Sanderson, 1942: 54

*Phyllophaga (Phyllophaga) gravidula* (Moser); Sanderson, 1958: 166

Distribution: México, United States

Synonym: *Phyllophaga perita* Sanderson, 1937a: 14

***Phyllophaga grossepunctata* (Moser)**

*Lachnostenra grossepunctata* Moser, 1918a: 33

*Phyllophaga grossepunctata* (Moser); Blackwelder, 1944: 224

Distribution: Costa Rica

***Phyllophaga guanacasteca* Morón and Solís**

*Phyllophaga (Phyllophaga) guanacasteca* Morón and Solís, 2000: 908

Distribution: Costa Rica

***Phyllophaga guanicana* Smyth**

*Phyllophaga guanicana* Smyth, 1917: 152

*Cnemarachis guanicana* (Smyth): Blackwelder, 1944: 223  
Distribution: Puerto Rico

***Phyllophaga guapilana* Saylor**  
*Phyllophaga (Phytalus) guapilana* Saylor, 1935h: 497  
Distribution: Costa Rica

***Phyllophaga guapiles* Saylor**  
*Phyllophaga (Phyllophaga) guapiles* Saylor, 1941e: 536  
Distribution: Costa Rica

***Phyllophaga guapilesea* Saylor**  
*Phyllophaga (Phyllophaga) guapilesea* Saylor, 1941e: 540  
Distribution: Costa Rica

***Phyllophaga guapiloides* Morón and Solís**  
*Phyllophaga (Phyllophaga) guapiloides* Morón and Solís, 2001: 26  
Distribution: Costa Rica

***Phyllophaga guatemala* Saylor**  
*Phyllophaga (Listrochelus) guatemala* Saylor, 1940e: 115  
*Phyllophaga (Phytalus) guatemala* Saylor; Cano and Morón, 1998: 11  
Description: El Salvador, Guatemala, Honduras, México

***Phyllophaga guayabillosa* Saylor**  
*Phyllophaga guayabillos* Saylor, 1936d: 293  
*Phyllophaga guayabillosa* Saylor; Saylor, 1938f: 347 (emendation)  
*Phyllophaga (Phyllophaga) guayabillosa* Saylor; Solís and Morón, 1998: 25  
Distribution: Costa Rica

***Phyllophaga guerrocana* Saylor**  
*Phyllophaga guerrocans* Saylor, 1938f: 345  
*Phyllophaga (Phyllophaga) guerrocana* Saylor; Morón, 1986: 205  
Distribution: México

***Phyllophaga haagi* Saylor**  
*Phyllophaga (Phyllophaga) haagi* Saylor, 1943a: 26  
Distribution: México

***Phyllophaga halffteriana* Morón**  
*Phyllophaga (Chlaenobia) halffteriana* Morón, 1992b: 16  
Distribution: Costa Rica, Honduras, México

***Phyllophaga hamata* (Horn)**  
*Lachnostenra hamata* Horn, 1887b: 220  
*Phyllophaga hamata* (Horn); Glasgow, 1916: 373

Distribution: United States

***Phyllophaga hardyi* Garcia-Vidal**

*Phyllophaga (Cnemarachis) hardyi* Garcia-Vidal, 1984: 319

Distribution: Cuba

***Phyllophaga hemilissa* (Bates)**

*Lachnostenra hemilissa* Bates, 1888: 201

*Phyllophaga hemilissa* (Bates); Blackwelder, 1944: 225

*Phyllophaga (Phyllophaga) hemilissa* (Bates); Solís and Morón, 1998: 24

Distribution: Costa Rica, Panama

***Phyllophaga hernandezi* Garcia-Vidal**

*Phyllophaga (Cnemarachis) hernandezi* Garcia-Vidal, 1984: 321

Distribution: Cuba

***Phyllophaga heteroclita* (Burmeister)**

*Phytalus heteroclitus* Burmeister, 1855: 348

*Phyllophaga heteroclita* (Burmeister); Blackwelder, 1944: 225

*Phyllophaga (Phytalus) heteroclita* (Burmeister); Frey, 1975a: 223

Distribution: Brazil

***Phyllophaga heteronycha heteronycha* (Bates)**

*Lachnostenra heteronycha* Bates, 1888: 186

*Phyllophaga heteronycha* (Bates); Blackwelder, 1944: 225

*Phyllophaga (Phyllophaga) heteronycha* (Bates); Morón, 1998: 24

Distribution: México

***Phyllophaga heteronycha pilidorsis* Saylor**

*Phyllophaga heteronycha pilidorsis* Saylor, 1938f: 344

*Phyllophaga pilidorsis* Saylor; Blackwelder, 1944: 225

Distribution: México

***Phyllophaga hidalgoana* Saylor**

*Phyllophaga (Phyllophaga) hidalgoana* Saylor, 1943e: 270

Distribution: México

***Phyllophaga hintonella* Saylor**

*Phyllophaga (Phyllophaga) hintonella* Saylor, 1941a: 27

Distribution: México

***Phyllophaga hintoni* Saylor**

*Phyllophaga (Phytalus) hintoni* Saylor, 1935h: 498

Distribution: México

***Phyllophaga hirsuta* (Knoch)**

*Melolontha hirsuta* Knoch, 1801: 78

*Lachnostenra hirsuta* (Knoch); LeConte, 1856: 254

*Phyllophaga hirsuta* (Knoch); Glasgow, 1916: 371

Distribution: Canada, United States

***Phyllophaga hirticollis* (Moser)**

*Lachnostenra hirticollis* Moser, 1921c: 249

*Phyllophaga hirticollis* (Moser); Blackwelder, 1944: 225

*Phyllophaga (Phyllophaga) hirticollis* (Moser); Morón, 1986: 203

Distribution: México

***Phyllophaga hirticula comosa* Davis**

*Phyllophaga hirticula comosa* Davis, 1920: 337

Distribution: United States

***Phyllophaga hirticula hirticula* (Knoch)**

*Melolontha hirticula* Knoch, 1801: 79

*Ancylonycha hirticula* (Knoch); Burmeister, 1855: 327

*Lachnostenra hirticula* (Knoch); Hope, 1837: 100

*Phyllophaga hirticula* (Knoch); Glasgow, 1916: 371

Distribution: Canada, United States

***Phyllophaga hirtifrons* (Moser)**

*Phytalus hirtifrons* Moser, 1921c: 259

*Phyllophaga hirtifrons* (Moser); Blackwelder, 1944: 225

*Phyllophaga (Phyllophaga) hirtifrons* (Moser); Morón, 1986: 200

Distribution: México

***Phyllophaga hirtiventris* (Horn)**

*Lachnostenra hirtiventris* Horn 1887b: 231

*Phyllophaga hirtiventris* (Horn); Glasgow, 1916: 373

Distribution: United States

***Phyllophaga hoegei* (Bates)**

*Phytalus högei* Bates, 1888: 180

*Phyllophaga hoegei* (Bates); Blackwelder, 1944: 225

*Phyllophaga (Phytalus) hoegei* (Bates); Morón, 1986: 200

Distribution: México

***Phyllophaga hoegella* Saylor**

*Phyllophaga hoegella* Saylor, 1943c: 26

*Phyllophaga (Phyllophaga) hoagella* Saylor; Morón, 1986: 203

Distribution: México

***Phyllophaga hoffmanita* Morón**

*Phyllophaga (Phyllophaga) hoffmanita* Morón, 1996b: 332

Distribution: México

***Phyllophaga hogardi* (Blanchard)**

*Ancylonycha hogardi* Blanchard, 1851: 137

*Phyllophaga hogardi* (Blanchard); Wolcott, 1928: 26

Distribution: Dominican Republic, Haiti

***Phyllophaga hondura* Saylor**

*Phyllophaga* (*Phyllophaga*) *hondura* Saylor, 1943d: 132

Distribution: Belize, Costa Rica, United States

***Phyllophaga hondurasana* (Moser)**

*Lachnostenra hondurasana* Moser, 1921c: 255

*Phyllophaga hondurasana* (Moser); Blackwelder, 1944: 225

*Phyllophaga* (*Phyllophaga*) *hondurasana* (Moser); Solís and Morón, 1998: 25

Distribution: Costa Rica, Guatemala, Honduras

***Phyllophaga hoogstraali* Saylor**

*Phyllophaga* (*Phytalus*) *hoogstraali* Saylor, 1943a: 21

Distribution: México

***Phyllophaga hornii* (Smith)**

*Lachnostenra hornii* Smith, 1889a: 95

*Phyllophaga hornii* (Smith); Glasgow, 1916: 373

*Phyllophaga* (*Phyllophaga*) *hornii* (Smith);

Distribution: United States

***Phyllophaga howdeniana* Morón**

*Phyllophaga* (*Chlaenobia*) *howdeniana* Morón, 1992b: 22

Distribution: México

***Phyllophaga huachuca* Saylor**

*Phyllophaga* (*Listrochelus*) *huachuca* Saylor, 1940d: 82

Distribution: México, United States

***Phyllophaga hubbelli* Cartwright**

*Phyllophaga hubbelli* Cartwright, 1946: 10

Distribution: United States

***Phyllophaga huiteaca* Morón**

*Phyllophaga* (*Phytalus*) *huiteaca* Morón, 2006: 61

Distribution: México

***Phyllophaga humboldtiana* Morón**

*Phyllophaga* (*Phyllophaga*) *humboldtiana* Morón, 2003a: 239

Distribution: México

***Phyllophaga idonea* Sanderson**

*Phyllophaga idonea* Sanderson, 1948: 1

Distribution: United States

***Phyllophaga ignava* (Horn)**

*Lachnostenra ignava* Horn, 1887b: 280

*Phyllophaga ignava* (Horn); Glasgow, 1916: 373

*Phyllophaga (Phyllophaga) ignava* (Horn); Sanderson, 1958: 172

Distribution: México, United States

***Phyllophaga ilhuicaminai* Morón**

*Phyllophaga (Phyllophaga) ilhuicaminai* Morón, 1998: 40

Distribution: México

***Phyllophaga ilicis* (Knoch)**

*Melolontha ilicis* Knoch, 1801: 75

*Ancyclonycha ilicis* (Knoch); Blanchard, 1851: 133

*Lachnostenra ilicis* (Knoch); LeConte, 1856: 253

*Phyllophaga ilicis* (Knoch); Glasgow, 1916: 371

Distribution: Canada, United States

Synonym: *Lachnostenra ciliata* LeConte, 1856: 253

Synonym: *Ancyclonycha fimbriata* Burmeister, 1855: 326

Synonym: *Phyllophaga jonesi* Sanderson, 1939a: 5

Synonym: *Melolontha porcina* Hentz, 1830: 256

***Phyllophaga imitans* Frey**

*Phyllophaga (Phyllophaga) imitans* Frey, 1975a: 217

Distribution: Brazil

***Phyllophaga imitatrix* Chapin**

*Phyllophaga imitatrix* Chapin, 1932b: 199

*Cnemarachis imitatrix* (Chapin); Blackwelder, 1944: 223

Distribution: Cuba

***Phyllophaga impar* Davis**

*Phyllophaga impar* Davis, 1920: 335

Distribution: United States

***Phyllophaga implicita* (Horn)**

*Lachnostenra implicita* Horn, 1887b: 262

*Phyllophaga implicita* (Horn); Glasgow, 1916: 373

Distribution: Canada, United States

Synonym: *Phyllophaga linelli* Saylor, 1937d: 321

Synonym: *Lachnostenia minor* Linell, 1896: 728 (not Brenske, 1994)

***Phyllophaga impressipyga* Frey**

*Phyllophaga (Phyllophaga) impressipyga* Frey, 1975: 213

Distribution: Colombia, Venezuela

***Phyllophaga imprima* Sanderson**

*Phyllophaga (Cnemarchis) imprima* Sanderson, 1951: 276

Distribution: Dominican Republic

***Phyllophaga incuria* Sanderson**

*Phyllophaga incuria* Sanderson, 1942: 53 (for Sanderson, 1937a: 16)

Distribution: United States

Synonym: *Phyllophaga texana* Sanderson, 1937a: 16 (not LeConte, 1856: 263)

***Phyllophaga independentista* Garcia-Vidal**

*Phyllophaga (Cnemarachis) independentista* Garcia-Vidal, 1984: 322

Distribution: Cuba

***Phyllophaga inepta* (Horn)**

*Lachnostenia inepta* Horn, 1887b: 282

*Phyllophaga inepta* (Horn); Glasgow, 1916: 373

*Phyllophaga (Phyllophaga) inepta* (Horn); Riley and Wolfe, 2003: 22

Distribution: United States

***Phyllophaga infidelis* (Horn)**

*Lachnostenia infidelis* Horn, 1887b: 253

*Phyllophaga infidelis* (Horn); Glasgow, 1916: 373

Distribution: United States

***Phyllophaga inflativentris* (Moser)**

*Lachnostenia inflativentris* Moser, 1918a: 22

*Phyllophaga inflativentris* (Moser); Blackwelder, 1944: 225

Distribution: México

***Phyllophaga inflexa* Barret**

*Phyllophaga (Phyllophaga) inflexa* Barret, 1935: 49

Distribution: United States

***Phyllophaga instabilis* Blackwelder**

*Phyllophaga instabilis* Blackwelder, 1944: 225

*Phyllophaga (Chlaenobia) instabilis* Blackwelder; Morón, 1986: 208  
Distribution: México

Synonym: *Chlaenobia arrowi* Chapin, 1935a: 9 (not Saylor, 1935f: 206)

***Phyllophaga insulaepinora* Garcia-Vidal**

*Phyllophaga (Cnemarachis) insulaepinorum* Garcia-Vidal, 1978: 6  
Distribution: Cuba

***Phyllophaga insulana* (Moser)**

*Phytalus insulanus* Moser, 1918a: 71  
*Phyllophaga insulanus* (Moser); Blackwelder, 1944: 225  
*Phyllophaga (Phytalus) insulanus* (Moser); Frey, 1975a: 220  
Distribution: Trinidad

Synonym: *Lachnostenra dilemma* Arrow, 1920: 192

***Phyllophaga integra* (Say)**

*Melolontha integra* Say, 1835: 180  
*Lachnostenra integra* (Say); Bates, 1888: 208  
*Phyllophaga integra* (Say); Blackwelder, 1944: 225  
Distribution: México, United States

***Phyllophaga integriceps* (Moser)**

*Lachnostenra integriceps* Moser, 1918a: 56  
*Phyllophaga integriceps* (Moser); Blackwelder, 1944: 225  
Distribution: México

***Phyllophaga inversa* (Horn)**

*Lachnostenra inversa* Horn, 1887b: 241  
*Phyllophaga inversa* (Horn); Glasgow, 1916: 373  
Distribution: Canada, United States

***Phyllophaga invisa* Riley and Wolfe**

*Phyllophaga (Phyllophaga) invisa* Riley and Wolfe, 1997: 426  
Distribution: United States

***Phyllophaga irazuana* Saylor**

*Phyllophaga irazuana* Saylor, 1936d: 294  
*Phyllophaga (Phyllophaga) irazuana* Saylor; Solís and Morón, 1998: 25  
Distribution: Costa Rica

***Phyllophaga itsmica* Morón**

*Phyllophaga (Phytalus) itsmica* Morón, 2000b: 52  
Distribution: México

***Phyllophaga iviei* Chalumeau**

*Phyllophaga iviei* Chalumeau, 1985: 32

Distribution: Virgin Islands

***Phyllophaga izabalana* Morón**

*Phyllophaga (Phyllophaga) izabalana* Morón, 2003a: 225

Distribution: Guatemala

***Phyllophaga izucarana* Morón and Aragón**

*Phyllophaga (Phyllophaga) izucarana* Morón and Aragón, 1997: 43

Distribution: México

***Phyllophaga jaliscensis* Morón, Rivera, and López**

*Phyllophaga (Phytalus) jaliscensis* Morón, Rivera, and López, 2002: 497

Distribution: México

***Phyllophaga jamaicana* (Moser)**

*Lachnostenra jamaicana* Moser, 1918a: 63

*Cnemarachis jamaicana* (Moser); Blackwelder, 1944: 223

*Phyllophaga jamaicana* (Moser); Chalumeau, 1985: 22

Distribution: Jamaica

Synonym: *Lachnostenra jamaicensis* Arrow, 1920: 190

*Cnemarachis jamaicensis* (Arrow); Blackwelder, 1944: 223

***Phyllophaga janzeniana* Morón and Solís**

*Phyllophaga (Phyllophaga) janzeniana* Morón and Solís, 2000: 904

Distribution: Costa Rica

***Phyllophaga jaragua* Woodruff**

*Phyllophaga jaragua* Woodruff, 2005: 84

Distribution: Dominican Republic

***Phyllophaga jaronua* Chapin**

*Phyllophaga jaronua* Chapin, 1932b: 194

*Cnemarachis jaronua* (Chapin); Blackwelder, 1944: 223

Distribution: Cuba

***Phyllophaga javepacuana* Morón**

*Phyllophaga (Phyllophaga) javepacuana* Morón, 2003a: 241

Distribution: Guatemala, México

***Phyllophaga jimenezi* Woodruff and Sanderson**

*Phyllophaga jimenezi* Woodruff and Sanderson, 2005: 87

Distribution: Dominican Republic

***Phyllophaga jovelana* Morón and Cano**

*Phyllophaga (Phyllophaga) jovelana* Morón and Cano, 2000: 235

Distribution: México

***Phyllophaga joyana* Morón, Rivera, and López,**

*Phyllophaga (Phyllophaga) joyana* Morón, Rivera, and López, 2002: 492

Distribution: México

***Phyllophaga jumberea* Saylor**

*Phyllophaga (Phyllophaga) jumberea* Saylor, 1942a: 158

Distribution: Peru

***Phyllophaga juquilana* Morón**

*Phyllophaga (Phytalus) juquilana* Morón, 2000b: 41

Distribution: México

***Phyllophaga juvenilis* (Fall) 1932: 200**

*Listrochelus juvenilis* Fall, 1932: 200

*Phyllophaga (Listrochelus) juvenilis* (Fall); Sanderson, 1958: 160

Distribution: México, United States

Synonym: *Phyllophaga (Listrochelus) seri* Morón, 2002: 459

***Phyllophaga karlsioei* (Linell)**

*Lachnostenra karlsioei* Linell, 1897: 400

*Phyllophaga karlsioei* (Linell); Glasgow, 1916: 374

Distribution: United States

***Phyllophaga kenscoffi* Wolcott**

*Phyllophaga kenscoffi* Wolcott, 1928: 24

*Cnemarachis kenscoffi* (Wolcott); Blackwelder, 194: 223

*Phyllophaga kenscoffi* Wolcott; Sanderson, 1951: 269

Distribution: Dominican Republic, Haiti

***Phyllophaga kentuckiana* Ritcher**

*Phyllophaga kentuckiana* Ritcher, 1937: 285

Distribution: United States

***Phyllophaga knausii* (Schaeffer)**

*Listrochelus knausii* Schaeffer, 1907: 67

*Phyllophaga knausii* (Schaeffer); Blackwelder and Arnett, 1974: 58

Distribution: United States

***Phyllophaga knochii* (Schoenherr and Gyllenhal)**

*Melolontha knochii* Schoenherr and Gyllenhal, 1817: 75

*Ancylonycha knochii* (Schoenherr and Gyllenhal); Burmeister, 1855: 325

*Lachnosterna knochii* (Schoenherr and Gyllenhal); LeConte, 1856: 252  
*Phyllophaga knochii* (Schoenherr and Gyllenhal); Glasgow, 1916: 371  
Distribution: United States

***Phyllophaga koehleriana* Saylor**  
*Phyllophaga (Listrochelus) koehleriana* Saylor, 1940d: 99  
Distribution: United States

***Phyllophaga kohlmanniana* Morón and Solís**  
*Phyllophaga (Phyllophaga) kohlmanniana* Morón and Solís, 2000: 901  
Distribution: Costa Rica

***Phyllophaga kulzeri* Frey**  
*Phyllophaga (Phyllophaga) kulzeri* Frey, 1975a: 203  
Distribution: Venezuela

***Phyllophaga kuntzeni* (Moser)**  
*Phytalus kuntzeni* Moser, 1921c: 260  
*Phyllophaga kuntzeni* (Moser); Blackwelder, 1944: 225  
Distribution: Bolivia

***Phyllophaga laboriosa* Garcia-Vidal**  
*Phyllophaga laboriosa* Garcia-Vidal, 1988: 102  
Distribution: Cuba

***Phyllophaga labrata* Chapin**  
*Phyllophaga labrata* Chapin, 1932b: 199  
*Cnemarachis labrata* (Chapin); Blackwelder, 1944: 223  
Distribution: Cuba

***Phyllophaga lacroixi* Paulian**  
*Phyllophaga (Cnemarachis) lacroixi* Paulian, 1947: 54  
Distribution: Martinique

***Phyllophaga laeviscutata* (Moser)**  
*Lachnosterna laeviscutata* Moser, 1918a: 35  
*Phyllophaga laeviscutata* (Moser); Blackwelder, 1944: 225  
*Phyllophaga (Phyllophaga) laeviscutata* (Moser); Solís and Morón, 1998: 24  
Distribution: Costa Rica, Panama

***Phyllophaga lalandia* Saylor**  
*Phyllophaga lalandia* Saylor, 1941b: 67  
*Triodonyx lalandia* (Saylor); Saylor, 1942a: 158  
*Phyllophaga (Triodonyx) lalandia* Saylor; Morón, 1986: 259  
Distribution: México

***Phyllophaga laminata* (Moser)**

*Phytalus laminatus* Moser, 1921c: 259

*Phyllophaga laminata* (Moser); Blackwelder, 1944: 225

*Phyllophaga (Phytalus) laminata* (Moser); Frey, 1975a: 223

Distribution: Brazil

***Phyllophaga lanata* (Blanchard)**

*Ancylonycha lanata* Blanchard, 1851: 135

*Phyllophaga lanata* (Blanchard); Blackwelder, 1944: 224

*Phyllophaga (Phyllophaga) lanata* (Blanchard); Frey, 1975a: 202

Distribution: Venezuela

***Phyllophaga lanceolata* (Say)**

*Melolontha lanceolata* Say, 1824: 242

*Tostegoptera lanceolata* (Say); Blanchard, 1851: 149

*Ancylonycha lanceolata* (Say); Lacordarie, 1856: 285

*Lachnostenra lanceolata* (Say); LeConte, 1856: 237

*Phyllophaga lanceolata* (Say); Glasgow, 1916: 371

*Phyllophaga (Tostegoptera) lanceolata* (Say); Bloeker, 1936: 53

Distribution: Canada, United States

Synonym: *Phyllophaga (Tostegoptera) grisiana* Bloeker, 1936: 56

Synonym: *Phyllophaga (Tostegoptera) lanceolata arizonae* Bloeker, 1936: 55

***Phyllophaga lanepta* (Saylor)**

*Lachnostenra lanepta* Saylor, 1937c: 31

*Phyllophaga lanepta* (Saylor); Blackwelder, 1944: 225

Distribution: Guatemala

***Phyllophaga laportaei* (Blanchard)**

*Listrochelus laportaei* Blanchard, 1851: 141

*Phyllophaga laportaei* (Blanchard); Blackwelder, 1944: 225

*Phyllophaga (Listrochelus) laportaei* (Blanchard); Morón, 1986: 201

Distribution: México

***Phyllophaga larimar* Woodruff**

*Phyllophaga larimar* Woodruff, 2005: 90

Distribution: Dominican Republic, Haiti

***Phyllophaga latefissa* (Moser)**

*Phytalus latefissus* Moser, 1918a: 66

*Cnemarachis latefissus* (Moser); Blackwelder, 1944: 223

*Phyllophaga (Phytalus) latefissa* (Moser); Frey, 1975a: 220

Distribution: Brazil, St. Croix

Synonym: *Phytalus furcatus* Moser, 1918a: 67  
*Phyllophaga furcata* (Moser); Blackwelder, 1944: 224

***Phyllophaga latens* (Arrow)**

*Lachnostenra latens* Arrow, 1900: 176  
*Cnemarachis latens* (Moser); Blackwelder, 1944: 223  
*Phyllophaga latens* (Moser); Chalumeau, 1990: 336  
Distribution: St. Vincent

***Phyllophaga latidens* (Schaeffer)**

*Lachnostenra latidens* Schaeffer, 1906: 258  
*Phyllophaga latidens* (Schaeffer), Glasgow, 1916: 374  
*Phyllophaga (Phyllophaga) latidens* (Schaeffer); Sanderson, 1958: 166  
Distribution: United States

***Phyllophaga latifrons* (LeConte)**

*Lachnostenra latifrons* LeConte, 1856: 241  
*Phyllophaga latifrons* (LeConte); Glasgow, 1916: 372  
Distribution: United States

***Phyllophaga latipes* (Bates)**

*Chlaenobia latipes* Bates, 1888: 167  
*Phyllophaga latipes* (Bates); Blackwelder, 1944: 225  
*Phyllophaga (Chlaenobia) latipes* (Bates); Morón, 1986: 209  
Distribution: El Salvador, Guatemala, México

Synonym: *Chlaenobia bicallosa* Bates, 1888: 168

***Phyllophaga latiungula* Wolcott**

*Phyllophaga latiungula* Wolcott, 1928: 28  
Distribution: Haiti

***Phyllophaga lebasii* (Blanchard)**

*Ancylonycha lebasii* Blanchard, 1850: 134  
*Phyllophaga lebasi* [sic] (Blanchard); Blackwelder, 1944: 225  
Distribution: Colombia

***Phyllophaga lempira* Morón and Robbins**

*Phyllophaga (Chlaenobia) lempira* Morón and Robbins, 2005: 332  
Distribution: Honduras

***Phyllophaga lenis* (Horn)**

*Lachnostenra lenis* Horn, 1887b: 287  
*Phyllophaga lenis* (Horn); Glasgow, 1916: 373  
*Phyllophaga (Phyllophaga) lenis* (Horn); Sanderson, 1958: 165  
Distribution: Costa Rica, Guatemala, México, United States

***Phyllophaga leonilae* Morón**

*Phyllophaga (Phyllophaga) leonilae* Morón, 1996a: 72

Distribution: México

***Phyllophaga leonina* (Bates)**

*Lachnostenra leonina* Bates, 1888: 188

*Phyllophaga leonina* (Bates); Blackwelder, 1944: 225

*Phyllophaga (Phyllophaga) leonina* (Bates); Morón, 1986: 203

Distribution: México

***Phyllophaga leporina* (Erichson)**

*Lachnostenra leporina* Erichson, 1848: 563

*Phyllophaga leporina* (Erichson); Blackwelder, 1944: 225

*Phyllophaga (Phyllophaga) leporina* (Erichson); Frey, 1975a: 219

Distribution: Guyana

***Phyllophaga leprieuri* (Blanchard)**

*Ancylonycha leprieuri* Blanchard, 1851: 134

*Phyllophaga leprieuri* (Blanchard); Blackwelder, 1944: 225

*Phyllophaga leprieuri* (Blanchard); Frey, 1975a: 212

Distribution: Venezuela

***Phyllophaga leptospica* Sanderson**

*Phyllophaga leptospica* Sanderson, 1951: 262

Distribution: Dominican Republic, Haiti

***Phyllophaga lineata* (Bates)**

*Phytalus lineatus* Bates, 1888: 183

*Phyllophaga lineatus* (Bates); Blackwelder, 1944: 225

*Phyllophaga (Phytalus) lineata* (Bates); Morón, 1986: 200

Distribution: México

***Phyllophaga lineatoides* Morón**

*Phyllophaga (Phytalus) lineatoides* Morón, 2000: 46

Distribution: México

***Phyllophaga linharensis* Frey**

*Phyllophaga (Phyllophaga) linharensis* Frey, 1975a: 218

Distribution: Brazil

***Phyllophaga lissopyge* (Bates)**

*Lachnostenra lissopyge* Bates, 1888: 201

*Phyllophaga lissopyge* (Bates); Blackwelder, 1944: 225

*Phyllophaga (Phyllophaga) lissopyge* (Moser); Solís and Morón, 1998: 24

Distribution: Costa Rica, Nicaragua, Panama

***Phyllophaga lobata* (Fall)**

*Lachnostenra lobata* Fall, 1908: 163

*Phyllophaga lobata* (Fall); Glasgow, 1916: 374

*Phyllophaga (Phyllophaga) lobata* (Fall); Sanderson, 1958: 172

Distribution: México, United States

***Phyllophaga lodingi* Sanderson**

*Phyllophaga lodingi* Sanderson, 1939a: 4

Distribution: United States

***Phyllophaga longicornis* (Blanchard)**

*Ancylonycha longicornis* Blanchard, 1851: 134

*Lachnostenra longicornis* (Blanchard); Horn, 1887b: 280

*Phyllophaga longicornis* (Blanchard); Blackwelder, 1944: 225

*Phyllophaga (Phyllophaga) longicornis* (Blanchard); Frey, 1975a: 205

Distribution: Brazil, Colombia

***Phyllophaga longifoliata* (Moser)**

*Lachnostenra longifoliata* Moser, 1921c: 253

*Phyllophaga longifoliata* (Moser); Blackwelder, 1944: 225

*Phyllophaga (Phyllophaga) longifoliata* (Moser); Morón, 1986: 205

Distribution: México

***Phyllophaga longispina* (Smith)**

*Lachnostenra longispina* Smith, 1889a: 97

*Phyllophaga longispina* (Smith); Glasgow, 1916: 374

Distribution: Canada, United States

***Phyllophaga longitarsa* (Say)**

*Melolontha longitarsa* Say, 1824: 241

*Trichestes longitarsis* (Say); Burmeister, 1855: 359

*Lachnostenra longitarsis* (Say); LeConte, 1856: 240

*Phyllophaga longitarsa* (Say); Glasgow, 1916: 371

Distribution: United States

Synonym: *Lachnostenra frontalis* LeConte, 1856: 239

*Phyllophaga frontalis* (LeConte); Glasgow, 1916: 372

***Phyllophaga lorencita* Morón and Solís**

*Phyllophaga (Phyllophaga) lorencita* Morón and Solís, 2001: 17

Distribution: Costa Rica

***Phyllophaga lota* Luginbill**

*Phyllophaga lota* Luginbill, 1928: 87

Distribution: United States

***Phyllophaga luctuosa* (Horn)**

*Lachnostenra luctuosa* Horn, 1887b: 254

*Phyllophaga luctuosa* (Horn); Glasgow, 1916: 373

Distribution: Canada, United States

Synonym: *Lachnostenra rugosoides* Linell, 1896: 728

*Phyllophaga rugosoides* (Linell); Glasgow, 1916: 374

***Phyllophaga lugubris* Saylor**

*Phyllophaga (Listrochelus) lugubris* Saylor, 1941c: 145

Distribution: United States

***Phyllophaga lulaana* Morón**

*Phyllophaga (Phytalus) lulaana* Morón, 2000: 43

Distribution: México

***Phyllophaga luridipennis* (Moser)**

*Phytalus luridipennis* Moser, 1918a: 68

*Phyllophaga luridipennis* (Moser); Blackwelder, 1944: 225

*Phyllophaga (Phytalus) luridipennis* (Moser); Frey, 1975a: 224

Distribution: Colombia

Synonym: *Phyllophaga (Phytalus) penai* Frey, 1964c: 695

***Phyllophaga macasana* (Moser)**

*Lachnostenra macasana* Moser, 1921c: 257

*Phyllophaga macasana* (Moser); Blackwelder, 1944: 225

*Phyllophaga (Phyllophaga) macasana* (Moser); Frey, 1975a: 211

Distribution: Ecuador

***Phyllophaga macgregori* Morón**

*Phyllophaga (Listrochelus) macgregori* Morón, 2004: 90

Distribution: México

***Phyllophaga macmurryi* Saylor**

*Phyllophaga (Listrochelus) macmurryi* Saylor, 1940d: 110

Distribution: United States

***Phyllophaga macrocera* (Bates)**

*Phytalus macrocerus* Bates, 1888: 179

*Phyllophaga macrocerus* [sic] (Bates); Blackwelder, 1944: 225

*Phyllophaga (Phytalus) macrocera* (Bates); Morón, 1986: 200

Distribution: México

***Phyllophaga macrophylla* (Bates)**

*Lachnosterna macrophylla* Bates, 1888: 193

*Phyllophaga macrophylla* (Bates): Blackwelder, 1944: 225

*Phyllophaga (Phyllophaga) macrophylla* (Bates); Morón, 1986: 202

Distribution: México

***Phyllophaga maculicollis* (LeConte)**

*Lachnosterna maculicollis* LeConte, 1863b: 76

*Phyllophaga maculicollis* (LeConte); Glasgow, 1916; 373

Distribution: México

Synonym: *Lachnosterna nitidula* LeConte, 1863b: 77

*Phyllophaga nitidula* (LeConte); Glasgow, 1916; 373

***Phyllophaga maestrensis* Garcia-Vidal**

*Phyllophaga (Cnemarachis) maestrensis* Garcia-Vidal, 1984: 323

Distribution: Cuba

***Phyllophaga magnicornis* (Moser)**

*Lachnosterna magnicornis* Moser, 1921c: 253

*Phyllophaga magnicornis* (Moser); Blackwelder, 1944: 225

*Phyllophaga (Phyllophaga) magnicornis* (Moser); Morón, 1986: 205

Distribution: México

***Phyllophaga mali* Wolcott**

*Phyllophaga mali* Wolcott, 1928: 25

*Cnemarachis mali* (Wolcott); Blackwelder, 1944: 223

Distribution: Haiti

***Phyllophaga manantleca* Morón, Rivera, and López**

*Phyllophaga (Phyllophaga) manantleca* Morón, Rivera, and López, 2002: 489

Distribution: México

***Phyllophaga manaosana* (Moser)**

*Lachnosterna manaosana* Moser, 1924b: 157

*Phyllophaga manaosana* (Moser); Blackwelder, 1944: 225

*Phyllophaga (Phyllophaga) manaosana* (Moser); Frey, 1975a: 219

Distribution: Brazil

***Phyllophaga manchesterea* Saylor**

*Phyllophaga (Phyllophaga) manchesterea* Saylor, 1940e: 313

*Cnemarachis manchesterea* (Saylor); Blackwelder, 1944: 223

Distribution: Jamaica

***Phyllophaga mandevillea* Saylor**

*Phyllophaga (Phyllophaga) mandevillea* Saylor, 1940e: 312

*Cnemarachis mandevillea* Saylor; Blackwelder, 1944: 223

Distribution: Jamaica

***Phyllophaga marcano* Woodruff**

*Phyllophaga marcano* Woodruff, 2005: 97

Distribution: Dominican Republic

***Phyllophaga marcapatana* (Moser)**

*Phytalus marcapatanus* Moser, 1918a: 69

*Phyllophaga marcapatana* (Moser); Blackwelder, 1944: 225

*Phyllophaga (Phyllophaga) marcapatana* (Moser); Frey, 1975a: 206

Distribution: Peru

***Phyllophaga marginalis insolita* Cartwright**

*Phyllophaga marginalis insolita* Cartwright, 1944: 33

Distribution: United States

***Phyllophaga marginalis marginalis* (LeConte)**

*Lachnostenra marginalis* LeConte, 1856: 250

*Phyllophaga marginalis* (LeConte); Glasgow, 1916: 372

Distribution: Canada, United States

United States

***Phyllophaga mariaegalante* Chalumeau and Gruner**

*Phyllophaga (Cnemarachis) mariaegalante* Chalumeau and Gruner, 1976: 90

Distribution: Guadeloupe

***Phyllophaga mariana* Fall**

*Phyllophaga mariana* Fall, 1929a: 111

Distribution: United States

***Phyllophaga marilucasana* Cano and Morón**

*Phyllophaga (Chlaenobia) marilucasana* Cano and Morón, 2002: 358

Distribution: Guatemala

***Phyllophaga marina* Garcia-Vidal**

*Phyllophaga marinus* Garcia-Vidal, 1987: 303

Distribution: Cuba

***Phyllophaga martiana* Saylor**

*Phyllophaga (Phyllophaga) martiana* Saylor, 1943c: 30

Distribution: México

***Phyllophaga martinezzi* Frey**

*Phyllophaga (Phyllophaga) martinezzi* Frey, 1975a: 207

Distribution: Colombia

***Phyllophaga martinezpalaciosi* Morón**

*Phyllophaga (Phyllophaga) martinezpalaciosi* Morón, 1989: 74  
Distribution: México

***Phyllophaga matacapana* Morón**

*Phyllophaga (Phyllophaga) matacapana* Morón, 2003a: 266  
Distribution: México

***Phyllophaga maxima* (Bates)**

*Listrochelus maximus* Bates, 1888: 172  
*Phyllophaga maxima* (Bates): Blackwelder, 1944: 225  
*Phyllophaga (Listrochelus) maxima* (Bates); Morón, 1986: 202  
Distribution: México

***Phyllophaga meadei* Saylor**

*Phyllophaga (Listrochelus) meadei* Saylor, 1940d: 105  
Distribution: México

***Phyllophaga mella* Sanderson**

*Phyllophaga (Cnemarachis) mella* Sanderson, 1951: 278  
Distribution: Dominican Republic

***Phyllophaga menetriesii* (Blanchard)**

*Ancylonycha menetriesii* Blanchard, 1851: 135  
*Phyllophaga setifera mentriesi* (Blanchard); Blackwelder, 1944: 226  
*Phyllophaga (Phyllophaga) mentriesi* (Blanchard); Frey, 1975a: 202  
Distribution: Colombia, Costa Rica, Guatemala, México, Panama

***Phyllophaga mentalis* Saylor**

*Phyllophaga (Phyllophaga) mentalis* Saylor, 1941d: 387  
Distribution: Guatemala

***Phyllophaga mesophylla* Morón and Rivera**

*Phyllophaga (Phytalus) mesophylla* Morón and Rivera, 1992: 80  
Distribution: México

***Phyllophaga mexicana* (Blanchard)**

*Ancylonycha mexicana* Blanchard, 1851: 138  
*Lachnostenra mexicana* (Blanchard); Bates, 1888: 212  
*Phyllophaga mexicana* (Blanchard); Blackwelder, 1944: 225  
*Phyllophaga (Phyllophaga) mexicana* (Blanchard); Morón, 1986: 205  
Distribution: México

***Phyllophaga micans* (Knoch)**

*Melolontha micans* Knoch, 1801: 77  
*Ancylonycha micans* (Knoch); Blanchard, 1851: 138  
*Lachnostenra micans* (Knoch); LeConte, 1856: 247

*Phyllophaga micans* (Knoch); Glasgow, 1916: 371

Distribution: United States

***Phyllophaga michelbacheri* Saylor**

*Phyllophaga (Listrochelus) michelbacheri* Saylor, 1940d: 76

Distribution: México

***Phyllophaga microcera* (Arrow)**

*Lachnostenra microcerus* Arrow, 1933b: 149 (for Bates, 1888: 189)

*Phyllophaga microcerus* (Arrow); Blackwelder, 1944: 225

*Phyllophaga (Phyllophaga) microcerus* (Arrow); Morón, 1986: 203

Distribution: México

Synonym: *Lachnostenra cibricollis* Bates, 1888: 189 (not Blanchard, 1851: 133)

***Phyllophaga microchaeta* (Moser)**

*Lachnosteran microchaeta* Moser, 1924b: 154

*Phyllophaga microchaeta* (Moser); Blackwelder, 1944: 225

Distribution: México

***Phyllophaga microdon* (Bates)**

*Lachnostenra microdon* Bates, 1888: 211

*Phyllophaga microdon* (Bates); Fall, 1929a: 113

*Phyllophaga (Phyllophaga) microdon* (Bates); Morón, 1986: 204

Distribution: México

***Phyllophaga microphylla* (Moser)**

*Lachnostenra microphylla* Moser, 1918a: 60

*Cnemarachis microphylla* (Moser); Blackwelder, 1944: 223

*Phyllophaga microphylla* (Moser); Chalumeau, 1985: 26, 30

Distribution: St. Croix

***Phyllophaga micros* (Bates)**

*Listrochelus micros* Bates, 1888: 170

*Phyllophaga (Listrochelus) micros* (Bates); Saylor, 1940d: 104

Distribution: México, United States

***Phyllophaga microsoma* Chapin**

*Phyllophaga microsoma* Chapin, 1932b: 202

*Cnemarachis microsoma* (Chapin); Blackwelder, 1944: 223

Distribution: Cuba

***Phyllophaga migratoria* Garcia-Vidal**

*Phyllophaga migratoria* Garcia-Vidal, 1984: 324

Distribution: Cuba

***Phyllophaga mimicana* Saylor**

*Phyllophaga (Listrochelus) mimicana* Saylor, 1938e: 186

Distribution: México, United States

***Phyllophaga minutissima* Wolcott**

*Phyllophaga minutissima* Wolcott, 1928: 28

*Cnemarachis minutissima* Wolcott; Blackwelder, 1944: 223

Distribution: Haiti

***Phyllophaga miraflora* Saylor**

*Phyllophaga (Listrochelus) miraflora* Saylor, 1940d: 72

Distribution: México

***Phyllophaga misteca* (Bates)**

*Lachnosteran misteca* Bates, 1888: 209

*Phyllophaga misteca* (Bates); Blackwelder, 1944: 225

*Phyllophaga (Phyllophaga) misteca* (Bates); Morón, 1986: 204

Distribution: México

***Phyllophaga mitlana* Saylor**

*Phyllophaga (Phyllophaga) mitlana* Saylor, 1943e: 278

Distribution: México

***Phyllophaga moei* Saylor**

*Phyllophaga moei* Saylor, 1938f: 343

*Phyllophaga (Phyllophaga) moei* Saylor; Morón, 1986: 203

Distribution: México

***Phyllophaga molopia* (Bates)**

*Lachnosterna molopia* Bates, 1888: 205

*Phyllophaga molopia* (Bates); Blackwelder, 1944: 225

*Phyllophaga (Phyllophaga) molopia* (Bates); Morón, 1986: 205

Distribution: México

***Phyllophaga monana* (Moser)**

*Lachnosterna monana* Moser, 1921b: 181

*Cnemarachis monana* (Moser); Blackwelder, 1944: 223

*Phyllophaga monana* (Moser); Chalumeau, 1985: 24

Distribution: Puerto Rico [Mona Island]

***Phyllophaga monrosi* Frey**

*Phyllophaga (Phyllophaga) monrosi* Frey, 1975a: 219

Distribution: Argentina

***Phyllophaga monstrosa* (Saylor)**

*Listrochelus monstrosus* Saylor, 1935g: 36

*Phyllophaga monstrosa* (Saylor); Blackwelder, 1944: 225  
*Phyllophaga (Listrochelus) monstrosa* (Saylor); Morón, 1986: 266  
Distribution: México

***Phyllophaga monteverdosa* Morón**  
*Phyllophaga (Phyllophaga) monteverdosa* Morón, 2001b: 789  
Distribution: Costa Rica

***Phyllophaga montserratensis* (Arrow)**  
*Lachnostenra montserratensis* Arrow, 1920: 191  
*Cnemarachis montserratensis* (Arrow); Blackwelder, 1944: 223  
*Phyllophaga montserratensis* (Arrow); Chalumeau, 1985: 30  
Distribution: Montserrat

***Phyllophaga morganella* Saylor**  
*Phyllophaga (Phyllophaga) morganella* Saylor, 1942a: 158  
Distribution: Costa Rica, Panama

***Phyllophaga morgani* Saylor**  
*Phyllophaga morgani* Saylor, 1938f: 340  
Distribution: Panama

***Phyllophaga moseri* Frey**  
*Phyllophaga (Phytalus) moseri* Frey, 1965b: 149  
Distribution: Bolivia

***Phyllophaga mucorea* (LeConte)**  
*Listrochelus mucoreus* LeConte, 1856: 263  
*Phyllophaga mucorea* (LeConte); Blackwelder, 1944: 225  
*Phyllophaga (Listrochelus) mucorea* (LeConte); Saylor, 1940c: 86  
Distribution: México, United States

Synonym: *Listrochelus obtusus* LeConte, 1856: 264  
*Phyllophaga obtusus* (LeConte); Evans, 2003: 127

Synonym: *Listrochelus texanus* LeConte, 1856: 263  
*Phyllophaga texanus* (LeConte); Evans, 2003: 127

***Phyllophaga multipora* (Bates)**  
*Lachnostenra multipora* Bates, 1888: 211  
*Phyllophaga (Phyllophaga) multipora* (Bates); Sanderson, 1958: 165  
Distribution: Guatemala, México

***Phyllophaga murina* (Burmeister)**  
*Ancylonycha murina* Burmeister, 1855: 334  
*Phyllophaga murina* (Burmeister); Blackwelder, 1944: 225

*Phyllophaga (Phyllophaga) murina* (Burmeister); Frey, 1975a: 203  
Distribution: Brazil

***Phyllophaga nahui* Morón and Solís**  
*Phyllophaga (Chirodines) nahui* Morón and Solís, 1994: 182  
Distribution: Costa Rica

***Phyllophaga nandalumia* Morón and Riley**  
*Phyllophaga (Phyllophaga) nandalumia* Morón and Riley, 2005: 395  
Distribution: México

***Phyllophaga naranjina* Morón and Solís**  
*Phyllophaga (Phyllophaga) naranjina* Morón and Solís, 2001: 24  
Distribution: Costa Rica

***Phyllophaga nasalis* Chapin**  
*Phyllophaga nasalis* Chapin, 1935b: 72  
*Cnemarachis nasalis* (Chapin); Blackwelder, 1944: 223  
Distribution: Cuba

***Phyllophaga necaxa* Saylor**  
*Phyllophaga (Phyllophaga) necaxa* Saylor, 1943e: 279  
Distribution: México

***Phyllophaga neglecta* (Blanchard)**  
*Ancylonycha neglecta* Blanchard, 1851: 137  
*Phyllophaga neglecta* (Blanchard); Wolcott, 1928: 27  
*Cnemarachis neglecta* (Blanchard); Blackwelder 1944: 223  
Distribution: Dominican Republic, Haiti

***Phyllophaga neomexicana* Saylor**  
*Phyllophaga (Listrochelus) neomexicana* Saylor, 1940d: 101  
Distribution: United States

***Phyllophaga nepida* Saylor**  
*Phyllophaga (Phyllophaga) nepida* Saylor, 1941d: 385  
Distribution: Guatemala

***Phyllophaga nevermannea* Saylor**  
*Phyllophaga (Phyllophaga) nevermannea* Saylor, 1941e: 534  
Distribution: Costa Rica

***Phyllophaga nevermanni* Saylor**  
*Phyllophaga nevermanni* Saylor, 1935h: 501  
*Phyllophaga (Phyllophaga) nevermanni* Saylor; Solís and Morón, 1998: 25  
Distribution: Costa Rica

***Phyllophaga nevomeana* Morón**

*Phyllophaga (Phytalus) nevomeana* Morón, 2006: 71

Distribution: México

***Phyllophaga nigerrima* (Bates)**

*Lachnostenra nigerrima* Bates, 1888: 207

*Phyllophaga nigerrima* (Bates); Blackwelder, 1944: 225

*Phyllophaga (Phyllophaga) nigerrima* (Bates); Morón, 1986: 205

Distribution: México

***Phyllophaga nigrita* (Moser)**

*Lachnostenra nigrita* Moser, 1918a: 37

*Phyllophaga nigrita* (Moser); Blackwelder, 1944: 225

*Phyllophaga (Phyllophaga) nigrita* (Moser); Solís and Morón, 1998: 24

Distribution: Costa Rica, Nicaragua, Panama

***Phyllophaga niquirana* Morón**

*Phyllophaga (Listrochelus) niquirana* Morón, 1990: 59

Distribution: Costa Rica, Nicaragua

***Phyllophaga nisuens* (Saylor)**

*Lachnostenra nisuens* Saylor, 1937c: 32

*Phyllophaga nisuens* (Saylor); Blackwelder, 1944: 225

*Phyllophaga (Phyllophaga) nisuens* (Saylor); Morón, 2001a: 182

Distribution: México

***Phyllophaga nitida* (LeConte)**

*Lachnostenra nitida* LeConte, 1856: 256

*Phyllophaga nitida* (LeConte); Glasgow, 1916: 372

Distribution: Canada, United States

Synonym: *Lachnostenra innominata* Smith, 1889a: 98

Synonym: *Lachnostenra limula* Horn, 1887b: 264

***Phyllophaga nitidicauda* (Arrow)**

*Lachnostenra nitidicauda* Arrow, 1913c: 464

*Phyllophaga nitidicauda* (Arrow); Blackwelder, 1944: 225

*Phyllophaga (Phyllophaga) nitidicauda* (Arrow); Frey, 1975a: 217

Distribution: Brazil

***Phyllophaga nitidicollis* (Blanchard)**

*Ancylonycha nitidicollis* Blanchard, 1851: 136

*Phyllophaga nitidicollis* (Blanchard); Evans, 2003: 136

Distribution: Brazil

***Phyllophaga nitididorsis* Frey**

*Phyllophaga (Phytalus) nitididorsis* Frey, 1975a: 226

Distribution: Brazil

***Phyllophaga nogales* Saylor**

*Phyllophaga (Listrochelus) falsa nogales* Saylor, 1940d: 99

*Phyllophaga (Listrochelus) nogales* Saylor; Sanderson, 1958: 161

Distribution: United States

***Phyllophaga nogueirai* Warner and Morón**

*Phyllophaga (Triodonyx) nogueirai* Warner and Morón, 1992: 329

Distribution: México

***Phyllophaga nogueirana* Morón**

*Phyllophaga (Listrochelus) nogueirana* Morón, 2002: 455

Distribution: México

***Phyllophaga nosa* Blackwelder**

*Phyllophaga nosa* Blackwelder, 1944: 225 (for Bates, 1888: 182)

*Phyllophaga (Phytalus) nosa* Blackwelder; Morón, 1986: 219

Distribution: México, United States

Synonym: *Phytalus aegrotus* Bates, 1888: 182 (not Bates, 1888: 167)

*Phyllophaga (Phytalus) aegrota* (Bates); Sanderson, 1942: 54

***Phyllophaga nubipennis* (Bates)**

*Phytalus nubipennis* Bates, 1888: 176

*Phyllophaga nubipennis* (Bates); Blackwelder, 1944: 225

*Phyllophaga (Phytalus) nubipennis* (Bates); Morón, 1986: 200

Distribution: México

***Phyllophaga nuda* (Moser)**

*Lachnostenra nuda* Moser, 1918a: 28

*Phyllophaga nuda* (Moser); Blackwelder, 1944: 225

*Phyllophaga (Phyllophaga) nuda* (Moser); Frey, 1975a: 212

Distribution: Guyana

***Phyllophaga nudipennis* Frey**

*Phyllophaga (Phyllophaga) nudipennis* Frey, 1975a: 215

Distribution: Ecuador

***Phyllophaga nunezi* Woodruff**

*Phyllophaga nunezi* Woodruff, 2005: 110

Distribution: Dominican Republic

***Phyllophaga oaxaca* Saylor**

*Phyllophaga (Phytalus) oaxaca* Saylor, 1940e: 116

Distribution: México

***Phyllophaga oaxena* Saylor**

*Phyllophaga (Chirodines) oaxena* Saylor, 1940e: 109

*Phyllophaga (Listrochelus) oaxena* Saylor; Blackwelder, 1944: 225

*Phyllophaga (Phytalus) oaxena* Saylor; Morón, 1986: 200

Distribution: México

***Phyllophaga obliquestriata* Saylor**

*Phyllophaga (Listrochelus) obliquestriata* Saylor, 1938e: 187

Distribution: México

***Phyllophaga oblongula* (Bates)**

*Listrochelus oblongulus* Bates 1888: 173

*Phyllophaga oblongula* (Bates); Blackwelder, 1944: 225

*Phyllophaga (Listrochelus) oblongula* (Bates); Morón, 1986: 202

Distribution: México

***Phyllophaga obsoleta obsoleta* (Blanchard)**

*Phytalus obsoletus* Blanchard, 1851: 131

*Phyllophaga obsoletus* (Blanchard); Blackwelder, 1944: 225

*Phyllophaga (Phytalus) obsoleta* (Blanchard); Sanderson, 1958: 166

Distribution: Belize, Colombia, Costa Rica, El Salvador, Guatemala, Honduras, México, Nicaragua, United States, Venezuela.

Synonym: *Phytalus laevigatus* Blanchard, 1851: 131 (not Burmeister, 1855: 351)

*Phyllophaga laevigata* (Blanchard); Blackwelder, 1944: 225

Synonym: *Ancylonycha longicornis* Burmeister, 1855: 329 (not Blanchard, 1851: 134)

Synonym: *Phytalus longicornis* Burmeister, 1855: 350 (not Blanchard, 1851: 134)

Synonym: *Phyllophaga meccocerus* Blackwelder, 1944: 225 (for Burmeister, 1855: 329)

*Phyllophaga meccocera* Blackwelder (new emendation to match gender of generic name)

Synonym: *Phytalus oxypygus* Burmeister, 1855: 350

*Phyllophaga oxypyga* (Burmeister); Blackwelder, 1944: 225

***Phyllophaga obsoleta vanalleri* (Schaeffer)**

*Phytalus vanalleri* Schaeffer, 1927: 215

*Phyllophaga (Phytalus) obsoleta vanalleri* (Schaeffer); Saylor, 1939c: 164

Distribution: México, United States.

***Phyllophaga ocozocuana* Morón**

*Phyllophaga (Phyllophaga) ocozocuana* Morón, 2003a: 279  
Distribution: México

***Phyllophaga odomi* Saylor**

*Phyllophaga (Phyllophaga) odomi* Saylor, 1943b: 107  
Distribution: Panama, Venezuela

***Phyllophaga ohausi* (Moser)**

*Phytalus ohausi* Moser, 1921c: 260  
*Phyllophaga ohausi* (Moser); Blackwelder, 1944: 225  
*Phyllophaga (Phytalus) ohausi* (Moser); Frey, 1975a: 222  
Distribution: Ecuador

***Phyllophaga okeechobea* Robinson**

*Phyllophaga okeechobea* Robinson, 1948: 33  
Distribution: United States

***Phyllophaga omani* Sanderson**

*Phyllophaga (Phytalus) omani* Sanderson, 1937b: 66  
*Phyllophaga (Phyllophaga) omani* Sanderson; Sanderson, 1958: 166  
Distribution: United States

***Phyllophaga ome* Morón**

*Phyllophaga (Chirodines) ome* Morón, 1991: 400  
Distribution: México

***Phyllophaga omiltemia* (Bates)**

*Phytalus omiltemius* Bates, 1889: 400  
*Phyllophaga (Phytalus) omiltemia* (Bates); Morón, 1986: 200  
Distribution: Guatemala, México

***Phyllophaga onchophora* Chapin**

*Phyllophaga onchophora* Chapin, 1932: 184  
*Cnemarachis onchophora* (Chapin); Blackwelder, 1944: 223  
Distribution: Cuba

***Phyllophaga onita* Saylor**

*Phyllophaga (Phyllophaga) onita* Saylor, 1941a: 27  
Distribution: México

***Phyllophaga onoreana* Morón**

*Phyllophaga (Phyllophaga) onoreana* Morón, 2003a: 229  
Distribution: Ecuador

***Phyllophaga opaca* (Moser)**

*Lachnostenra opaca* Moser, 1918b: 164

*Phyllophaga opaca* (Moser); Blackwelder, 1944: 225  
*Phyllophaga (Phyllophaga) opaca* (Moser); Sanderson, 1958: 172  
Distribution: México, United States

Synonym: *Phyllophaga iroides* Fall, 1929a: 112

***Phyllophaga opacicollis* (Horn)**

*Listrochelus opacicollis* Horn, 1878: 145  
*Phyllophaga (Listrochelus) opacicollis* (Horn); Saylor, 1940d: 92  
Distribution: United States

***Phyllophaga orosina* (Moser)**

*Lachnostenia orosina* Moser, 1918a: 26  
*Phyllophaga orosina* (Moser); Blackwelder, 1944: 225  
*Phyllophaga (Phyllophaga) orosina* (Moser); Solís and Morón, 1998: 23  
Distribution: Costa Rica

***Phyllophaga ortizi* Woodruff**

*Phyllophaga ortizi* Woodruff, 2005: 113  
Distribution: Dominican Republic

***Phyllophaga ovalis* Cartwright**

*Phyllophaga ovalis* Cartwright, 1939: 353  
Distribution: United States

***Phyllophaga pachuca* Saylor**

*Phyllophaga (Phyllophaga) pachuca* Saylor, 1943e: 272  
Distribution: México

***Phyllophaga pachypyga* (Burmeister)**

*Ancylonycha pachypyga* Burmeister, 1855: 330  
*Phyllophaga pachypyga* (Burmeister); Blackwelder, 1944: 225  
*Phyllophaga (Phyllophaga) pachypyga* (Burmeister); Frey, 1975a: 214  
Distribution: Brazil, Colombia, Peru, Venezuela

Synonym: *Lachnostenia nigrofusca* Moser, 1918a: 39  
*Phyllophaga nigrofusca* (Moser); Blackwelder, 1944: 225  
*Phyllophaga (Phyllophaga) nigrofusca* (Moser); Frey, 1975a: 214

***Phyllophaga pallida* (Horn)**

*Phytalus pallidus* Horn, 1885: 121  
*Phyllophaga (Phytalus) pallidus* (Horn); Saylor, 1939c: 166  
*Phyllophaga (Phyllophaga) pallidus* (Horn); Sanderson, 1958: 166  
Distribution: México, United States

***Phyllophaga pallidicornis* (Moser)**

*Lachnosterna pallidicornis* Moser, 1921c: 251  
*Phyllophaga pallidicornis* (Moser); Blackwelder, 1944: 225  
Distribution: México

***Phyllophaga pameana* Morón**  
*Phyllophaga (Phytalus) pameana* Morón, 2000: 48  
Distribution: México

***Phyllophaga panamana* (Chapin)**  
*Chlaenobia panama* Chapin, 1935a: 11  
*Phyllophaga panamana* (Chapin); Blackwelder, 1944: 225  
*Phyllophaga (Chlaenobia) panamana* (Chapin); Morón, 1986: 209  
Distribution: Costa Rica, Panama

***Phyllophaga panamensis* (Moser)**  
*Lachnosterna panamensis* Moser, 1921c: 250  
*Phyllophaga panamensis* (Moser); Blackwelder, 1944: 225  
Distribution: Panama

***Phyllophaga panicula* Sanderson**  
*Phyllophaga (Cnemarachis) panicula* Sanderson, 1951: 275  
Distribution: Dominican Republic, Haiti

***Phyllophaga panorpa* Sanderson**  
*Phyllophaga panorpa* Sanderson, 1950: 91  
Distribution: United States

***Phyllophaga papaloana* Morón**  
*Phyllophaga (Phyllophaga) papaloana* Morón, 2001a: 187  
Distribution: México

***Phyllophaga paraguayana* (Moser)**  
*Lachnosterna paraguayana* Moser, 1921c: 256  
*Phyllophaga paraguayana* (Moser); Blackwelder, 1944: 225  
*Phyllophaga (Phyllophaga) paraguayana* (Moser); Frey, 1975a: 207  
Distribution: Paraguay

***Phyllophaga paraguayensis* (Moser)**  
*Phytalus paraguayensis* Moser, 1918a: 74  
*Phyllophaga paraguayensis* (Moser); Blackwelder, 1944: 225  
*Phyllophaga (Phytalus) paraguayensis* (Moser); Frey, 1975a: 225  
Distribution: Paraguay

***Phyllophaga parallela* (Blanchard)**  
*Ancylonycha parallela* Blanchard, 1851: 137  
*Phyllophaga parallela* (Blanchard); Chapin, 1932b; 205

*Cnemarachis parallela* (Blanchard); Blackwelder, 1944: 223  
Distribution: Cuba

***Phyllophaga parcesetifera* Chapin**

*Phyllophaga parcesetifera* Chapin, 1935b: 71  
*Cnemarachis parcesetifera* (Chapin); Blackwelder, 1944: 223  
*Phyllophaga parcesetifera* (Blanchard); Evans, 2003: 134  
Distribution: Cuba

***Phyllophaga parilis* (Bates)**

*Listrochelus parilis* Bates, 1888: 172  
*Phyllophaga (Listrochelus) parilis* (Bates); Saylor, 1940d: 101  
Distribution: México, United States

***Phyllophaga parumpunctata* (Bates)**

*Lachnosterna parumpunctata* Bates, 1888: 191  
*Phyllophaga parumpunctata* Bates; Blackwelder, 1944: 225  
*Phyllophaga (Phyllophaga) parumpunctata* (Bates); Morón, 1986: 203  
Distribution: México

***Phyllophaga parvicornis* (Moser)**

*Lachnosterna parvicornis* Moser, 1924b: 155  
*Phyllophaga parvicornis* (Moser); Blackwelder, 1944: 225  
*Phyllophaga (Phyllophaga) parvicornis* (Moser); Morón, 1986: 195  
Distribution: Guatemala

***Phyllophaga parvidens hysteropyga* Davis**

*Phyllophaga parvidens hysteropyga* Davis 1920: 336  
Distribution: United States

***Phyllophaga parvidens parvidens* (LeConte)**

*Lachnosterna parvidens* LeConte, 1856: 259  
*Phyllophaga parvidens* (LeConte); Glasgow, 1916: 373  
Distribution: United States

***Phyllophaga parvisetis* (Bates)**

*Lachnosterna parvisetis* Bates, 1888: 196  
*Phyllophaga (Phyllophaga) parvisetis* (Bates); Saylor, 1943d: 134  
Distribution: Guatemala, Honduras, México, Nicaragua

***Phyllophaga pastassana* (Moser)**

*Lachnosterna pastassana* Moser, 1924b: 156  
*Phyllophaga pastassana* (Moser); Blackwelder, 1944: 226  
*Phyllophaga (Phyllophaga) pastassana* (Moser) Frey, 1975a: 214  
Distribution: Ecuador

***Phyllophaga paternoi* Glasgow**

*Phyllophaga paternoi* Glasgow, 1925: 293

Distribution: United States

***Phyllophaga patruelis* (Chevrolat)**

*Ancylonycha patruelis* Chevrolat, 1865: 25

*Phyllophaga patruelis* (Chevrolat); Chapin, 1932b: 191

*Cnemarachis patruelis* (Chevrolat); Blackwelder, 1944: 223

Distribution: Cuba, Dominican Republic, Guadeloupe, Haiti, St. Kitts-Nevis

Synonym: *Phyllophaga tenuicalcaris* Chapin, 1932b: 192

***Phyllophaga patrueloides* Paulian**

*Phyllophaga patrueloides* Paulian, 1947: 56 (for Fleutiaux and Sallé, 1889: 49)

*Phyllophaga (Cnemarachis) patrueloides* Paulian; Chalumeau and Gruner, 1976: 91

Distribution: Guadeloupe

Synonym: *Phyllophaga patruelis* Fleutiaux and Sallé, 1889: 49 (not Chevrolat, 1865: 25)

***Phyllophaga pauliani* Chalumeau and Gruner**

*Phyllophaga (Cnemarachis) pauliani* Chalumeau and Gruner, 1976: 95

Distribution: Guadeloupe

***Phyllophaga pauloensis* Frey**

*Phyllophaga (Phytalus) pauloensis* Frey, 1975a: 224

Distribution: Brazil

***Phyllophaga pearliae* Davis**

*Phyllophaga pearliae* Davis, 1920: 332

Distribution: United States

***Phyllophaga peccata* Blackwelder**

*Phyllophaga peccatus* Blackwelder, 1944: 225 (for Arrow, 1933b: 145)

*Phyllophaga (Chlaenobia) peccata* Blackwelder; Morón, 1986: 209

Distribution: México

Synonym: *Chlaenobia colimana* Arrow, 1933b: 145 (not Moser, 1921c: 256)

***Phyllophaga pectoralis* (Blanchard)**

*Ancylonycha pectoralis* Blanchard, 1851: 138

*Phyllophaga pectoralis* (Blanchard); Blackwelder, 1944: 225

*Phyllophaga (Phyllophaga) pectoralis* (Blanchard); Frey, 1975a: 206

Distribution: Brazil

***Phyllophaga penaella* Frey**

*Phyllophaga (Phyllophaga) penaella* Frey, 1975a: 209

Distribution: Ecuador

***Phyllophaga peninsulana* (Moser)**

*Lachnostenra peninsulana* Moser, 1918a: 55

*Phyllophaga peninsulana* (Moser); Blackwelder, 1944: 225

*Phyllophaga (Phyllophaga) peninsulana* (Moser); Morón, 1986: 205

Distribution: México

***Phyllophaga peninsularis* Saylor**

*Phyllophaga (Listrochelus) peninsularis* Saylor, 1940d: 77

Distribution: México

***Phyllophaga pentaphylla* (Bates)**

*Phytalus pentaphyllus* Bates, 1888: 180

*Phyllophaga pentaphylla* (Bates); Blackwelder, 1944: 225

*Phyllophaga (Phytalus) pentaphylla* (Bates); Morón, 1982: 18

Distribution: México

***Phyllophaga perdernales* Woodruff**

*Phyllophaga perdernales* Woodruff, 2005: 117

Distribution: Dominican Republic

***Phyllophaga perlonga* Davis**

*Phyllophaga perlonga* Davis, 1920: 329

Distribution: United States

***Phyllophaga permagna* (Moser)**

*Lachnostenra permagna* Moser, 1918a: 57

*Phyllophaga permagna* (Moser); Blackwelder, 1944: 224

*Phyllophaga permagna* (Moser); Sanderson, 1951: 259

Distribution: Dominican Republic, Haiti

***Phyllophaga persimilis* Chapin**

*Phyllophaga persimilis* Chapin, 1935b: 70

*Cnemarachis persimilis* (Chapin); Blackwelder, 1944: 223

Distribution: Cuba

***Phyllophaga personata* (Chapin)**

*Chlaenobia personata* Chapin, 1935a: 12

*Phyllophaga personata* (Chapin); Blackwelder, 1944: 225

*Phyllophaga (Chlaenobia) personata* (Chapin); Morón, 1986: 199

Distribution: México

***Phyllophaga peruana* (Moser)**

*Lachnostenra peruana* Moser, 1918a: 48

*Phyllophaga peruana* (Moser); Blackwelder, 1944: 225

*Phyllophaga (Phyllophaga) peruana* (Moser): Frey, 1975a: 217  
Distribution: Bolivia, Peru

Synonym: *Phyllophaga (Phyllophaga) limasa* Saylor, 1948b: 353

***Phyllophaga picadoana* Morón and Solís**

*Phyllophaga (Phyllophaga) picadoana* Morón and Solís, 2000: 906  
Distribution: Costa Rica

***Phyllophaga picea* (Blanchard)**

*Phytalus piceus* Blanchard, 1851: 130  
*Phyllophaga picea* (Blanchard); Blackwelder, 1944: 225  
*Phyllophaga (Phytalus) picea* (Blanchard); Frey, 1975a: 223  
Distribution: Brazil

***Phyllophaga piceola* (Bates)**

*Lachnostenra piceola* Bates, 1888: 187  
*Phyllophaga piceola* (Bates); Blackwelder, 1944: 225  
*Phyllophaga (Phyllophaga) piceola* (Bates); Cano and Morón, 1998: 14  
Distribution: Guatemala

***Phyllophaga picipennis* (Moser)**

*Phytalus picipennis* Moser, 1918a: 73  
*Phyllophaga picipennis* (Moser); Blackwelder, 1944: 225  
*Phyllophaga (Phytalus) picipennis* (Moser); Frey, 1975a: 225  
Distribution: Bolivia

***Phyllophaga piligera* (Moser)**

*Lachnostenra piligera* Moser, 1918a: 30  
*Phyllophaga piligera* (Moser); Blackwelder, 1944: 225  
Distribution: Panama

***Phyllophaga piliventris* (Moser)**

*Lachnostenra piliventris* Moser, 1918a: 20  
*Phyllophaga piliventris* (Moser); Blackwelder, 1944: 225  
*Phyllophaga (Phyllophaga) piliventris* (Moser); Morón, 1986: 203  
Distribution: México

***Phyllophaga pilosipes* Saylor**

*Phyllophaga (Listrochelus) pilosipes* Saylor, 1940d: 76 (for LeConte, 1863b: 78)  
Distribution: México

Synonym: *Listrochelus puberulus* LeConte, 1863b: 78 (not Jacquelin du Val, 1856: 130)

***Phyllophaga pilositarsis* Blackwelder**

*Phyllophaga pilositarsis* Blackwelder, 1944: 225 (for Chapin, 1935a: 16)

*Phyllophaga (Chlaenobia) pilositarsis* Blackwelder; Morón, 1986: 209  
Distribution: México

Synonym: *Chlaenobia dissimilis* Chapin, 1935a: 16 (not Chevrolat, 1865: 26)

***Phyllophaga pilosula* (Moser)**

*Lachnostenra pilosula* Moser, 1918a: 32  
*Phyllophaga pilosula* (Moser); Blackwelder, 1944: 225  
*Phyllophaga (Phyllophaga) pilosula* (Moser); Morón, 1986: 204  
Distribution: México

***Phyllophaga pilotoensis* Garcia-Vidal**

*Phyllophaga pilotoensis* Garcia-Vidal, 1987: 304  
Distribution: Cuba

***Phyllophaga pilula* (Moser)**

*Lachnostenra pilula* Moser, 1921c: 250  
*Phyllophaga pilula* (Moser); Blackwelder, 1944: 226  
*Phyllophaga (Phyllophaga) pilula* (Moser); Morón, 1986: 205  
Distribution: México

***Phyllophaga plaei* (Blanchard)**

*Ancylonycha plaei* Blanchard, 1851: 137  
*Ancylonycha pleei* Blanchard; Lacordaire, 1856: 286 [unjustified emendation]  
*Cnemarachis plaei* (Blanchard); Blackwelder, 1944: 223  
*Phyllophaga pleei* [sic] (Blanchard); Paulian, 1947: 55  
*Phyllophaga (Cnemarachis) pleei* [sic] (Blanchard); Chalumeau and Gruner, 1976: 95  
Distribution: Puerto Rico

Synonym: *Phyllophaga borinquensis* Blackwelder, 1944: 224 (for Moser, 1918a: 62)

Synonym: *Lachnostenra portoricensis* Moser, 1918a: 62 (not Smyth, 1917: 145)

Synonym: *Phyllophaga portoricensis* Smyth, 1917: 145  
*Cnemarachis portoricensis* (Smyth); Saylor, 1942a: plate 17

***Phyllophaga plairi* (Saylor)**

*Lachnostenra plairi* (Saylor, 1937d: 31  
*Phyllophaga plairi* (Saylor); Blackwelder, 1944: 226  
*Phyllophaga (Phyllophaga) plairi* (Saylor); Morón, 1986: 204  
Distribution: México

***Phyllophaga planeta* Reinhard**

*Phyllophaga (Listrochelus) planeta* Reinhard, 1950: 30  
Distribution: United States

***Phyllophaga platti* Saylor**

*Phyllophaga (Phytalus) platti* Saylor, 1935h: 499

Distribution: México

***Phyllophaga platyrhina* (Bates)**

*Phytalus platyrhinus* Bates, 1888: 179

*Phyllophaga platyrhina* (Bates); Blackwelder, 1944: 226

*Phyllophaga (Phytalus) platyrhinus* (Bates); Morón, 1986: 200

Distribution: México

***Phyllophaga plena* (Fall)**

*Listrochelus plenus* Fall, 1932: 199

*Phyllophaga (Listrochelus) plena* (Fall); Saylor, 1940d: 90

Distribution: México, United States

***Phyllophaga pleroma* Reinhard**

*Phyllophaga pleroma* Reinhard, 1940: 5 (for Reinhard, 1939: 49)

Distribution: United States

Synonym: *Phyllophaga plena* Reinhard, 1939: 49 (not Fall, 1932: 199)

***Phyllophaga poculifer* (Bates)**

*Phytalus poculifer* Bates, 1888: 184

*Phyllophaga poculifer* (Bates); Blackwelder, 1944: 226

*Phyllophaga (Phytalus) poculifer* (Bates); Morón, 1986: 200

Distribution: México

***Phyllophaga pokorniana* Morón**

*Phyllophaga (Phyllophaga) pokorniana* Morón, 1996a: 76

Distribution: México

***Phyllophaga polita* (Harold)**

*Phytalus politus* Harold, 1869b: 123 (for Burmeister, 1855: 351)

*Phyllophaga polita* (Harold); Blackwelder, 1944: 226

Distribution: Brazil

Synonym: *Phytalus laevigatus* Burmeister, 1855: 351 (not Blanchard, 1850: 131)

*Phyllophaga (Phytalus) laevigatus* (Burmeister); Frey, 1975a: 224

***Phyllophaga polyphylla* (Bates)**

*Lachnostenra polyphylla* Bates, 1888: 194

*Phyllophaga polyphylla* (Bates); Blackwelder, 1944: 226

*Phyllophaga (Phyllophaga) polyphylla* (Bates); Morón, 1986: 202

Distribution: México

Synonym: *Lachnostenra heterophylla* Bates, 1888: 194

*Phyllophaga heterophylla* (Bates); Blackwelder, 1944: 225

***Phyllophaga porodera* (Bates)**

*Lachnostenra porodera* Bates, 1888: 211

*Phyllophaga porodera* (Bates); Blackwelder, 1944: 226

*Phyllophaga (Phyllophaga) porodera* (Bates); Morón, 1986: 205

Distribution: México

***Phyllophaga postrema* (Horn)**

*Lachnostenra postrema* Horn, 1887b: 233

*Phyllophaga postrema* (Horn); Glasgow, 1916: 373

Distribution: United States

Synonym: *Lachnostenra quadrata* Smith, 1889a: 94

*Phyllophaga quadrata* (Smith); Glasgow, 1916: 373

***Phyllophaga potrerillo* Garcia-Vidal**

*Phyllophaga potrerillo* Garcia-Vidal, 1987: 304

Distribution: Cuba

***Phyllophaga praesidii* (Bates)**

*Listrochelus praesidii* Bates, 1888: 171

*Phyllophaga praesidii* (Bates); Blackwelder, 1944: 226

*Phyllophaga (Listrochelus) praesidii* (Bates); Morón, 1986: 201

Distribution: México

***Phyllophaga praetermissa* (Horn)**

*Lachnostenra praetermissa* Horn 1887b: 223

*Phyllophaga praetermissa* (Horn); Glasgow, 1916: 373

Distribution: United States

Synonym: *Lachnostenra definita* Smith, 1889b: 501 (for Horn, 1887b: 243)

***Phyllophaga probaporra* Sanderson**

*Phyllophaga probaporra* Sanderson, 1951: 263

Distribution: Dominican Republic

***Phyllophaga profunda* (Blanchard)**

*Ancylonycha profunda* Blanchard, 1851: 132

*Lachnostenra profunda* (Blanchard); Horn, 1887b: 257

*Phyllophaga profunda* (Blanchard), Glasgow, 1916: 371

Distribution: United States

Synonym: *Lachnostenra biimpressa* Smith, 1889a: 97

Synonym: *Lachnostenra grandior* Linell, 1896: 727

***Phyllophaga prolixa* (Bates)**

*Phytalus prolixus* Bates, 1888: 178

*Phyllophaga prolixa* (Bates); Blackwelder, 1944: 226

*Phyllophaga* (*Phytalus*) *prolixa* (Bates); Solís and Morón, 1998: 22

Distribution: Costa Rica, Nicaragua

***Phyllophaga propinqua* (Moser)**

*Phytalus propinquus* Moser, 1918a: 67

*Phyllophaga propinqua* (Moser); Blackwelder, 1944: 226

*Phyllophaga* (*Phytalus*) *propinqua* (Moser); Frey, 1975a: 224

Distribution: Brazil, Paraguay

***Phyllophaga pruinipennis* (Moser)**

*Lachnostenra pruinipennis* Moser, 1918a: 40

*Phyllophaga pruinipennis* (Moser); Blackwelder, 1944: 226

*Phyllophaga* (*Phyllophaga*) *pruinipennis* (Moser); Frey, 1975a: 209

Distribution: Colombia

***Phyllophaga pruinosa* (Blanchard)**

*Phytalus pruinosis* Blanchard 1851: 131

*Phyllophaga pruinosa* (Blanchard); Blackwelder, 1944: 226

*Phyllophaga* (*Phytalus*) *pruinosa* (Blanchard); Frey, 1975a: 222

Distribution: Brazil, Costa Rica, México

***Phyllophaga prunina* (LeConte)**

*Lachnostenra prunina* LeConte, 1856: 251 (for Melsheimer, 1846: 139)

*Phyllophaga prunina* (LeConte); Glasgow, 1916: 371

Distribution: United States

Synonym: *Ancylonycha pruinosa* Melsheimer, 1846: 139 (not Blanchard, 1851: 131)

***Phyllophaga prununculina* (Burmeister)**

*Trichestes prununculina* Burmeister, 1855: 360

*Lachnostenra prununculina* (Burmeister); Horn, 1887b: 223

*Phyllophaga prununculina* (Burmeister), Glasgow, 1916: 372

Distribution: United States

Synonym: *Lachnostenra cerasina* LeConte, 1856: 241

***Phyllophaga pseudoatra* Morón**

*Phyllophaga* (*Phyllophaga*) *pseudoatra* Morón, 2003a: 246

Distribution: México

***Phyllophaga pseudocalcaris* Saylor**

*Phyllophaga pseudocalcaris* Saylor, 1940e: 309

*Cnemarachis pseudocalcaris* (Saylor); Blackwelder, 1944: 223  
*Phyllophaga pseudocalcaris* Sanderson, 1951: 265  
Distribution: Dominican Republic

***Phyllophaga pseudocara* Morón**  
*Phyllophaga (Phyllophaga) pseudocarus* Morón, 1999: 380  
Distribution: México

***Phyllophaga pseudofloridana* Woodruff and Beck**  
*Phyllophaga pseudofloridana* Woodruff and Beck, 1989: 150  
Distribution: United States

***Phyllophaga pseudomicans* Chapin**  
*Phyllophaga pseudomicans* Chapin, 1935b: 73  
*Cnemarachis pseudomicans* (Chapin); Blackwelder, 1944: 223  
Distribution: Cuba

***Phyllophaga psiloptera* Sanderson**  
*Phyllophaga psiloptera* Sanderson, 1939a: 7  
Distribution: United States

***Phyllophaga puberea* (Mannerheim)**  
*Melolontha puberea* Mannerheim, 1829: 63  
*Phytalus pubereus* (Mannerheim); Burmeister, 1855: 351  
*Phyllophaga puberea* (Mannerheim); Blackwelder, 1944: 226  
*Phyllophaga (Phytalus) puberea* (Mannerheim); Frey, 1975a: 223  
Distribution: Brazil

***Phyllophaga puberula* (Jacquelin du Val)**  
*Ancylonycha puberula* Jacquelin du Val, 1856: 130  
*Phyllophaga puberula* (Jacquelin du Val); Chapin, 1932b: 189  
*Cnemarachis puberula* (Jacquelin du Val); Blackwelder, 1944: 223  
Distribution: Cuba

***Phyllophaga pubescens* (Burmeister)**  
*Ancylonycha pubescens* Burmeister, 1855: 334  
*Phyllophaga pubescens* (Burmeister); Blackwelder, 1944: 226  
*Phyllophaga (Phyllophaga) pubescens* (Burmeister); Frey, 1975a: 208  
Distribution: French Guiana

***Phyllophaga pubicauda* (Bates)**  
*Lachnosterna pubicauda* Bates, 1888: 188  
*Phyllophaga pubicauda* (Bates); Blackwelder, 1944: 226  
*Phyllophaga (Phyllophaga) pubicauda* (Bates); Morón, 1986: 202  
Distribution: México

***Phyllophaga pubicollis* (Blanchard)**

*Phytalus pubicollis* Blanchard, 1851: 131

*Lachnostenra pubicollis* (Blanchard); Bates, 1889: 400

*Phyllophaga* (*Phyllophaga*) *pubicollis* (Blanchard); Saylor, 1943b: 109

Distribution: Guatemala, México

Synonym: *Lachnostenra heynei* Moser, 1918b: 164

*Phyllophaga heynei* (Moser); Blackwelder, 1944: 225

***Phyllophaga pudorosa* Reinhard, 1939**

*Phyllophaga pudorosa* Reinhard, 1939: 55

Distribution: United States

***Phyllophaga puerilis* (Wickham)**

*Lachnostenra puerilis* Wickham, 1914: 459

*Phyllophaga puerilis* (Wickham); Evans, 2003: 144

Distribution: United States

Remark: fossil species

***Phyllophaga pulcher* (Linell)**

*Listrochelus pulcher* Linell, 1896: 730

*Phyllophaga* (*Listrochelus*) *pulcher* (Linell); Saylor, 1940d: 88

Distribution: United States

***Phyllophaga punctipennis* (Blanchard)**

*Ancylonycha punctipennis* Blanchard, 1851: 135

*Phyllophaga punctipennis* (Blanchard); Evans, 2003: 145

Distribution: ?South America

Synonym: *Ancylonycha puncicollis* Burmeister, 1855: 321

***Phyllophaga punctulata* (Blanchard)**

*Ancylonycha punctulata* Blanchard, 1851: 132

*Phyllophaga punctulata* (Blanchard); Blackwelder, 1944: 226

*Phyllophaga* (*Phyllophaga*) *punctulata* (Blanchard); Frey, 1975a: 214

Distribution: Colombia

***Phyllophaga punctuliceps* (Bates)**

*Phytalus punctuliceps* Bates, 1888: 175

*Phyllophaga punctuliceps* Bates; Blackwelder, 1944: 226

*Phyllophaga* (*Phytalus*) *punctuliceps* Bates; Cano and Morón, 1998: 11

Distribution: Guatemala, México

***Phyllophaga punctulicollis* (Bates)**

*Lachnostenra punctulicollis* Bates, 1888: 191

*Phyllophaga punctulicollis* (Bates); Blackwelder, 1944: 226

*Phyllophaga (Phyllophaga) punctulicollis* (Bates); Morón, 1986: 203  
Distribution: México

***Phyllophaga puntarenosa* Morón and Solís**  
*Phyllophaga (Phyllophaga) puntarenosa* Morón and Solís, 2001: 19  
Distribution: Costa Rica

***Phyllophaga pusillidens* Fall**  
*Phyllophaga pusillidens* Fall, 1937: 31 (for Fall, 1929a: 113)  
Distribution: United States

Synonym: *Phyllophaga microdon* Fall, 1929a: 113 (not Bates, 1888: 211)

***Phyllophaga quadriphylla* Saylor**  
*Phyllophaga (Phyllophaga) quadriphylla* Saylor, 1943c: 29  
Distribution: México

***Phyllophaga quercus* (Knoch)**  
*Melolontha quercus* Knoch, 1801: 72  
*Ancylonycha quercus* (Knoch); Burmeister, 1855: 340  
*Endrosa quercus* (Knoch); LeConte, 1856: 235  
*Lachnostenra quercus* (Knoch); Horn, 1887b: 281  
*Phyllophaga quercus* (Knoch), Glasgow, 1916: 371  
Distribution: United States

***Phyllophaga quetzala* Morón**  
*Phyllophaga (Phyllophaga) quetzala* Morón, 2001a: 171  
Distribution: México

***Phyllophaga quetzaloides* Morón**  
*Phyllophaga (Phyllophaga) quetzaloides* Morón, 2001a: 174  
Distribution: México

***Phyllophaga quiana* Morón**  
*Phyllophaga (Phyllophaga) quiana* Morón, 2003a: 283  
Distribution: México

***Phyllophaga rangelana* Chapin**  
*Phyllophaga rangelana* Chapin, 1935b: 71  
*Cnemarachis rangelana* (Chapin); Blackwelder, 1944: 223  
Distribution: Cuba

***Phyllophaga ratcliffeiana* Morón**  
*Phyllophaga (Chlaenobia) ratcliffeiana* Morón, 1992b: 29  
Distribution: México

***Phyllophaga ravida* (Blanchard)**

*Ancylonycha ravida* Blanchard, 1851: 136

*Lachnostenra ravida* (Blanchard); Bates, 1888: 191

*Phyllophaga ravida* (Blanchard); Blackwelder, 1944: 226

*Phyllophaga (Phyllophaga) ravida* (Blanchard); Sanderson, 1958: 164

Distribution: Belize, Guatemala, México, United States

Synonym: *Lachnostenra heterodoxa* Horn, 1887b: 289

*Phyllophaga heterodoxa* (Horn); Glasgow, 1916: 373

Synonym: *Lachnostenra ravida guatemalica* Moser, 1918a: 24

*Phyllophaga ravida guatemalica* (Moser); Sanderson, 1942: 53

Synonym: *Lachnostenra ravida longiclava* Moser, 1918a: 24

*Phyllophaga longiclava* (Moser); Blackwelder, 1944: 225

*Phyllophaga ravida longiclava* (Moser); Morón, 1986: 64

***Phyllophaga rawlinsi* Woodruff**

*Phyllophaga rawlinsi* Woodruff, 2005: 126

Distribution: Dominican Republic

***Phyllophaga raydoma* Saylor**

*Phyllophaga (Phyllophaga) raydoma* Saylor, 1943b: 107

Distribution: Guatemala

***Phyllophaga recorta* Sanderson**

*Phyllophaga recorta* Sanderson, 1951: 268

Distribution: Dominican Republic, Haiti

***Phyllophaga reevesi* Saylor**

*Phyllophaga reevesi* Saylor, 1939b: 89

Distribution: United States

***Phyllophaga regiomontana* Morón**

*Phyllophaga (Phyllophaga) regiomontana* Morón, 2001a: 176

Distribution: México

***Phyllophaga reinhardi* Saylor**

*Phyllophaga (Listrochelus) reinhardi* Saylor, 1940d: 89

Distribution: United States

***Phyllophaga renodis* Reinhard**

*Phyllophaga renodis* Reinhard, 1939: 48

Distribution: United States

***Phyllophaga reticulata* Frey**

*Phyllophaga reticulata* Frey, 1975c: 257

Distribution: México

***Phyllophaga revertazona* Saylor**

*Phyllophaga revertazona* Saylor, 1936d: 295

*Phyllophaga (Phyllophaga) revertazona* Saylor; Solís and Morón, 1998: 25

Distribution: Costa Rica

***Phyllophaga rex* Woodruff and Sanderson**

*Phyllophaga rex* Woodruff and Sanderson, 2005: 130

Distribution: Dominican Republic

***Phyllophaga reyesiana* Morón**

*Phyllophaga (Chlaeniobia) reyesiana* Morón, 1992b: 26

*Phyllophaga (Phytalus) reyesiana* Morón; Morón, 2006: 64

Distribution: México

***Phyllophaga riverana* Morón**

*Phyllophaga (Listrochelus) riverana* Morón, 2004: 91

Distribution: México

***Phyllophaga riviera* Reinhard**

*Phyllophaga riviera* Reinhard, 1950: 27

Distribution: United States

***Phyllophaga rodriguezi* (Bates)**

*Chlaenobia rodriguezi* Bates, 1889: 399

*Phyllophaga rodriguezi* (Bates); Blackwelder, 1944: 226

*Phyllophaga (Chlaenobia) rodriguezi* (Bates); Cano and Morón, 1998: 9

Distribution: Guatemala

***Phyllophaga rolbakeri* Saylor**

*Phyllophaga (Phyllophaga) rolbakeri* Saylor, 1940e: 111

Distribution: México

***Phyllophaga rolstoni* Riley and Wolfe**

*Phyllophaga (Phyllophaga) rolstoni* Riley and Wolfe, 1997: 428

Distribution: United States

***Phyllophaga romana* (Saylor)**

*Cnemarachis romana* Saylor, 1946a: 1

*Phyllophaga romana* (Saylor); Sanderson, 1951: 261

Distribution: Dominican Republic

***Phyllophaga rorida* (Burmeister)**

*Ancylonycha rorida* Burmeister, 1855: 330

*Phyllophaga rorida* (Burmeister); Blackwelder, 1944: 226  
Distribution: Brazil

***Phyllophaga rorulenta patens* (Arrow)**

*Lachnostenra patens* Arrow, 1900: 175  
*Cnemarachis patens* (Arrow); Blackwelder, 1944: 223  
*Phyllophaga rorulenta patens* (Arrow); Chalumeau, 1980: 87  
Distribution: St. Vincent

***Phyllophaga rorulenta rorulenta* (Burmeister)**

*Ancylonycha rorulenta* Burmeister, 1855: 331  
*Lachnostenra rorulenta* (Burmeister); Bates, 1888: 196  
*Phyllophaga (Phyllophaga) rorulenta* (Burmeister); Saylor, 1943d: 131  
Distribution: Colombia, Costa Rica, Guatemala, Guyana, México, Panama, Trinidad, Venezuela

Synonym: *Lachnostenra trinitatis* Arrow, 1900: 182  
*Phyllophaga trinitatis* (Arrow); Blackwelder, 1944; 226

***Phyllophaga roscida* (Burmeister)**

*Ancylonycha roscida* Burmeister, 1855: 340  
*Phyllopahaga roscida* (Burmeister); Blackwelder, 1944: 226  
*Phyllopahaga (Phyllophaga) roscida* (Burmeister); Frey, 1975a: 214  
Distribution: Colombia

***Phyllophaga rossi* Saylor**

*Phyllophaga (Phyllophaga) rossi* Saylor, 1939d: 452  
Distribution: United States

***Phyllophaga rostrypyga* (Bates)**

*Lachnostenra rostrypyga* Bates, 1889: 401  
*Phyllophaga rostrypyga* (Bates); Blackwelder, 1944; 226  
*Phyllophaga (Phyllophaga) rostrypyga* (Bates); Cano and Morón, 1998: 14  
Distribution: Guatemala, México

Synonym: *Lachnostenra castaneipennis* Moser, 1918a: 19  
*Phyllophaga castaneipennis* (Moser); Blackwelder, 1944: 224

***Phyllophaga rubella* (Bates)**

*Lachnostenra rubella* Bates, 1888: 209  
*Phyllophaga rubella* (Bates); Blackwelder, 1944: 226  
*Phyllophaga (Phyllophaga) rubella* (Bates); Morón, 1986: 204  
Distribution: México

***Phyllophaga rubiginosa* (LeConte)**

*Lachnostenra rubiginosa* LeConte, 1856: 259

*Phyllophaga rubiginosa* (LeConte); Glasgow, 1916: 373  
Distribution: United States

***Phyllophaga rubricosa* Reinhard**

*Phyllophaga rubricosa* Reinhard, 1939: 47  
Distribution: United States

***Phyllophaga ruficollis* (Moser)**

*Lachnostenra ruficollis* Moser, 1918a: 47  
*Phyllophaga ruficollis* (Moser); Blackwelder, 1944: 226  
*Phyllophaga (Phyllophaga) ruficollis* (Moser); Morón, Vallejo, and Restrepo-Giraldo, 2001: 33  
Distribution: Colombia

***Phyllophaga rufipes* (Moser)**

*Lachnostenra rufipes* Moser, 1924b: 156  
*Phyllophaga rufipes* (Moser); Blackwelder, 1944: 226  
*Phyllophaga (Phyllophaga) rufipes* (Moser); Frey, 1975a: 212  
Distribution: Ecuador, Venezuela

***Phyllophaga rufithorax* (Moser)**

*Lachnostenra rufithorax* Moser, 1921c: 248  
*Phyllophaga rufithorax* (Moser); Blackwelder, 1944: 226  
*Phyllophaga (Phyllophaga) rufithorax* (Moser); Morón, 1986: 203  
Distribution: México

***Phyllophaga rufiventris* (Kirsch)**

*Lachnostenra rufiventris* Kirsch, 1885: 220  
*Phyllophaga rufiventris* (Kirsch); Blackwelder, 1944: 226  
*Phyllophaga (Phytalus) rufiventris* (Kirsch); Frey, 1975a: 205  
Distribution: Ecuador

***Phyllophaga rufotestacea* (Moser)**

*Lachnostenra rufotestacea* Moser, 1918a: 23  
*Phyllophaga rufotestacea* (Moser); Blackwelder, 1944: 226  
*Phyllophaga (Phytalus) rufotestacea* (Moser); Cano and Morón, 1998: 10  
Distribution: Guatemala, México

***Phyllophaga rugicollis* (Bates)**

*Lachnostenra rugicollis* Bates, 1888: 190  
*Phyllophaga rugicollis* (Bates); Blackwelder, 1944: 226  
*Phyllophaga (Phyllophaga) rugicollis* (Bates); Morón, 1986: 202  
Distribution: México

***Phyllophaga rugipennis* (Schaufuss)**

*Anyclonycha rugipennis* Schaufuss, 1858: 318

*Phyllophaga rugipennis* (Schaufuss); Blackwelder, 1944: 226  
*Phyllophaga (Phyllophaga) rugipennis* (Schaufuss); Cano and Morón, 1998: 14  
Distribution: Colombia, Guatemala, México, Panama

***Phyllophaga rugithorax* Saylor**  
*Phyllophaga (Phytalus) rugithorax* Saylor, 1938e: 188  
Distribution: México

***Phyllophaga rugosa* (Melsheimer)**  
*Ancylonycha rugosa* Melsheimer, 1846: 140  
*Lachnostenra rugosa* (Melsheimer); LeConte, 1856: 252  
*Phyllophaga rugosa* (Melsheimer); Glasgow, 1916: 371  
Distribution: Canada, United States

***Phyllophaga rugulosa* (Blanchard)**  
*Ancylonycha rugulosa* Blanchard, 1851: 134  
*Lachnostenra rugulosa* (Blanchard); Bates, 1888: 203  
*Phyllophaga rugulosa* (Blanchard); Blackwelder, 1944: 226  
*Phyllophaga (Phyllophaga) rugulosa* (Blanchard); Cano and Morón, 1998: 13  
Distribution: Guatemala, México

***Phyllophaga rustica* Woodruff**  
*Phyllophaga rustica* Woodruff, 2005: 137  
Distribution: Dominican Republic

***Phyllophaga rzedowskiana* Aragón and Morón**  
*Phyllophaga (Chlaenobia) rzedowskiana* Aragón and Morón, 2003: 560  
Distribution: México

***Phyllophaga sacoma* Reinhard**  
*Phyllophaga sacoma* Reinhard, 1939: 52  
Distribution: United States

***Phyllophaga saginata* (Mannerheim)**  
*Melolontha saginata* Mannerheim, 1829: 64  
*Phytalus saginatus* (Mannerheim); Harold, 1869a: 1172  
*Phyllophaga saginata* (Mannerheim); Blackwelder, 1944: 226  
Distribution: Brazil

***Phyllophaga saltana* Frey**  
*Phyllophaga (Phyllophaga) saltana* Frey, 1975a: 219  
Distribution: Argentina

***Phyllophaga sanbarthensis* Chalumeau and Gruner**  
*Phyllophaga (Cnemarachis) sanbarthensis* Chalumeau and Gruner, 1976: 97  
Distribution: Saint Barthelemy, Saint Martin

***Phyllophaga sanctipauli* (Blanchard)**

*Ancylonycha sancti-pauli* Blanchard, 1851: 132

*Phyllophaga sancti-pauli* (Blanchard); Blackwelder, 1944: 226

*Phyllophaga sanctipauli* (Blanchard); Frey, 1975a: 215

Distribution: Argentina, Brazil

***Phyllophaga sandersoni* Garcia-Vidal**

*Phyllophaga sandersoni* Garcia-Vidal, 1988: 104

Distribution: Cuba

***Phyllophaga sandersoniana* Morón**

*Phyllophaga (Chlaenobia) sandersoniana* Morón, 1992b: 24

*Phyllophaga (Phytalus) sandersoniana* Morón; Morón, 2006: 68

Distribution: México

***Phyllophaga sandersoniella* Chalumeau and Gruner**

*Phyllophaga (Cnemarachis) sandersoniella* Chalumeau and Gruner, 1976: 92

Distribution: Guadeloupe

***Phyllophaga sanjosicola* Saylor**

*Phyllophaga sanjosicola* Saylor, 1935h: 500

*Phyllophaga (Phytalus) sanjosicola* Saylor; Solís and Morón, 1998: 23

Distribution: Costa Rica

Synonym: *Phyllophaga (Phytalus) valeriana* Saylor, 1934: 50

***Phyllophaga santachloe* Woodruff**

*Phyllophaga santachloe* Woodruff, 2005: 141

Distribution: Dominican Republic

***Phyllophaga santaclarae* Chapin**

*Phyllophaga santaclarae* Chapin, 1932b: 189

*Cnemarachis santa clarae* (Chapin); Blackwelder, 1944: 223

Distribution: Cuba

***Phyllophaga santiaguensis* Garcia-Vidal**

*Phyllophaga santiaguensis* Garcia-Vidal, 1987: 303

Distribution: Cuba

***Phyllophaga saylori* Sanderson**

*Phyllophaga saylori* Sanderson, 1965: 560

*Phyllophaga (Phyllophaga) saylori* Sanderson; Morón, 1986: 205

Distribution: México

***Phyllophaga sayloriana* Morón, Rivera, and López**

*Phyllophaga (Phyllophaga) sayloriana* Morón, Rivera, and López, 2002: 486  
Distribution: México

***Phyllophaga scabrifrons* (Bates)**

*Lachnostenra scabrifrons* Bates, 1888: 187  
*Phyllophaga scabrifrons* (Bates); Blackwelder, 1944: 226  
*Phyllophaga (Phyllophaga) scabrifrons* (Bates); Cano and Morón, 1998: 14  
Distribution: Belize, Guatemala

Synonym: *Lachnostenra guatemalensis* Moser, 1921c: 251  
*Phyllophaga guatemalensis* (Moser); Blackwelder, 1944: 224

***Phyllophaga scabripygia* (Bates)**

*Chlaenobia scabripygia* Bates, 1888: 167  
*Phyllophaga scabripygia* (Bates); Blackwelder, 1944: 226  
*Phyllophaga (Chlaenobia) scabripygia* (Bates); Morón, 1986: 209  
Distribution: Costa Rica, El Salvador, Guatemala, México

***Phyllophaga scaramuzzai* Garcia-Vidal**

*Phyllophaga scaramuzzai* Garcia-Vidal, 1988: 106  
Distribution: Cuba

***Phyllophaga schaefferi* Saylor**

*Phyllophaga schaefferi* Saylor, 1937d: 321 (for Schaeffer, 1909: 382)  
Distribution: United States

Synonym: *Lachnostenra georgiana* Schaeffer, 1909: 382 (not Horn, 1885: 122)  
*Phyllophaga georgiana* (Schaeffer); Glasgow, 1916: 374

Synonym: *Phyllophaga duvalus* Robinson, 1938: 110  
*Phyllophaga duvala* Robinson; Smith and Evans, 2005: 52

***Phyllophaga schencklingi* (Moser)**

*Lachnostenra schencklingi* Moser, 1918b: 163  
*Phyllophaga schenklingi* (Moser); Blackwelder, 1944: 226  
*Phyllophaga (Phyllophaga) schenklingi* (Moser); Morón, 1986: 202  
Distribution: México

***Phyllophaga schizorhina* (Bates)**

*Lachnostenra schizorhina* Bates, 1888: 202  
*Phyllophaga schizorhina* (Bates); Blackwelder, 1944: 226  
*Phyllophaga (Phyllophaga) schizorhina* (Bates); Solís and Morón, 1998: 24  
Distribution: Costa Rica, Nicaragua, Panama

***Phyllophaga schizorhinoides* Morón**

*Phyllophaga (Phyllophaga) schizorhinoides* Morón, 2003a: 221

Distribution: Costa Rica, Panama

***Phyllophaga schneblei* Frey**

*Phyllophaga (Phyllophaga) schneblei* Frey, 1975a: 208

Distribution: Colombia

***Phyllophaga schusteriana* Cano and Morón**

*Phyllophaga (Chlaenobia) schusteriana* Cano and Morón, 2002: 356

*Phyllophaga (Phytalus) schusteriana* Cano and Morón; Morón, 2006: 51

Distribution: Guatemala

***Phyllophaga schwarzi* Chapin**

*Phyllophaga schwarzi* Chapin, 1932b: 184

*Cnemarachis schwarzi* (Chapin); Blackwelder, 1944: 223

Distribution: Cuba

***Phyllophaga scissa* (Bates)**

*Lachnostenra scissa* Bates, 1888: 202

*Phyllophaga scissa* (Bates); Blackwelder, 1944: 226

*Phyllophaga (Phyllophaga) scissa* (Bates); Morón, 1986: 204

Distribution: México

***Phyllophaga scitula* (Horn)**

*Lachnostenra scitula* Horn, 1887b: 256

*Phyllophaga scitula* (Horn); Glasgow, 1916: 373

Distribution: United States

***Phyllophaga scoparia* (LeConte)**

*Listrochelus scoparius* LeConte, 1856: 264

*Phyllophaga (Listrochelus) scoparia* (LeConte); Saylor, 1940d: 80

Distribution: México, United States

***Phyllophaga scuticeps* (Bates)**

*Listrochelus scuticeps* Bates, 1888: 171

*Phyllophaga (Listrochelus) scuticeps* (Bates); Saylor, 1940d: 94

Distribution: México, United States

***Phyllophaga segregans* (Bates)**

*Lachnostenra segregans* Bates, 1888: 206

*Phyllophaga segregans* (Bates); Blackwelder, 1944: 226

*Phyllophaga (Phyllophaga) segregans* (Bates); Morón, 1986: 205

Distribution: México

***Phyllophaga senex* (Horn)**

*Listrochelus senex* Horn, 1878: 148

*Phyllophaga (Listrochelus) senex* (Horn); Saylor, 1940d: 115

Distribution: United States

***Phyllophaga senicula* (Bates)**

*Phytalus seniculus* Bates, 1888: 181

*Phyllophaga senicula* (Bates); Blackwelder, 1944: 226

*Phyllophaga (Phytalus) senicula* (Bates); Morón, 1986: 213

Distribution: Guatemala, México

***Phyllophaga sequoiana* Saylor**

*Phyllophaga sequoiana* Saylor, 1936a: 2

Distribution: United States

***Phyllophaga sericata* (Erichson)**

*Anyclyonycha sericata* Erichson, 1848: 563

*Phyllophaga sericata* (Erichson); Evans, 2003: 155

Distribution: French Guiana

***Phyllophaga serrana* Morón and Cano**

*Phyllophaga (Phyllophaga) serrana* Morón and Cano, 2000: 240

Distribution: Guatemala

***Phyllophaga serratipes* Morón and Cano**

*Phyllophaga (Phyllophaga) serratipes* Morón and Cano, 2000: 237

Distribution: Guatemala

***Phyllophaga setidorsis* (Bates)**

*Lachnostenra setidorsis* Bates, 1888: 200

*Phyllophaga setidorsis* (Bates); Blackwelder, 1944: 226

*Phyllophaga (Phyllophaga) setidorsis* (Bates); Sanderson, 1958: 172

Distribution: Costa Rica, México

***Phyllophaga setifera* (Burmeister)**

*Ancylonycha setifera* Burmeister, 1855: 335

*Lachnostenra setifera* (Burmeister); Bates, 1888: 198

*Phyllophaga (Phyllophaga) setifera* (Burmeister); Sanderson, 1958: 166

Distribution: Belize, Costa Rica, Colombia, Guatemala, Honduras, México, Nicaragua, Panama, United States, Venezuela

***Phyllophaga siboneyensis* Garcia-Vidal**

*Phyllophaga siboneyensis* Garcia-Vidal, 1988: 103

Distribution: Cuba

***Phyllophaga signaticollis* (Burmeister)**

*Anyclonycha signaticollis* Burmeister, 1855: 337

*Phyllophaga signaticollis* (Burmeister); Chapin, 1932b: 190

*Cnemarachis signaticollis* (Burmeister); Blackwelder, 1944: 223

Distribution: Cuba

Synonym: *Ancylonycha conflusa* Jacquelin du Val, 1856: 131

***Phyllophaga sinaloana* Saylor**

*Phyllophaga (Phytalus) sinaloana* Saylor, 1935h: 499

Distribution: México

***Phyllophaga sinicollis* Saylor**

*Phyllophaga (Phyllophaga) sinicollis* Saylor, 1943e: 265

Distribution: México

***Phyllophaga sinuaticeps* (Moser)**

*Lachnostenra sinuaticeps* Moser, 1921c: 249

*Phyllophaga sinuaticeps* (Moser); Blackwelder, 1944: 226

*Phyllophaga (Phyllophaga) sinuaticeps* (Moser); Morón, 1986: 203

Distribution: México

***Phyllophaga skelleyi* Woodruff and Beck**

*Phyllophaga skelleyi* Woodruff and Beck, 1989: 156

Distribution: United States

***Phyllophaga smithi* (Arrow)**

*Phytalus smithi* Arrow, 1912: 455

*Clemora smithi* (Arrow); Saylor, 1942a: 160

*Phyllophaga smithi* (Arrow); Evans, 2003: 156

Distribution: Barbados, Trinidad [Mauritius]

***Phyllophaga snowi* Saylor**

*Phyllophaga (Listrochelus) snowi* Saylor, 1940d: 114

Distribution: México, United States

***Phyllophaga sociata* (Horn)**

*Listrochelus sociatus* Horn, 1878: 146

*Phyllophaga sociatus* (Horn); Luginbill and Painter, 1953: 35

Distribution: United States

***Phyllophaga soctona* Morón**

*Phyllophaga (Phytalus) soctona* Morón, 2000b: 37

Distribution: México

***Phyllophaga sodialis* Reinhard**

*Phyllophaga sodialis* Reinhard: 1940: 4

Distribution: United States

***Phyllophaga solanophaga* Morón**

*Phyllophaga (Chlaenobia) solanophaga* Morón, 1988: 57  
Distribution: El Salvador

***Phyllophaga solavegana* Morón**  
*Phyllophaga (Phytalus) solavegana* Morón, 2000b: 55  
Distribution: México

***Phyllophaga solisiana* Morón**  
*Phyllophaga (Phyllophaga) solisiana* Morón, 2003a: 259  
Distribution: Costa Rica, Guatemala, Nicaragua

***Phyllophaga sonora* Saylor**  
*Phyllophaga (Phytalus) sonora* Saylor, 1939c: 167 (for Horn, 1885: 122)  
*Phyllophaga (Phyllophaga) sonora* Saylor; Sanderson, 1958: 166  
Distribution: México, United States

Synonym: *Phytalus debilis* Horn, 1885: 122 (not LeConte, 1856: 262)

***Phyllophaga soror* Davis**  
*Phyllophaga soror* Davis, 1920: 333  
Distribution: United States

***Phyllophaga spaethi* (Nonfried)**  
*Lachnostenra spaethi* Nonfried, 1891: 265  
*Phyllophaga (Phyllophaga) spaethi* (Nonfried); Saylor, 1943d: 133  
Distribution: Honduras

***Phyllophaga speculifera* (Chevrolat)**  
*Ancylonycha speculifera* Chevrolat, 1865: 27  
*Phyllophaga speculifera* (Chevrolat); Chapin, 1932b: 196  
*Cnemarachis speculifera* (Chevrolat); Blackwelder, 1944: 223  
Distribution: Cuba

***Phyllophaga spinicola* Garcia-Vidal**  
*Phyllophaga (Cnemarachis) spinicola* Garcia-Vidal, 1984: 324  
Distribution: Cuba

***Phyllophaga spinifemora* Saylor**  
*Phyllophaga (Phyllophaga) spinifemora* Saylor, 1940e: 307  
*Cnemarachis spinifemora* (Saylor); Blackwelder, 1944: 223  
Distribution: Jamaica

***Phyllophaga spinitarsis* (Moser)**  
*Lachnostenra spinitarsis* Moser, 1921c: 253  
*Phyllophaga spinitarsis* (Moser); Blackwelder, 1944: 226  
*Phyllophaga (Phyllophaga) spinitarsis* (Moser); Morón, 1986: 205

Distribution: México

***Phyllophaga spreta* (Horn)**

*Lachnostenra spreta* Horn, 1887b: 250

*Phyllophaga spreta* (Horn); Glasgow, 1916: 373

Distribution: United States

***Phyllophaga squamifera* Frey**

*Phyllophaga squamifera* Frey, 1976a: 299

Distribution: Venezuela

***Phyllophaga squamipilosa* Saylor**

*Phyllophaga (Tostegoptera) squamipilosa* Saylor, 1936c: 280

Distribution: United States

***Phyllophaga stehlei* Chalumeau**

*Phyllophaga stehlei* Chalumeau, 1985: 28

Distribution: St. Martin

***Phyllophaga stipitalis* (Blanchard)**

*Ancylonycha stipitalis* Blanchard, 1851: 136

*Phyllophaga stipitalis* (Blanchard); Blackwelder, 1944: 226

*Phyllophaga (Phyllophaga) stipitalis* (Blanchard); Morón, 1986: 205

Distribution: México

***Phyllophaga stohleri* Saylor**

*Phyllophaga stohleri* Saylor, 1938c: 130

Distribution: United States

***Phyllophaga straminea* (Bates)**

*Phytalus stramineus* Bates, 1888: 183

*Phyllophaga straminea* (Bates); Blackwelder, 1944: 226

*Phyllophaiga (Phytalus) striaminea* (Bates); Morón, 1986: 200

Distribution: México

***Phyllophaga sturmi* (Bates)**

*Lachnostenra sturmi* Bates, 1888: 197

*Phyllophaga sturmi* (Bates); Blackwelder, 1944: 226

*Phyllophaga (Phyllophaga) sturmi* (Bates); Morón, 1986: 195

Distribution: Guatemala, México

***Phyllophaga szotzilana* Morón**

*Phyllophaga (Phyllophaga) szotzilana* Morón, 2001a: 178

Distribution: México

***Phyllophaga submetallica* (Bates)**

*Lachnosterna submetallica* Bates, 1888: 204  
*Phyllophaga submetallica* (Bates); Blackwelder, 1944: 226  
*Phyllophaga (Phyllophaga) submetallica* (Bates); Morón, 1986: 242  
Distribution: Guatemala

***Phyllophaga submucida* (LeConte)**  
*Lachnosterna submucida* LeConte, 1856: 260  
*Phyllophaga submucida* (LeConte); Glasgow, 1916: 373  
*Phyllophaga (Phyllophaga) submucida* (LeConte); Morón, 1986: 204  
Distribution: México, United States

***Phyllophaga subnitida* (Moser)**  
*Lachnosterna subnitida* Moser, 1918a: 44  
*Phyllophaga subnitida* (Moser); Blackwelder, 1944: 226  
Distribution: Venezuela

***Phyllophaga subopaca* (Moser)**  
*Lachnosterna subopaca* Moser, 1918a: 45  
*Phyllophaga subopaca* (Moser); Blackwelder, 1944: 226  
*Phyllophaga (Phyllophaga) subopaca* (Moser); Frey 1975a: 206  
Distribution: Venezuela, Trinidad

***Phyllophaga subpruinosa* (Casey)**  
*Lachnosterna subpruinosa* Casey, 1884: 38  
*Phyllophaga subpruinosa* (Casey); Glasgow, 1916: 379  
Distribution: United States

Synonym: *Phyllophaga deanii* Luginbill, 1928: 78

***Phyllophaga subrugosa* (Moser)**  
*Lachnosterna subrugosa* Moser, 1924b: 155  
*Phyllophaga subrugosa* (Moser); Blackwelder, 1944: 226  
*Phyllophaga (Phyllophaga) subrugosa* (Moser); Morón, 1986: 205  
Distribution: México

***Phyllophaga subtensa* (LeConte)**  
*Lachnosterna subtensa* LeConte, 1856: 254  
*Phyllophaga subtensa* (LeConte); Glasgow, 1916: 372  
Distribution: United States

***Phyllophaga suriana* Morón**  
*Phyllophaga (Listrochelus) suriana* Morón, 2002: 460  
Distribution: México

***Phyllophaga suttonana* Reinhard**  
*Phyllophaga tristis suttonana* Reinhard, 1939: 59

*Phyllophaga suttonana* Reinhard; Riley and Wolfe, 2003: 23  
Distribution: United States

***Phyllophaga suturalis* (Chevrolat)**

*Ancylonycha suturalis* Chevrolat, 1865: 29  
*Phyllophaga suturalis* (Chevrolat); Chapin, 1932b: 200  
*Cnemarachis suturalis* (Chevrolat); Blackwelder, 1944: 223  
*Phyllophaga (Cnemarachis) suturalis* (Chevrolat); Woodruff, 1961: 12  
Distribution: Cuba

***Phyllophaga sylvatica* Sanderson**

*Phyllophaga sylvatica* Sanderson, 1942: 49  
Distribution: United States

***Phyllophaga tajimaroana* Morón**

*Phyllophaga (Phytalus) tajimaroana* Morón, 2000b: 57  
Distribution: México

***Phyllophaga talamancana* Morón and Solís**

*Phyllophaga (Phyllophaga) talamancana* Morón and Solís, 2001: 22  
Distribution: Costa Rica

***Phyllophaga tancitara* Saylor**

*Phyllophaga (Phytalus) tancitara* Saylor, 1943a: 23  
Distribution: México

***Phyllophaga tapantina* Morón and Solís**

*Phyllophaga (Phyllophaga) tapantina* Morón and Solís, 2001: 14  
Distribution: Costa Rica

***Phyllophaga tarsalis* (Schaeffer)**

*Listrochelus tarsalis* Schaeffer, 1908: 319  
*Phyllophaga (Listrochelus) tarsalis* (Schaeffer), Saylor, 1940c: 93  
Distribution: United States

***Phyllophaga taxodii* Langston**

*Phyllophaga taxodii* Langston, 1924: 449  
Distribution: United States

***Phyllophaga tecta* Cartwright**

*Phyllophaga tecta* Cartwright, 1944: 32  
Distribution: United States

***Phyllophaga tegenara* Saylor**

*Phyllophaga (Phytalus) tegenara* Saylor, 1935h: 496  
Distribution: Costa Rica

***Phyllophaga tegulicolis* Saylor**

*Phyllophaga (Phytalus) tegulicolis* Saylor, 1934: 49

Distribution: Honduras

***Phyllophaga tejulpicas* Saylor**

*Phyllophaga (Phyllophaga) tejulpicas* Saylor, 1943e: 264

Distribution: México, Panamá

***Phyllophaga tejupana* Morón**

*Phyllophaga (Phytalus) tejupana* Morón, 2000b: 54

Distribution: México

***Phyllophaga temascalis* Saylor**

*Phyllophaga (Phyllophaga) temascalis* Saylor, 1941a: 26

Distribution: México

***Phyllophaga temaxa* Saylor**

*Phyllophaga (Phyllophaga) temaxa* Saylor, 1940e: 314 (for Bates, 1889: 404)

Distribution: Guatemala, México

Synonym: *Lachnostenra parilis* Bates, 1889: 404 (not Bates, 1888: 172)

***Phyllophaga temescaltepeca* Saylor**

*Phyllophaga (Phytalus) temescaltepeca* Saylor, 1934: 49

Distribution: México

***Phyllophaga temora* Saylor**

*Phyllophaga (Phyllophaga) temora* Saylor, 1943d: 135

Distribution: México

***Phyllophaga tenuipilis* (Bates)**

*Lachnostenra tenuipilis* Bates, 1888: 202

*Phyllophaga tenuipilis* (Bates); Blackwelder, 1944: 226

*Phyllophaga (Phyllophaga) tenuipilis* (Bates); Cano and Morón, 1998: 14

Distribution: Guatemala, México, Nicaragua

***Phyllophaga teosinteophaga* Morón and Rivera**

*Phyllophaga (Phytalus) teosinteophaga* Morón and Rivera, 1992: 84

Distribution: México

***Phyllophaga tepanana* Saylor**

*Phyllophaga tepanana* Saylor, 1938f: 341

*Phyllophaga (Phyllophaga) tepanana* Saylor; Cano and Morón, 1998: 14

Distribution: Guatemala

***Phyllophaga terezinae* Frey**

*Phyllophaga (Phyllophaga) terezinae* Frey, 1965b: 147

Distribution: Brazil

***Phyllophaga terminalis* (Saylor)**

*Listrochelus terminalis* Saylor, 1935g: 35

*Phyllophaga terminalis* (Saylor); Blackwelder, 1944: 226

*Phyllophaga (Listrochelus) terminalis* (Saylor); Morón, 1986: 266

Distribution: México

***Phyllophaga testaceipennis* (Blanchard)**

*Ancylonycha testaceipennis* Blanchard, 1851: 134

*Lachnostenra testaceipennis* (Blanchard); Bates, 1888: 195

*Phyllophaga (Phyllophaga) testaceipennis* (Blanchard); Saylor, 1943b: 106

Distribution: México, Guatemala, Panama

***Phyllophaga tetracera* Chapin**

*Phyllophaga tetracera* Chapin, 1932b: 193

*Cnemarachis tetracera* (Chapin); Blackwelder, 1944: 223

Distribution: Cuba

***Phyllophaga tetraphylla* (Moser)**

*Lachnostenra tetraphylla* Moser, 1918a: 65

*Cnemarachis tetraphylla* (Moser); Blackwelder, 1944: 223

*Phyllophaga tetraphylla* (Moser); Chalumeau, 1985: 26

Distribution: Jamaica

***Phyllophaga texensis* Saylor**

*Phyllophaga (Listrochelus) texensis* Saylor, 1940c: 106

Distribution: United States

***Phyllophaga thoracica* (Burmeister)**

*Ancylonycha thoracica* Burmeister, 1855: 332

*Phyllophaga thoracica* (Burmeister); Blackwelder, 1944: 226

*Phyllophaga (Phyllophaga) thoracica* (Burmeister); Frey, 1975a: 212

Distribution: Colombia, Venezuela

***Phyllophaga tilarana* Morón and Solís**

*Phyllophaga (Phyllophaga) tilarana* Morón and Solís, 2001: 12

Distribution: Costa Rica

***Phyllophaga timida* (Horn)**

*Listrochelus timidus* Horn, 1878: 146

*Phyllophaga (Listrochelus) timida* (Horn); Saylor, 1940c: 113

Distribution: México, United States

***Phyllophaga tlanchinolensis* Morón**

*Phyllophaga (Phytalus) tlanchinolensis* Morón, 2000b: 49

Distribution: México

***Phyllophaga tojolabala* Morón**

*Phyllophaga (Phyllophaga) tojolabala* Morón, 1999: 378

Distribution: México

***Phyllophaga toni* Woodruff**

*Phyllophaga toni* Woodruff, 2005: 143

Distribution: Dominican Republic

***Phyllophaga torta* (LeConte)**

*Lachnostenra torta* LeConte, 1856: 239

*Phyllophaga torta* (LeConte); Glasgow, 1916: 372

*Phyllophaga (Phyllophaga) torta* (LeConte); Morón, 1986: 244

Distribution: México, United States

Synonym: *Lachnostenra dampfi* Arrow, 1933b: 148

***Phyllophaga totonis* Saylor**

*Phyllophaga (Phyllophaga) totonis* Saylor, 1941d: 386

Distribution: Guatemala

***Phyllophaga totoreana* Morón**

*Phyllophaga (Phytalus) totoreana* Morón, 2006: 83

Distribution: México

***Phyllophaga transversicollis* (Moser)**

*Lachnostenra transversicollis* Moser, 1918a: 49

*Phyllophaga transversicollis* (Moser); Blackwelder, 1944: 226

*Phyllophaga (Phyllophaga) transversicollis* (Moser); Frey, 1975a: 211

Distribution: Colombia

***Phyllophaga trichia* (Bates)**

*Lachnostenra trichia* Bates, 1888: 200

*Phyllophaga trichia* (Bates); Blackwelder, 1944: 226

*Phyllophaga (Phyllophaga) trichia* (Bates); Morón, 1986: 204

Distribution: Guatemala, México

***Phyllophaga trichoderma* (Moser)**

*Lachnostenra trichoderma* Moser, 1921c: 256

*Phyllophaga trichoderma* (Moser); Blackwelder, 1944: 226

Distribution: Paraguay

***Phyllophaga trichodes* (Bates)**

*Lachnostenra trichodes* Bates, 1888: 178

*Phyllophaga trichodes* (Bates); Blackwelder, 1944: 226

*Phyllophaga (Phyllophaga) trichodes* (Horn); Sanderson, 1958: 166

*Phyllophaga (Phytalus) trichodes* (Bates); Morón, 1986: 212

Distribution: México, United States

Synonym: *Phytalus robustus* Horn, 1885: 120 (not LeConte, 1856: 257)

Synonym: *Phyllophaga (Phytalus) sandersonia* Saylor, 1939c: 161 (for Horn, 1885: 120)

***Phyllophaga tridens* (Bates)**

*Lachnostenra tridens* Bates, 1888: 187

*Phyllophaga tridens* (Bates); Blackwelder, 1944: 226

*Phyllophaga (Phyllophaga) tridens* (Bates); Morón, 1986: 202

Distribution: México

***Phyllophaga tridilonycha* Saylor**

*Phyllophaga (Phyllophaga) tridilonycha* Saylor, 1943a: 27

Distribution: México

***Phyllophaga trinitariensis* Garcia-Vidal**

*Phyllophaga trinitariensis* Garcia-Vidal, 1987: 306

Distribution: Cuba

***Phyllophaga tristis* (Fabricius)**

*Melolontha tristis* Fabricius, 1781: 39

*Trichestes tristis* (Fabricius); Burmeister, 1855: 358

*Lachnostenra tristis* (Fabricius); LeConte, 1856: 260

*Phyllophaga tristis* (Fabricius); Glasgow, 1916: 370

*Phyllophaga (Phyllophaga) tristis* (Fabricius); Morón, 1986: 204

Distribution: Canada, México, United States

Synonym: *Melolontha pilosicollis* Knoch, 1801: 85

*Trichesthes pilosicollis* (Knoch); Blanchard, 1850: 141

*Phyllophaga pilosicollis* (Knoch); Evans, 2003: 165

***Phyllophaga triticophaga* Morón and Salvadori**

*Phyllophaga (Phytalus) triticophaga* Morón and Salvadori, 1998: 370

Distribution: Brazil

***Phyllophaga trochanter* Saylor**

*Phyllophaga (Listrochelus) trochanter* Saylor, 1940c: 78 (for Horn, 1885: 123)

Distribution: México, United States

Synonym: *Listrochelus gracilis* Horn, 1885: 123 (not Burmeister, 1855: 361)

***Phyllophaga tsajumiana* Morón**

*Phyllophaga (Phyllophaga) tsajumiana* Morón, 2001a: 184

Distribution: México

***Phyllophaga tuberculifrons* (Chevrolat)**

*Ancylonycha tuberculifrons* Chevrolat, 1865: 23

*Phyllophaga tuberculifrons* (Chevrolat); Chapin, 1932b: 186

*Cnemarachis tuberculifrons* (Chevrolat); Blackwelder, 1944: 223

Distribution: Cuba

***Phyllophaga tumulosa* (Bates)**

*Chlaenobia tumulosa* Bates, 1888: 168

*Phyllophaga tumulosa* (Bates); Blackwelder, 1944: 226

*Phyllophaga (Chlaenobia) tumulosa* (Bates); Morón, 1986: 209

Distribution: Belize, El Salvador, Guatemala, Honduras, México, Nicaragua

***Phyllophaga tusa* (Horn)**

*Lachnostenra tusa* Horn, 1887b: 290

*Phyllophaga tusa* (Horn); Glasgow, 1916: 373

Distribution: United States

***Phyllophaga tuxtleca* Morón**

*Phyllophaga (Phyllophaga) tuxtleca* Morón, 2003a: 237

Distribution: México

***Phyllophaga tzintzontliana* Morón**

*Phyllophaga (Chlaenobia) tzintzontliana* Morón, 1992b: 18

Distribution: México

***Phyllophaga ueiacayoca* Morón**

*Phyllophaga (Phyllophaga) ueiacayoca* Morón, 1992a: 121

Distribution: México

***Phyllophaga ulkei* (Smith)**

*Lachnostenra ulkei* Smith, 1889a: 94

*Phyllophaga ulkei* (Smith); Glasgow, 1916: 373

Distribution: United States

***Phyllophaga umbrosa* (Erichson)**

*Ancylonycha umbrosa* Erichson, 1847a: 101

*Phyllophaga umbrosa* (Erichson); Blackwelder, 1944: 226

*Phyllophaga (Phyllophaga) umbrosa* (Erichson); Frey, 1975a: 203

Distribution: Peru

***Phyllophaga uniformis* (Blanchard)**

*Ancylonycha uniformis* Blanchard, 1851: 133

*Lachnostenra uniformis* (Blanchard); LeConte, 1856: 245

*Phyllophaga uniformis* (Blanchard); Glasgow, 1916: 371

Distribution: United States

Synonym: *Lachnostenra carolina* Fall, 1912: 43

***Phyllophaga uruguayana* (Saylor)**

*Lachnostenra (Phytalus) uruguayana* Saylor, 1935f: 206

*Phyllophaga uruguayana* (Saylor); Blackwelder, 1944: 226

*Phyllophaga (Phytalus) uruguayana* (Saylor); Frey, 1975a: 226

Distribution: Uruguay

***Phyllophaga valia* Saylor**

*Phyllophaga (Listrochelus) valia* Saylor, 1940e: 113

Distribution: México

***Phyllophaga vandinei* Smyth**

*Lachnostenra vandinei* Smyth, 1917: 68

*Cnemarachis vandinei* (Smyth); Saylor, 1942a: 159

*Phyllophaga vandinei* (Smyth); Blackwelder, 1944: 223

Distribution: Puerto Rico

Synonym: *Lachnostenra major* Moser, 1918a: 59

***Phyllophaga vandykei* Saylor**

*Phyllophaga vandykei* Saylor, 1935g: 34

Distribution: Panama

***Phyllophaga varohiana* Morón**

*Phyllophaga (Phytalus) varohiana* Morón, 2006: 74

Distribution: México

***Phyllophaga vazquezae* Morón**

*Phyllophaga (Phyllophaga) vazquezae* Morón, 1995: 5

Distribution: México

***Phyllophaga vehemens* (Horn)**

*Lachnostenra vehemens* Horn, 1887b: 244

*Phyllophaga vehemens* (Horn); Glasgow, 1916: 373

*Phyllophaga (Phyllophaga) vehemens* (Horn)

Distribution: United States

***Phyllophaga venodiola* Saylor**

*Phyllophaga (Listrochelus) venodiola* Saylor, 1938e: 185

Distribution: México

***Phyllophaga vermiculata* Chapin**

*Phyllophaga vermiculata* Chapin, 1932b: 195

*Cnemarachis vermiculata* (Chapin); Blackwelder, 1944: 223

Distribution: Cuba

***Phyllophaga verruciventris* (Moser)**

*Lachnostenra verruciventris* Moser, 1918a: 21

*Phyllophaga verruciventris* (Moser); Blackwelder, 1944: 226

*Phyllophaga (Phyllophaga) verruciventris* (Moser); Morón, 1986: 202

Distribution: México

***Phyllophaga vestita* (Moser)**

*Phytalus vestitus* Moser, 1918a: 70

*Phyllophaga vestita* (Moser); Blackwelder, 1944: 227

*Phyllophaga (Phytalus) vestita* (Moser); Frey, 1975a: 220

Distribution: Bolivia, Brazil

***Phyllophaga vetula* (Horn)**

*Lachnostenra vetula* Horn, 1887b: 274

*Phyllophaga vetula* (Horn); Glasgow, 1916: 373

*Phyllophaga (Phyllophaga) vetula* (Horn); Sanderson, 1958: 165

Distribution: México, United States

Synonym: *Lachnostenra longipilosa* Bates, 1888: 209

***Phyllophaga vexata unituberculata* (Bates)**

*Chlaenobia unituberculata* Bates, 1889: 399

*Chlaenobia vexatus unituberculata* Bates; Chapin, 1935: 14

*Phyllophaga vexatus unituberculata* (Bates); Blackwelder, 1944: 227

*Phyllophaga (Chlaenobia) vexatus unituberculata* (Bates); Morón, 1986: 208

Distribution: México

***Phyllophaga vexata vexata* (Horn)**

*Phytalus vexatus* Horn, 1885: 121

*Chlaenobia vexata* (Horn); Chapin, 1935: 13

*Phyllophaga vexata* (Horn); Blackwelder, 1944: 227

*Phyllophaga (Chlaenobia) vexata* (Horn); Morón, 1986: 208

Distribution: Guatemala, México, United States

Synonym: *Phytalus cavifrons* Linell, 1896: 729

***Phyllophaga vicina* (Moser)**

*Lachnostenra vicina* Moser, 1918a: 29

*Phyllophaga (Phyllophaga) vicina* (Moser); Saylor, 1943d: 136

Distribution: Costa Rica, Guatemala, Panama

***Phyllophaga vilifrons* (LeConte)**

*Lachnostenra vilifrons* LeConte, 1856: 255

*Lachnostenra villifrons* LeConte; Horn, 1887b: 263

*Phyllophaga vilifrons* (LeConte); Glasgow, 1916: 372

Distribution: Canada, United States

Synonym: *Lachnostenra hirticeps* LeConte, 1856: 255

***Phyllophaga villaclarensis* Garcia-Vidal**

*Phyllophaga villaclarensis* Garcia-Vidal, 1987: 302

Distribution: Cuba

***Phyllophaga vulpes* (Arrow)**

*Lachnostenra vulpes* Arrow, 1913c: 463

*Phyllophaga vulpes* (Arrow); Blackwelder, 1944: 227

*Phyllophaga (Phyllophaga) vulpecula* [sic] (Arrow); Frey, 1975a: 217

Distribution: Brazil

***Phyllophaga wickhami* Saylor**

*Phyllophaga (Listrochelus) wickhami* Saylor, 1940c: 107

Distribution: United States

***Phyllophaga wittkugeli* (Nonfried)**

*Lachnostenra wittkugeli* Nonfried, 1891: 264

*Phyllophaga wittkugeli* (Nonfried); Blackwelder, 1944: 227

Distribution: Honduras

***Phyllophaga wolcotti* Saylor**

*Phyllophaga (Phyllophaga) wolcotti* Saylor, 1940e: 307

*Cnemarachis wolcotti* (Saylor); Blackwelder, 1944: 223

Distribution: Puerto Rico

***Phyllophaga woodruffi* Warner and Morón**

*Phyllophaga (Triodonyx) woodruffi* Warner and Morón, 1992: 337

Distribution: México

***Phyllophaga xanthe* (Bates)**

*Lachnostenra xanthe* Bates, 1888: 189

*Phyllophaga xanthe* (Bates); Blackwelder, 1944: 227

*Phyllophaga (Phyllophaga) xanthe* (Bates); Morón, 1986: 202

Distribution: México

***Phyllophaga xanthocoma* (Bates)**

*Phytalus xanthocomus* Bates, 1888: 181

*Phyllophaga xanthocoma* (Bates); Blackwelder, 1944: 227

*Phyllophaga (Phytalus) xanthocoma* (Bates); Morón, 1986: 213

Distribution: Guatemala, México

***Phyllophaga xerophila* Saylor**

*Phyllophaga xerophila* Saylor, 1939b: 89

Distribution: United States

***Phyllophaga xkumuka* Morón**

*Phyllophaga (Phyllophaga) xkumuka* Morón, 1999: 382

Distribution: México

***Phyllophaga yaqui* Saylor**

*Phyllophaga (Listrochelus) yaqui* Saylor, 1940e: 314 (for debilis Arrow, 1933b: 147)

Distribution: México

Synonym: *Listrochelus debilis* Arrow, 1933b: 147 (not LeConte, 1856: 262)

*Phyllophaga debilis* (Arrow); Evans, 2003: 170

***Phyllophaga yaxbitana* Morón**

*Phyllophaga (Phytalus) yaxbitana* Morón, 2000b: 39

Distribution: México

***Phyllophaga yei* Morón**

*Phyllophaga (Chirodines) yei* Morón, 1991: 402

Distribution: México

***Phyllophaga yemasseei* Cartwright**

*Phyllophaga yemasseei* Cartwright, 1944: 30

Distribution: United States

***Phyllophaga yoloxana* Morón**

*Phyllophaga (Phyllophaga) yoloxana* Morón, 2003a: 285

Distribution: México

***Phyllophaga youngi* Cartwright**

*Phyllophaga youngi* Cartwright, 1935: 102

*Phyllophaga (Cnemarachis) youngi* Cartwright; Woodruff, 1961: 12

Distribution: Bahamas, United States

Synonym: *Phyllophaga (Phyllophaga) bahama* Saylor, 1940e: 311

***Phyllophaga yucana* Saylor**

*Phyllophaga yucana* Saylor, 1937d: 321 (for Blanchard, 1851: 136)

Distribution: Colombia, Venezuela

Synonym: *Ancylonycha sericata* Blanchard, 1851: 136 (not Erichson, 1848: 563)

*Phyllophaga sericata* (Blanchard); Blackwelder, 1944: 226

*Phyllophaga* (*Phyllophaga*) *sericata* (Blanchard); Frey, 1975a: 212

***Phyllophaga yucateca* (Bates)**

*Lachnosterna yucateca* Bates, 1889: 404

*Phyllophaga yucateca* (Bates); Blackwelder, 1944: 227

*Phyllophaga* (*Phyllophaga*) *yucateca* (Bates); Morón, 1986: 204

Distribution: México

***Phyllophaga yunqueana* Chapin**

*Phyllophaga yunqueana* Chapin, 1935c: 70

*Cnemarachis yunqueana* (Chapin); Blackwelder, 1944: 223

Distribution: Puerto Rico

***Phyllophaga zaragozana* Morón**

*Phyllophaga* (*Phyllophaga*) *zaragozana* Morón, 2003a: 227

Distribution: México

***Phyllophaga zarcoana* Morón**

*Phyllophaga* (*Phyllophaga*) *zarcoana* Morón, 2003a: 275

Distribution: Guatemala

***Phyllophaga zavalana* Reinhard**

*Phyllophaga zavalana* Reinhard, 1946: 69

Distribution: United States

***Phyllophaga zayasi* Garcia-Vidal**

*Phyllophaga* (*Cnemarachis*) *zayasi*, Garcia-Vidal, 1978: 10

Distribution: Cuba

***Phyllophaga zunilensis* (Bates)**

*Chirodines zunilensis* Bates, 1888: 169

*Phyllophaga* (*Chirodines*) *zunilensis* (Bates); Saylor, 1942: 162

Distribution: Guatemala, Honduras, México

**Genus *PLECTRODES* Horn**

*Plectrodes* Horn, 1867: 166. Type species *Plectrodes pubescens* Horn, by monotypy.

***Plectrodes pubescens* Horn**

*Plectrodes pubescens* Horn, 1867: 167

Distribution: United States

**Genus *POLYPHYLLA* Harris**

*Polyphylla* Harris, 1841: 30. Type species *Melolontha variolosa* Hentz, by subsequent designation (Young, 1988: 21).

Synonym: *Macronoxia* Crotch, 1873: 61. Type species *Melolontha occidentalis* Linné, subsequent designation (Evans 2003: 171).

Synonym: *Polylamina* Hardy, 1974: 6. Type species *Polyphylla pubescens* Cartwright, by original designation.

Keys to species: Fall, 1928: 34; Hardy, 1981: 299; Young, 1967: 285; 1988: 22, 23; Morón, 1994: 41

***Polyphylla aeolus* La Rue**

*Polyphylla aeolus* La Rue, 1998: 24

Distribution: United States

***Polyphylla anteronivea* Hardy**

*Polyphylla anteronivea* Hardy, 1978a: 2

Distribution: United States

***Polyphylla arguta* Casey**

*Polyphylla arguta* Casey, 1914: 338

Distribution: United States

***Polyphylla avittata* Hardy**

*Polyphylla avittata* Hardy, 1978a: 1

Distribution: United States

***Polyphylla barbata* Cazier**

*Polyphylla barbata* Cazier, 1938: 161

Distribution: United States

***Polyphylla brownae* Young**

*Polyphylla brownae* Young, 1986: 47

Distribution: United States

***Polyphylla cavifrons* LeConte**

*Polyphylla cavifrons* LeConte, 1854: 222

Distribution: México, United States

***Polyphylla comes* Casey**

*Polyphylla comes* Casey, 1914: 351

Distribution: United States

***Polyphylla concurrens* Casey**

*Polyphylla concurrens* Casey, 1889: 169

Distribution: Honduras

***Polyphylla conspersa* Burmester**

*Polyphylla conspersa* Burmester, 1855: 407

Distribution: México

***Polyphylla crinita* LeConte**

*Polyphylla crinita* LeConte, 1856: 230

Distribution: Canada, México, United States

Synonym: *Polyphylla crinita mystica* Casey, 1914: 334

Synonym: *Polyphylla incolumnis* Casey, 1914: 335

Synonym: *Polyphylla ona* Bloeker, 1939: 148

Synonym: *Polyphylla pacifica* Casey, 1895: 607

Synonym: *Polyphylla ruficollis preversa* Casey, 1914: 348

Synonym: *Polyphylla santarosae* Bloeker, 1939: 149

***Polyphylla decemlineata* (Say)**

*Melolontha decemlineata* Say, 1824: 246

*Polyphylla decemlineata* (Say): Burmeister, 1855: 407

Distribution: Canada, México, United States

Synonym: *Polyphylla comstockiana* Bloeker, 1939: 150

Synonym: *Polyphylla decemlineata laticauda* Casey, 1914: 345

Synonym: *Polyphylla decemlineata parilis* Casey, 1914: 345

Synonym: *Polyphylla decemlineata reducta* Casey, 1914: 345

Synonym: *Polyphylla matrona* Casey, 1914: 349

Synonym: *Polyphylla potosiana* Casey, 1914: 349

Synonym: *Polyphylla ruficollis* Casey, 1914: 346

Synonym: *Polyphylla ruficollis castanea* Casey, 1914: 347

Synonym: *Polyphylla ruficollis oregonia* Casey, 1914: 347

Synonym: *Polyphylla squamotecta* Casey, 1914: 343

***Polyphylla devestiva* Young**

*Polyphylla devestiva* Young, 1966: 233

Distribution: United States

***Polyphylla diffracta* Casey**

*Polyphylla diffracta* Casey, 1892: 18

Distribution: México, United States

Synonym: *Polyphylla adusta* Casey, 1914: 331

Synonym: *Polyphylla allenii* Cazier, 1939b: 201

Synonym: *Polyphylla diffracta arida* Van Dyke, 1947: 161

Synonym: *Polyphylla fuscula* Fall, 1908: 161

Synonym: *Polyphylla laevicauda* Casey, 1914: 338

Synonym: *Polyphylla opposita* Casey, 1914: 330

Synonym: *Polyphylla uteana* Tanner, 1928: 276

***Polyphylla donaldsoni* Skelley**

*Polyphylla donaldsoni* Skelley, 2005: 150

Distribution: United States

***Polyphylla erratica* Hardy**

*Polyphylla erratica* Hardy, 1978: 4

Distribution: United States

***Polyphylla gracilis* Horn**

*Polyphylla gracilis* Horn, 1881: 7

Distribution: United States

***Polyphylla hammondi* LeConte**

*Polyphylla hammondi* LeConte, 1856: 228

Distribution: Canada, México, United States

Synonym: *Polyphylla diffusa* Casey, 1914: 329

Synonym: *Polyphylla latifrons* Casey, 1914: 339

Synonym: *Polyphylla oblita* Casey, 1914: 326

Synonym: *Polyphylla oblita impigra* Casey, 1914

Synonym: *Polyphylla oklahomensis* Hatch, 1926: 145

Synonym: *Polyphylla pimalis* Casey, 1914: 329

Synonym: *Polyphylla proba* Casey, 1914: 328

Synonym: *Polyphylla rufescenta* Tanner, 1928: 276

Synonym: *Polyphylla sejuncta* Casey, 1914: 328

Synonym: *Polyphylla speciosa* Casey, 1889: 168

Synonym: *Polyphylla speciosa acomana* Casey, 1914: 342

Synonym: *Polyphylla squamicauda* Casey, 1914: 324

Synonym: *Polyphylla squamicauda molesta* Casey, 1914: 324

Synonym: *Polyphylla subvittata* LeConte, 1856: 229

Synonym: *Polyphylla subvittata bisinuata* Casey, 1914: 327

Synonym: *Polyphylla verecunda* Casey, 1914: 325

***Polyphylla hirsuta* Van Dyke**

*Polyphylla hirsuta* Van Dyke, 1933: 116

Distribution: United States

***Polyphylla mescalerensis* Young**

*Polyphylla mescalerensis* Young, 1988: 64

Distribution: United States

***Polyphylla modulata* Casey**

*Polyphylla modulata* Casey, 1914: 333

*Polyphylla decemlineata modulata* Casey; Cazier, 1939b: 202

Distribution: United States

***Polyphylla monahansensis* Hardy**

*Polyphylla monohansensis* Hardy, 1978: 7

Distribution: United States

***Polyphylla multimaculata* Hardy**

*Polyphylla multimaculata* Hardy, 1981: 300

Distribution: México

***Polyphylla nigra* Casey**

*Polyphylla crinita nigra* Casey, 1914: 334

*Polyphylla nigra* Casey: Young, 1988: 67

Distribution: México, United States

Synonym: *Polyphylla incolumnis relicta* Casey, 1914: 336

Synonym: *Polyphylla incolumnis robustula* Casey, 1914: 336

Synonym: *Polyphylla martini* Bloeker, 1939: 150

Synonym: *Polyphylla santacruzae* Bloeker, 1939: 149

***Polyphylla nubila* Van Dyke**

*Polyphylla nubila* Van Dyke, 1947: 160

Distribution: United States

***Polyphylla occidentalis* (Linné)**

*Scarabaeus occidentalis* Linné, 1767: 555

*Melolontha occidentalis* (Linné); Fabricius, 1775: 32

*Polyphylla occidentalis* (Linné); Burmeister, 1855: 408

Distribution: United States

***Polyphylla petitii* (Guérin-Méneville)**

*Melolontha petitii* Guérin-Méneville 1844a: 97

*Polyphylla petitii* Guérin-Méneville; Lacordaire, 1856: 293

Distribution: México, Nicaragua

Synonym: *Polyphylla dubia* Hatch, 1971: 477

Synonym: *Melolontha leucogramma* Blanchard, 1851: 161

***Polyphylla pottsorum* Hardy**

*Polyphylla pottsorum* Hardy, 1978: 6

Distribution: United States

***Polyphylla pubescens* Cartwright**

*Polyphylla pubescens* Cartwright, 1939: 362

*Polylamina pubescens* (Cartwright); Hardy, 1974: 6

*Polyphylla pubescens* Cartwright; Coca-Abia, 2000: 19

Distribution: United States

***Polyphylla ratcliffei* Young**

*Polyphylla ratcliffei* Young, 1986: 49

Distribution: United States

***Polyphylla rugosipennis* Casey**

*Polyphylla rugosipennis* Casey, 1914: 337

Distribution: México, United States

Synonym: *Polyphylla peninsularis* Van Dyke, 1943: 103

***Polyphylla sobrina* Casey**

*Polyphylla sobrina* Casey, 1914: 339

Distribution: United States

***Polyphylla squamiventris* Cazier**

*Polyphylla squamiventris* Cazier, 1939b: 199

Distribution: México, United States

***Polyphylla stellata* Young**

*Polyphylla stellata* Young, 1986: 50

Distribution: United States

***Polyphylla variolosa* (Hentz)**

*Melolontha variolosa* Hentz, 1830: 256

*Polyphylla variolosa* (Hentz); Harris, 1841: 30

Distribution: United States

***Polyphylla woodruffi* Skelley**

*Polyphylla woodruffi* Skelley, 2005: 148

Distribution: United States

**Genus *THYCE* LeConte**

*Thyce* LeConte, 1856: 232. Type species *Thyce squamicollis* LeConte, 1856, by monotypy.

Keys to species: Hardy, 1974: 23

***Thyce deserta* Hardy**

*Thyce deserta* Hardy, 1974: 23

Distribution: United States

***Thyce squamicollis* LeConte**

*Thyce squamicollis* LeConte, 1856: 232

Distribution: México, United States